SI-468402

Monitoring Details:

Provider Name: CET

Instruction Date: 23/05/2022

Reading Date:

Date of Issue: 23/10/2023

Monitoring Interval: Every 6 weeks

Number of Visits: MUFN

Visits Completed: 8

Visits Outstanding: MUFN

Client Details:

Client: Sedgwick

Job Reference: 9473216

Engineer / Handler: Cameron Wilson

Monitored Address:

Occupier:

Address: 34 Southwood Road, TROWBRIDGE, Wiltshire, BA14 7BZ

Telephone:

Email:

Front Elevation



Site Plan


REAR
TREES
L5
10
9
L4
12
11
GATE
FENCE
RWP
RWP
AREA OF
DAMAGE
1
8
RWP
RWP
GATE
3
RWP
2
6
TBM 7
L2
4
5
L1
L3

Level Readings

	Visit 1	Visit 2	Visit 3	Visit 4	Visit 5	Visit 6	Visit 7	Visit 8	Visit 9	Visit 10
	22/07/22	06/09/22	02/11/22	19/12/22	23/02/23	02/06/23	10/07/23	29/08/23	23/10/23	
1	10.0770	10.0769	10.0772	10.0777	10.0776	10.0774	10.0768	10.0777	10.0768	
2	10.1503	10.1502	10.1506	10.1510	10.1505	10.1514	10.1506	10.1506	10.1501	
3	10.5999	10.6000	10.6002	10.6008	10.5999	10.6004	10.5998	10.6010	10.5995	
4	10.5936	10.5941	10.5944	10.5952	10.5944	10.5950	10.5946	10.5945	10.5933	
5	10.6085	10.6089	10.6091	10.6097	10.6090	10.6096	10.6085	10.6093	10.6084	
6	10.6026	10.6028	10.6032	10.6044	10.6020	10.6036	10.6036	10.6036	10.6028	
TBM 7	10.0000	10.0000	10.0000	10.0000	10.0000	10.0000	10.0000	10.0000	10.0000	
8	10.7007	10.7009	10.7004	10.7011	10.7002	10.7006	10.7009	10.7009	10.7002	
9	10.6829	10.6832	10.6826	10.6847	10.6823	10.6837	10.6840	10.6833	10.6831	
10	10.0659	10.0631	10.0664	10.0718	10.0696	10.0704	10.0653	10.0649	10.0674	
11	10.7599	10.7604	10.7596	10.7609	10.7601	10.7603	10.7611	10.7608	10.7602	
12	10.8429	10.8422	10.8414	10.8423	10.8403	10.8418	10.8425	10.8416	10.8414	
Taken by	J.S	J.S	J.S	J.S	J.S	J.S	J.S	J.S	J.S	
Serial number	523713	523713	523713	523713	523713	523713	523713	523713		

Level Movement (Displayed in Millimeters)

	Visit 1	Visit 2	Visit 3	Visit 4	Visit 5	Visit 6	Visit 7	Visit 8	Visit 9	Visit 10
	22/07/22	06/09/22	02/11/22	19/12/22	23/02/23	02/06/23	10/07/23	29/08/23	23/10/23	
1	0	-0.1	+0.2	+0.7	+0.6	+0.4	-0.2	+0.7	-0.2	
2	0	-0.1	+0.3	+0.7	+0.2	+1.1	+0.3	+0.3	-0.2	
3	0	+0.1	+0.3	+0.9	0	+0.5	-0.1	+1.1	-0.4	
4	0	+0.5	+0.8	+1.6	+0.8	+1.4	+1	+0.9	-0.3	
5	0	+0.4	+0.6	+1.2	+0.5	+1.1	0	+0.8	-0.1	
6	0	+0.2	+0.6	+1.8	-0.6	+1	+1	+1	+0.2	
TBM 7	0	0	0	0	0	0	0	0	0	
8	0	+0.2	-0.3	+0.4	-0.5	-0.1	+0.2	+0.2	-0.5	
9	0	+0.3	-0.3	+1.8	-0.6	+0.8	+1.1	+0.4	+0.2	
10	0	-2.8	+0.5	+5.9	+3.7	+4.5	-0.6	-1	+1.5	
11	0	+0.5	-0.3	+1	+0.2	+0.4	+1.2	+0.9	+0.3	
12	0	-0.7	-1.5	-0.6	-2.6	-1.1	-0.4	-1.3	-1.5	

SI-468402

Level Readings Chart (Points 1 - 6)



SI-468402

Level Readings Chart (Points TBM 7 - 12)

