MELKSHAM HOUSE - DOOR & IRONMONGERY SCHEDULE

10106-S(3) 001 - 21/09/2022

LEGEND	
	Door to be retained
	Door to be removed
	Existing door in new location
	New door in existing frame
	New door in existing opening
	New door set in new opening

Rev	Date	Description
-	27/10/2022	Issued for Comment
A	25.01.2023	Updated after B.C. Meeting
B	08.02.2023	D1.108 updated for revised location
C	05.04.2023	Dwg nos updated

Roberts Limbrick

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
EXTERNAL DOORS - generally refer to drawing 10106L(3)020 (unless otherwise stated).																					
DEX./01	G001	Main Entrance	Existing door to be retained/refurbished	Pair of Doors/ Single Swing	As existing to be confirmed on site	As Existing	N/A	As Existing	Existing refer to 10106 L(3)031	As Existing	As Existing	Existing reused suitability TBC on site	New dead bolt to suit door TBC on site	Existing to be retained	TBC	N/A	Existing reused suitability TBC on site	NA	Fire Escape refer to fire strategy dwgs	Video intercom & card reader access	Door to be repaired/refurbished, locks to be replaced with new . Existing 'hold open' hock and hasp and chain to be retained and ensured in good working order. Entrance/exit out of hours.
DEX.02	G.010.	Kitchen	New external steel door with fan light	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	VP & Fanlight	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	N/A	pair level handles	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	Keyed	Door, frame and ironmongery to be replaced with new external doorset. Fanlight to be replaced as part of door set
DEX.03a	G.009/G014	Breakout/Courtyard	New external fully glazed	Single Door/ Single Swing			N/A	Fully Gazed	Glazed screen refer to dwg 10106 A(3)002	As Existing	To SE details		card access lock with internal escape release	to coordinate with card reader	N/A	N/A	push plate and pull handle	N/A	Fire Escape refer to fire strategy dwgs	Card reader access	New door in new external glazed screen WG101.refer to drawing 10106 Entrance/exit out of hours.
DEX.04	G.014	Courtyard	New external gate	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	As Existing	refer to dwg 10106 L(3)031	As Existing	As Existing	Hook on hinge plates	keypad lock with internal escape override		N/A	hydraulic gate closer	pair level handles with keypad	N/A	Fire Escape refer to fire strategy dwgs	Keypad lock	Door and frame and ironmongery to be replaced with new external gate
DEX.05	G.014/G.016	Cycle Store	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	keypad lock external access /panicware internal		N/A	N//A	level handle with keypad	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	External keypad lock linked to internal panic escape lock	Door, frame and ironmongery to be replaced with new external doorset
DEX.06	G.014/G.018	Store	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	N/A	pair level handles with keypad	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	Keyed	Door, frame and ironmongery to be replaced with new external doorset
DEX.07	G.019	Plant	New external louvered steel doors	Double Doors/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	Existing to be replaced refer to SE details	1 1/2 pairs S/S Butt hinges per leaf	deadbolt	external key/internal thumb turn unlock only	yes	N/A	pair level handles with keypad	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	Keyed	Door, frame and ironmongery to be replaced with new external doorset top and bottom shoot bolts
DEX.08	G.009	Breakout	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking	N/A	N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door, frame and ironmongery to be replaced with new external doorset
DEX.09	G.036	Stair 2	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking	N/A	N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door, frame and ironmongery to be replaced with new external doorset
DEX.10	G.022	Lift Lobby	New external fully glazed door and side screen	Single Door/ Single Swing	New opening size to be confirmed on site	1000mm clear opening width. Height to suit structural opening	N/A	Glazed & Sidelight	Glazed screen refer to dwg 10106 A(3)002	As Existing	To SE details		card access lock with internal escape release	to coordinate with card reader	N/A	none	push plate and pull handle	N/A	Fire Escape refer to fire strategy dwgs	Video intercom & card reader access	New external doorset and glazed side light. Entrance/exit out of hours.
DEX.11	G.024	M.P. Activity Space 1	New external steel door EXISTING DOOR RETAINED, REFURBISHED & SET ASIDE FOR USE ELSEWHERE	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking		N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door to be repaired/refurbished and set aside for use elsewhere. Door, frame and ironmongery to be replaced with new external doorset
DEX.12	G.037	Lobby	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking		N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door, frame and ironmongery to be replaced with new external doorset
DEX.13	G.040	Lobby	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	none	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking		N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door, frame and ironmongery to be replaced with new external doorset.
DEX.14	G.032	M.P. Activity Space 3	Existing adapted doorway and side lights, hatch doors to be removed and opening boarded over.	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	Sidelights	N/A	As Existing	As Existing	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Hatch doors and associated ironmongery to be removed. Existing side lights and frame to be retained repaired/refurbished and reglazed. Opening to be closed off refer to drawing 10106L(x)xxx
DEX.15	G.032	M.P. Activity Space 3	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	push bar panic bolt 3 point locking		N/A	N/A	N/A	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	N/A	Door, frame and ironmongery to be replaced with new external doorset.
DEX.16	G.015	Community Garden Store	New external steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	N/A	pair lever handles	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	Keyed	Door, frame and ironmongery to be replaced with new external doorset.
DEX.17	G.015	Community Garden Store	existing door and frame to be removed and opening blocked up.	Single Door/ Single Swing	As existing to be confirmed on site	N/A	N/A	N/A	N/A	As Existing	As Existing	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Existing door frame and all associated fixings to be carefully removed and disposed of appropriately.

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
DEX.20		Basement Access	New external louvered steel door	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to dwg 10106 L(3)031	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	N/A	pair lever handles	150mm Kickplate inside face only	Fire Escape refer to fire strategy dwgs	Keyed	Door, frame and ironmongery to be replaced with new external doorset.
GROUND FLOOR - INTERNAL DOORS - generally refer to drawing 10106L(3)020 (unless otherwise stated).																					
DG.001	G.002	Entrance Hall	Existing period door, adapted to open in the opposite direction refer to dwg 10106L(0)001	Single Door/ Single Swing	As existing	As existing	N/A	no	refer to 10106 L(3)032	As Existing	As Existing	Existing reused suitability TBC on site	card access lock with internal escape release	to coordinate with card reader	N/A	Automated door opener	Existing	TBC on site	Fire Escape refer to fire strategy dwgs		Existing door to be retained/refurbished. Frame and door to be adjusted to reverse swing.
DG.002	G.027	Circulation	New doorset in existing opening refer to dwg 10106 L(3)032. Existing timber lined opening to be adjusted to suit new door arrangement.	Pair of doors 180˚ Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	VP	refer to 10106 L(3)032	As Existing	As Existing	Number as manufactures requirements to suit Pair of doors 180˚ Swing parliament hinges	deadbolt		yes	Magnetic hold open device linked to alarm system, with manual override	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	keyed	New doorset and ironmongery in existing opening.
DG.003	G.003	Circulation	New door in existing frame	double doors single swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	new VPs & existing fanlight to be upgraded to F30	refer to dwg 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges per door	None	none	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	none	New doors in existing frame. Frame to be retained/refurbished upgraded to suit FD30s. Existing toplight to be retained /refurbished/upgraded to suit FD30s.
DG.004	G.005	Male WC	New doorset in existing opening refer to dwg 10106 L(3)032.	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	none	none	N/A	Overhead Closer	push plate and pull handle	each side	Male WC sign	none	
DG.005	G.004	Wall cupb'd in circulation area	Existing period door to be retained/refurbished.	Double Doors/ Single Swing	As existing	As existing	N/A	glazed doors	Existing refer to 10106 L(0)001	As Existing	As Existing	Existing reused suitability TBC on site	Existing reused suitability TBC on site	Existing reused suitability TBC on site	TBC	N/A	Existing reused suitability TBC on site	N/A	Refer to fire strategy dwg	keyed(Existing key /lock arrangement TBC)	Existing doors retained/refurbished .Cupboard to be kept locked shut and empty. Allow for obscure film to be applied to internal face of glazing.
DG.006	G.004	Circulation	New doorset in existing opening refer to dwg 10106 L3)032. Existing timber lined opening to be adjusted to suit new door arrangement.	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	VP	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt		yes	Overhead Closer	push plate and pull handle	each side	Refer to fire strategy dwg	keyed	New doorset and ironmongery in existing opening..
DG.007	G.006	Female WC	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	N/A	N/A	N/A	Overhead Closer	push plate and pull handle	each side	Female WC sign	none	Existing door, frame and ironmongery to be replaced with new internal doorset and ironmongery.
DG.008	G.007	Office	New doorset in existing opening	Double Doors/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	no	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	keyed	Existing door, frame and ironmongery to be replaced with new internal doorset and ironmongery.
DG.009	G.007	Office wall cupb'd	Existing period cupb'd frame to be retained/refurbished refer to dwg 10106L(3)032	Double Door/ Single Swing	As existing to be confirmed on site	To suit frame	N/A	no	refer to dwg 10106 L(3)032	As Existing	As Existing	cabinet hinges	cabinet lock		TBC	N/A	new cupboard pull handles	N/A	N/A	keyed	Existing doors and ironmongery to be removed, and replaced with new.
DG.011	G.008	Acc Shower	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	Acc. bathroom indicator	N/A	none	pair lever handles	each side	Accessible WC/shower sign	bathroom lock	Existing door, frame and ironmongery to be replaced with new internal doorset and ironmongery.
DG.012a	G.036	Stair 2	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 910	new door leaf 2040x826	FD30s	VP	refer to dwg 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	none	none	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	each side	Refer to fire strategy drawings	none	New doorset and ironmongery in new partition wall
DG013	G.036	Wall cupb'd foot of stair 2	Existing period door to be retained/refurbished refer to dwg 10106L(3)032	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A		Existing refer to 10106 L(3)032	As Existing	As Existing	Existing reused suitability TBC on site	TBC	TBC	TBC	N/A	TBC	N/A	Refer to fire strategy drawings	keyed(Existing key /lock arrangement TBC)	Existing doors retained/refurbished .Cupboard to be kept locked shut and empty.
DG.014	G.009	Breakout	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	VP	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	external keypad /internal escape release		N/A	Overhead Closer	pair lever handles with Key pad	each side each leaf	Refer to fire strategy dwg	keypad lock access from corridor	Existing door, frame and ironmongery to be replaced with new internal doorset and ironmongery. Keypad G.36 side.
DG.015	G.010	Kitchen	New doorset and partition in existing opening	Single Door/ Single Swing	new opening Height TBC on site x 910 width	To suit existing height to be confirmed on site x 825 width	FD30s	VP	refer to 10106 L(3)032	as existing /New partition refer to drawing 10106 L(4)011	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	New internal doorset and ironmongery, and partition in existing opening
DG.016	G.011	Kitchen Store	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suite existing opening to be confirmed on site	FD30	VP	refer to 10106 L(3)032	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt and roller latch	external key/internal thumb turn unlock only	yes	none	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	Existing door to integrated commercial firge freezer has been removed. Jambs to be made good before new door is fitted.
DG.017	NOT IN USE																				
DG.018	G.020	Plant Room Cupb'd	CUPB'D OMITTED ON SITE UNSTABLE																		

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
DG.019	G.023	Kitchen 2	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 910	new door leaf 2040x826	FD30s	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt and roller latch	none	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
DG.020	G.024	M.P Activity Space 1	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 910	new door leaf 2040x826	FD30s	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
DG.021	G.025	Store	New doorset in new opening	Double Doors/Single Swing	new opening 2100 x 1210	new door leaves 2040 x 562	FD30	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt and roller latch	none	yes	n/a	pair lever handles	each side each leaf	Refer to fire strategy dwg	Keyed	pair of shoot bolts New doorset and ironmongery in new partition wall
DG.022	G.030	M.P Activity Space 1/ M.P Activity Space 2	New folding door in existing opening	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	Folding partition refer to 10106 L(3)033	As Existing	As Existing	As manufacture's details									Existing folding door, frame and ironmongery to be replaced with new internal folding door and ironmongery. Dorma Variflex 88
DG.023	G.030	M.P Activity Space 1/ M.P Activity Space 2	New folding door in existing opening	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	Folding partition refer to 10106 L(3)033	As Existing	As Existing	As manufacture's details									Existing folding door, frame and ironmongery to be replaced with new internal folding door and ironmongery. Dorma Variflex 88
DG.024	G.037	Lobby	Existing panel framed door to be retained/refurbished.	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A	no	existing refer to 10106 L(3)032	As Existing	As Existing	Existing reused suitability TBC on site	TBC	TBC	TBC	TBC	TBC	TBC	N/A	keyed(Existing key /lock arrangement TBC)	Door to be repaired/refurbished. Existing boarding to be removed .
DG.025	G.028	Acc WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 1010	new door leaf 2040 x 926	n/a	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	acc bathroom indicator	N/A	none	pair of lever handles	each side	Accessible WC sign	acc bathroom lock	New doorset and ironmongery in new partition wall
DG.026	G.029	WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 910	new door leaf 2040 x 826	n/a	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	bathroom indicator	N/A	none	pair of lever handles	each side	Unisex WC sign	bathroom lock	New doorset and ironmongery in new partition wall
DG.027	G.030	M.P Activity Space 2	New doorset in new opening	Double Doors/Single Swing	new opening 2100 x 1610	new door leaves 2040 x 762	FD30s	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges per leaf	deadbolt	external key/internal thumb turn unlock only	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
DG.028	G.031	M.P Activity Space 2 store	New doorset in new opening	Double Doors/Single Swing	new opening 2100 x 1610	new door leaves 2040 x 762	FD30	no	refer to 10106 L(3)032	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges per leaf	deadbolt	external key/internal thumb turn unlock only	yes	n/a	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	pair of shoot bolts .New doorset and ironmongery in new partition wall
DG.029	G.038	Cupb'd	New door in existing frame	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30	no	refer to dwg 10106 L(3)033	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	none	pair of lever handles	each side each leaf	Refer to fire strategy dwg	Keyed	New internal door and ironmongery in existing frame. Frame to be refurbished/upgraded to suit FD30s.
DG.030	G.039	Cupb'd	New door in existing frame	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30	no	refer to dwg 10106 L(3)033	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	yes	none	pair of lever handles	each side each leaf	Refer to fire strategy dwg	Keyed	New internal door and ironmongery in existing frame. Frame to be refurbished/upgraded to suit FD30s.
DG.031	G.040	Lobby	Existing panel framed door to be retained/refurbished.	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A	no	existing refer to 10106 L(3)033	As Existing	As Existing	Existing reused suitability TBC on site	TBC	TBC	TBC	none	TBC	TBC	TBC	Keyed	Door to be repaired/refurbished. Existing boarding to be removed .
DG.032	G.030	M.P Activity Space 2	New folding door in existing opening	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	Folding partition refer to 10106 L(3)033	As Existing	As Existing	As manufacture's details									Existing folding door, frame and ironmongery to be replaced with new internal folding door and ironmongery. Dorma Variflex 88
DG.033	G.030	M.P Activity Space 2	New folding door in existing opening	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	Folding partition refer to 10106 L(3)033	As Existing	As Existing	As manufacture's details									Existing folding door, frame and ironmongery to be replaced with new internal folding door and ironmongery. Dorma Variflex 88
DG.034	G.030	M.P Activity Space 2	New folding door in existing opening	N/A	As existing to be confirmed on site	To suit existing opening to be confirmed on site	N/A	no	Folding partition refer to 10106 L(3)033	As Existing	As Existing	As manufacture's details									Existing folding door, frame and ironmongery to be replaced with new internal folding door and ironmongery. Dorma Variflex 88
DG.035	G.032	M.P Activity Space 3	New doorset and partition in existing opening	Single Door/ Single Swing	new opening Height TBC on site x 910 width	To suit existing height to be confirmed on site x 825 width	FD30s	no	refer to 10106 L(3)033	as existing /New partition refer to drawing 10106 L(4)011	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	New internal doorset and ironmongery, and partition in existing opening

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
DG.036	G.032	M.P Activity Space 3	Existing period door to be retained/refurbished refer to dwg 10106L(3)033	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)033	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished/upgraded to suit FD30s. Intumescent seals to be fitted.
DG.037	G.033	M.P Activity Space 3 wall cupb'd	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A		Existing refer to 10106 L(3)033	As Existing	As Existing	Existing reused suitability TBC on site	deadbolt	TBC	Existing reused suitability TBC on site	none	Existing reused suitability TBC on site	Existing reused suitability TBC on site		keyed(Existing key /lock arrangement TBC)	Door to be repaired/refurbished.
DG.038	G.035	Below stair store	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s		Existing refer to 10106 L(3)033	As Existing	As Existing	Existing reused suitability TBC on site	deadbolt	TBC	Existing reused suitability TBC on site	none	Existing reused suitability TBC on site	Existing reused suitability TBC on site	Refer to fire strategy dwg	keyed(Existing key /lock arrangement TBC)	Door to be repaired/refurbished.
DG.039	G.034	Meeting Room	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	no	refer to 10106 L(3)033	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Overhead Closer	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	Existing door and frame removed and replaced with new. Condition of existing fabric to be assessed on site for practicality of upgrading /retaining existing. TBC on site.
DG.040	G.026	Cleaners Store	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	FD30s	no	refer to 10106 L(3)033	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	key external/thumb turn exit only internally	N/A	none	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
DG.041	G.022	Circulation	New doorset and partition in existing opening	Single Door/ Single Swing	new opening Height TBC on site x 910 width	To suite existing height to be confirmed on site x 825 width	FD30s	no	refer to 10106 L(3)033	as existing /New partition refer to drawing 10106 L(4)011	As Existing	1 1/2 pairs S/S Butt hinges	external keypad /internal escape release	external key/internal thumb turn unlock only	yes	Overhead Closer	push plate and pull handle	each side each leaf	Refer to fire strategy dwg	keypad lock access from lift lobby.	New partition internal doorset and ironmongery. In existing opening. Keypad to have key override to allow locking open during larger events.
DG.042	G.026a	Plant	New doorset in new opening	Single Door/ Single Swing	new opening Height TBC on site x 910 width	To suite existing height to be confirmed on site x 825 width	FD30s	no	refer to 10106 L(3)033	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	key external/thumb turn exit only internally	N/A	none	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
FIRST FLOOR - INTERNAL DOORS - generally refer to drawing 10106L(3)021 (unless otherwise stated).																					
D1.001	1.003	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	yes	Overhead Closer	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.002	1.004	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	yes	Overhead Closer	push plate and pull handle	To be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.003	1.005	Below stair store	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	yes	none	pair lever handles/door knob to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.004	1.006	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	yes	Overhead Closer	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.005	1.007	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	yes	Overhead Closer	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.006	1.002	Circulation Wall cupb'd	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A	Glazed doors	Existing refer to 10106 L(3)034	As Existing	As Existing	Existing reused suitability TBC on site	TBC on site	TBC on site	TBC on site	none	TBC on site	N/A	Refer to fire strategy dwg	keyed(Existing key /lock arrangement TBC)	Original window opening converted in to cupb'd. Door to be repaired/refurbished. Cupb'd to be kept locked and empty. Allow for obscure film to be applied to internal face of glazing.
D1.007	1.008	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	none	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	Overhead Closer	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products
D1.008	1.015	Circulation	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	TBC VP shown on fire plan- not existing elevation	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	none	none	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	none	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.009	DOOR REMOVED AND SETASIDE FOR REUSE DURING ENABLING WORKS SEE D1.018a																				
D1.010	DOOR REMOVED AND SETASIDE FOR REUSE DURING ENABLING WORKS SEE D1.017																				

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
D1.011	1.004	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)034	As Existing	As Existing	EXISTING DOOR TO BE FIXED SHUT EXISTING IRONMONGERY TO BE RETAINED								N/A	Existing door to be locked and sealed, to be repaired/refurbished exposed side (1.004) only and fire performance upgraded with Envirograf products.
D1.012	1.014	Unisex WC	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)034	As Existing	As Existing	EXISTING DOOR TO BE FIXED SHUT EXISTING IRONMONGERY TO BE RETAINED								N/A	Existing door to be locked and sealed, to be repaired/refurbished exposed side (1.015) only and fire performance upgraded with Envirograf products.
D1.013	1.013	Stair Lobby	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	TBC .VP shown on fire plan- not existing elevation	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	none	none	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	none	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s. Intumescent seals to be fitted.
D1.014	1.017	Balcony	Existing period door to be retained/refurbished refer to dwg 10106L(3)034	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	TBC. VP shown on fire plan- not existing elevation	Existing refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	none	none	N/A	Overhead Closer	push plate and pull handle	Suitability to be assessed on site	Refer to fire strategy dwg	none	Existing door to be retained/refurbished.. Frame and door to be adjusted to reverse swing. .Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s intumescent seals fitted.
D1.015	NOT IN USE																				
D1.016	1.021	Breakout	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	no	refer to 10106 L(3)034	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Overhead Closer	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	Existing door and frame to be carefully removed, opening made good. Existing door to be appropriately disposed.
D1.017	1.019	Circulation	Retained existing door refurbished /reused in new location new frame	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	TBC VP shown on fire plan	Existing refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	roller latch	none	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	To be assessed on site	Refer to fire strategy dwg	none	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products to suit FD30s intumescent seals to be fitted.
D1.018	1.020	Meeting/MP Room	Existing door and frame to be removed																		
D1.018a	1.020	Meeting/MP Room	Retained existing door refurbished /reused in new location new frame	Single Door/ Single Swing	As existing to be confirmed on site	To suit existing opening to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)034	As Existing - opening made good to suit replacement door and frame.	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Overhead Closer	pair lever handles	each side	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. New frame to suit door leaf. Existing opening to be adjusted to suit and wall made good if required TBC on site. Intumescent seals fitted.
D1.020	1.002	Circulation wall fixed cupb'd	Existing period doors to be retained/refurbished refer to dwg 10106L(3)034	Double Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A	N/A	Existing refer to 10106 L(3)034	timber cupboard	N/A	Existing reused	TBC on site	TBC on site	TBC on site	none	TBC on site	N/A	Refer to fire strategy dwg	keyed(Existing key /lock arrangement TBC)	Original timber cupboards wall fixed cupboard/doors to be repaired/refurbished. Cupb'd to be kept locked and empty.
D1.021	1.002	Circulation wall fixed cupb'd	Existing period doors to be retained/refurbished refer to dwg 10106L(3)034	Double Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	N/A	N/A	Existing refer to 10106 L(3)034	timber cupboard	N/A	Existing reused	TBC on site	TBC on site	TBC on site	none	TBC on site	N/A	Refer to fire strategy dwg	keyed(Existing key /lock arrangement TBC)	Original timber cupboards wall fixed cupboard/doors to be repaired/refurbished. Cupb'd to be kept locked and empty.
D1.101	1.001	Stair Lobby	New doorset and partition in existing opening	Single Door/ Single Swing	new opening Height TBC on site x 910 width	To suit existing height to be confirmed on site x 825 width	FD30s	no	refer to 10106 L(3)034	as existing /New partition refer to drawing 10106 L(4)011	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt	external key/internal thumb turn unlock only	N/A	Magnetic hold open device linked to alarm system	push plate and pull handle	each side	Refer to fire strategy dwg	Keyed	Use of Hold Open device to be managed by the building management.
D1.102	1.011	Cleaners Store	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	FD30s	no	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	key external/thumb turn exit only internally	N/A	none	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in new partition wall
D1.103	1.012	Unisex WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	N/A	no	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	bathroom indicator	N/A	none	pair of lever handles	each side	Unisex WC sign	bathroom lock	New doorset and ironmongery in new partition wall
D1.104	1.013	Unisex WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	N/A	no	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	bathroom indicator	N/A	none	pair of lever handles	each side	Unisex WC sign	Bathroom lock	New doorset and ironmongery in new partition wall
D1.105	1.014	Unisex WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	N/A	no	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	bathroom indicator	N/A	none	pair of lever handles	each side	Unisex WC sign	bathroom lock	New doorset and ironmongery in new partition wall

DOOR NO	ROOM NO.	PROPOSED ROOM NAME	MATERIAL / FINISH	SWING / MOTION	STRUCTURAL OPENING Size (width x height)	DOOR LEAF Size (width x height)	FIRE RATING	VISION PANELS/ GLAZING	DOOR TYPE	WALL TYPE	LINTEL TYPE/ Length & Head detail	HINGES	LATCH / LOCKS	CYLINDER	ESCUTCHEON	CLOSERS	HANDLES	KICK PLATES	SIGNAGE	SECURITY	COMMENTS
D1.106	1.024	Lift Lobby	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 810	new door leaf 2040 x 726	FD30s	VP	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	roller latch	none	N/A	Overhead Closer	push plate and pull handle	each side	Refer to fire strategy dwg	none	New doorset and ironmongery in new partition wall
D1.107	1.023	Acc.WC	New doorset in new opening	Single Door/ Single Swing	new opening 2100 x 1010	new door leaf 2040 x 926	N/A	no	refer to 10106 L(3)034	New opening in existing wall refer to SE details	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	bathroom indicator	N/A	none	pair of lever handles	each side	Accessible WC sign	Acc bathroom lock	New doorset in new opening in masonry wall
D1.108	1.010	Distribution Cupd.	New doorset in new opening	Single Door/ Single Swing	new opening 2100x710	new door leaf 2040 x 626	FD30s	no	refer to 10106 L(3)034	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt	key external/thumb turn exit only internally	N/A	none	pair of lever handles	each side	Refer to fire strategy dwg	Keyed	New doorset and ironmongery in existing opening.
SECOND FLOOR - INTERNAL DOORS - generally refer to drawing 10106L(3)022 (unless otherwise stated).																					
D2.001	2.002	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	Overhead Closer	push plate and pull handle to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. Intumescent seals added.
D2.002	2.003	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	Overhead Closer	push plate and pull handle to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. Intumescent seals added.
D2.003	2.004	Office	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	none	none	N/A	none	pair lever handles/door knob to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	none	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. Intumescent seals added.
D2.004	2.005	Roof Void	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	none	pair lever handles/door knob to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. Intumescent seals added.
D2.005	2.007	Roof Void	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	none	pair lever handles/door knob to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products. Intumescent seals added.
D2.006	2.002	Roof Void	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	none	pair lever handles/door knob to suit door construction	Suitability to be assessed on site	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products Intumescent seals added.
D2.007	2.007	Office	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suite existing opening to be confirmed on site	FD30s		Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	Overhead Closer	push plate and pull handle	each side	Refer to fire strategy dwg	Keyed	
D2.008	2.006	Storage/Plant	New doorset in existing opening	Single Door/ Single Swing	As existing to be confirmed on site	To suite existing opening to be confirmed on site	FD30s		Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	none	pair lever handles	each side	Refer to fire strategy dwg	Keyed	
D2.009	2.004	Office	New doorset in new opening	Single Door/ Single Swing	new opening to suit head height TBC on site x 910 width	new door leaf height TBC x 826 width	FD30s	no	Existing refer to 10106 L(3)035	New partition refer to drawing 10106 L(4)011	As partition	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	Overhead Closer	push plate and pull handle	each side	Refer to fire strategy dwg	Keyed	
D2.010	2.004	Roof void	Existing period door to be retained/refurbished refer to dwg 10106L(3)035	Single Door/ Single Swing	As existing to be confirmed on site	As existing to be confirmed on site	FD30s	no	Existing refer to 10106 L(3)035	As Existing	As Existing	1 1/2 pairs S/S Butt hinges	deadbolt type to suit door construction TBC on site	key external/thumb turn exit only internally	N/A	none	pair lever handles/door knob to suit door construction	none	Refer to fire strategy dwg	Keyed	Door to be repaired/refurbished. Ironmongery replaced and fire performance upgraded with Envirograf products