Project Notes

Included/Excluded - Assumptions - Deviations from Specification - Extras Over not Listed in Quotation Schedule

Please read in conjunction with your Quotation Schedule and Quotation General Notes

Project Name:	**Melksham House Wiltshire**
Job no:	**YD0572**
Contractor: Name/Order no.	**Beard Swindon HM-A0251/0061**
This Revision Date	**13/07/2023**

Y.D. Handing Interpretation



Note No	Ref	
This project will be FSC or PEFC chain of custody certified (Availability may affect some supply configurations)		
This project is offered under the Q Mark Certification scheme with GREEN plug status. (See Quotation General Notes for plug colour definitions).		
18/07/2023 - A-01-YD0752rev00 - schedule submitted for approval		
Changes made for Quote Ref E23YD0591-R6		
29	-	DG.031 confirmed as a two panel door.
30	-	DG.024 changed to a two panel door.
Changes made for Quote Ref E23YD0591-R5		
25	-	Quotation amended to reflect details now shown on revised internal door survey forwarded to us on 07/07/2023.
26	-	NB-: Door only still allowed for to DG:03 and DG:039. (Frme widths are noted on the schedule, but the schedule still states that exisating frame to ramain.
27	-	All doors **not** confirmed as right hand are assumed to be left hand hung.
28	-	All architraves now omitted.
Changes made for Quote Ref E23YD0591-R4		
23	-	DG.008 changed to a 1060mm s/o width.
24	-	DG.043 added to the quote. (Exact details TBC).
Changes made for Quote Ref E23YD0591-R3		
22	-	Quotation amended to reflect details shown on the site measure door schedule which was forwarded yesterday.
Changes made for Quote Ref E23YD0591-R2		
21	-	Quotation amended to reflect details shown on revised door schedule ref D (Forwarded to us on 09/06/2023).
Changes made for Quote Ref E23YD0591-R1		
20	-	**Flush** doors now allowed for with solid hardwood laminated timber cores in lieu of particle board cores.
See below for Youngs Doors original project notes		
1	-	Unless otherwise informed, details will be as attached, some of which may have been assumed to facilliate pricing
2	-	Doors noted as "Yellow" on the attached quote correspond with those highlighted in yellow on the door schedule, and prices are for doors only.
3	-	All other items (i.e "Green" and "Purple") are allowed for as doors & frames.
4	-	For certain doors, sizes have been assumed at present, as information is missing from the door schedule.
5	-	Timber linings/frames will be assembled (Unless otherwise stated) - Door stops and architraves will be supplied in loose lengths for site cutting.

Project Notes

Included/Excluded - Assumptions - Deviations from Specification - Extras Over not Listed in Quotation Schedule

Please read in conjunction with your Quotation Schedule and Quotation General Notes

Project Name:	**Melksham House Wiltshire**
Job no:	**YD0572**
Contractor: Name/Order no.	**Beard Swindon HM-A0251/0061**
This Revision Date	**13/07/2023**

Y.D. Handing Interpretation



Note No	Ref	
6	-	All linings & stops have been allowed for in primed *hardwood*.
7	-	All linings have been allowed for to suit 120mm wide partitions.
8	-	We have listed overall frame dimensions-Please make sure these suit your structural openings and wall thicknesses. Note: Softwood frames/linings /screens can be expected to shrink approx 2% across the grain.
9	Architrave	The quoted architrave material, section & finish should always be checked.
10	Doors & Frames	Will be supplied with a primer coat. De nibbing and finishing coats will need to be applied on site by others.
11	Two panel doors	Are allowed for as flat recessed panel style,with Type PM3 bolection mouldings at panel perimeters. (Please see attachment INF79).
12	Door Handings	Doors will be shown as left-hand for quotation purposes. Actual handings will be processed following an order.
13	Vision Panels	Will be factory glazed with laminated safety glass. Fire doors will be glazed with non insulating, fire integrity only glass.
14	Acoustic single doors	Will be supplied with automatic drop-down threshold seals, grooved and fixed into the bottom edge of the doors.
15	Acoustic double doors	Will be supplied with face fixed acoustic drop-down seals, loose for site fix by others (Face fix version, to faciliate the fitting of flush bolts).
16	Fire seals	Intumescent fire seals will be BLACK. Fire only, plain strips, for door to frame perimeters. Combined fire & smoke seals for meeting edges of pairs. Other colours are available on request.
17	Smoke seals	Fire doors/frames will be supplied with loose lengths of BLACK compression smoke/acoustic seals, to be site fixed to door stops. Stops will need to be set back to accommodate.
18	Floor Gaps	All floor gaps assumed as 10mm. All SINGLE SWING fire doors will be supplied with automatic drop down, smoke seals. Grooved and fixed into single doors, surface fixed supplied loose for pairs.
19	Ironmongery Prep	Where doors & frames are offered, only the below listed ironmongery recessing /preperation is included at present. **(Please advise if you wish us to quote for recessing for any other ironmongery items)**

Ironmongery Recess Summary

Item	*Recess Cat.*	*Description*
Hinges	Cat B	SUPPLY INCLUDED of 102x76mm SSS radiused cornered BBB hinges Hinges & intu pads FIXED to doors - FRAMES recessed to suit - INTU HINGE PADS supplied & fixed into recess pockets (Where applicable)
Pivot Sets	N/a	
Concealed Closers	N/a	
Locks (Single Point)	Cat E	NO FIXING INCLUDED - LOCKS factory recessed (Radius ends) - FACE PREP Not Included - KEEP(S) Not Recessed - INTUMESCENTS to be supplied by lock supplier
Locks (Multi Point)	N/a	
Flush Bolts	Cat A	FLUSH BOLTS(S) Recessed & Fixed - KEEP(S) Not Recessed - FLUSH BOLT INTUMESCENTS Included Fixed - KEEPS & KEEP INTUMESCENTS Loose
Letter Plates	N/a	
Door Viewers	N/a	
Pull Handles (Bolt Thru)	N/a	

Door Schedule for Project Reference Melksham House Wiltshire



CustomerName **R=Rebated** **Ref** **Customer O/N** **Todays Date**

Beard Swindon **Job Number** **4159** **A-01-YD0572rev00** **24/07/2023**

Quantity	PgNo.	Door Type/ No.	S/O Size	Frame Size	O/P H	Door/Ht	Left Door	Right Door	T	Facing	Ratings	V/Ps
1	**1**	GREEN (1)	2050 x 1645	2035 x 1631 x 120 x 32	0	1990	779	779	45	MDF (F)	FD30S	4
Door Numbers DG.002												
1	**2**	YELLOW (2)	0 x 0	0 x 0 x 0 x 0	0	1940	588	588	45	MDF (F)	FD30	4
Door Numbers DG.003												
1	**3**	GREEN (3)	2030 x 825	2015 x 811 x 120 x 32	0	1970	741	0	45	MDF (F)	None	0
Door Numbers DG.004												
1	**4**	GREEN (4)	2100 x 900	2085 x 886 x 120 x 32	0	2040	816	0	45	MDF (F)	FD30S	2
Door Numbers DG.006												
1	**5**	GREEN (5)	2015 x 835	2000 x 821 x 180 x 32	0	1955	751	0	45	MDF (F)	None	0
Door Numbers DG.007												
1	**6**	GREEN (6)	2020 x 1059	2005 x 1045 x 120 x 32	0	1960	486	486	45	MDF (F)	FD30S	0
Door Numbers DG.008												
1	**7**	GREEN (7)	2020 x 960	2005 x 946 x 120 x 32	0	1960	876	0	45	MDF (F)	None	0
Door Numbers DG.011												
1	**8**	PURPLE (8)	2100 x 910	2085 x 896 x 110 x 32	0	2040	826	0	45	MDF (F)	FD30S	2
Door Numbers DG.012a												
1	**9**	GREEN (9)	2010 x 1000	1995 x 986 x 120 x 32	0	1950	916	0	45	MDF (F)	FD30S	2
Door Numbers DG.014												
1	**10**	GREEN (10)	2095 x 1010	2080 x 996 x 130 x 32	0	2035	926	0	45	MDF (F)	FD30S	2
Door Numbers DG.015												
1	**11**	GREEN (11)	2000 x 875	1985 x 861 x 150 x 32	0	1940	791	0	45	MDF (F)	FD30S	2
Door Numbers DG.016												
1	**12**	PURPLE (12)	2100 x 910	2085 x 896 x 130 x 32	0	2040	826	0	45	MDF (F)	FD30S	0
Door Numbers DG.019												
1	**13**	PURPLE (13)	2100 x 910	2085 x 896 x 160 x 32	0	2040	826	0	45	MDF (F)	FD30S	0
Door Numbers DG.020												
1	**14**	PURPLE (14)	2100 x 1209	2085 x 1195 x 160 x 32	0	2040	561	561	45	MDF (F)	FD30S	0
Door Numbers DG.021												
1	**15**	"GREEN" (15)	2100 x 870	2085 x 856 x 125 x 32	0	2040	786	0	45	MDF (F)	None	0
Door Numbers DG.024												
1	**16**	PURPLE (16)	2100 x 1010	2085 x 996 x 125 x 32	0	2040	926	0	45	MDF (F)	None	0
Door Numbers DG.025												
1	**17**	PURPLE (17)	2100 x 910	2085 x 896 x 125 x 32	0	2040	826	0	45	MDF (F)	None	0
Door Numbers DG.026												

CustomerName	R=Rebated						Ref	Customer O/N	Todays Date
Beard Swindon		Job Number	4159	A-01-YD0572rev00					24/07/2023

Quantity	PgNo.	Door Type/ No.	S/O Size	Frame Size	O/P H	Door/Ht	Left Door	Right Door	T	Facing	Ratings	V/Ps
1	**18**	PURPLE (18)	2100 x 1609	2085 x 1595 x 180 x 32	0	2040	761	761	45	MDF (F)	FD30S	0
Door Numbers DG.027												
1	**19**	PURPLE (19)	2100 x 1609	2085 x 1595 x 180 x 32	0	2040	761	761	45	MDF (F)	FD30S	0
Door Numbers DG.028												
1	**20**	"YELLOW" (20)	1975 x 600	1960 x 586 x 150 x 32	0	1915	516	0	45	MDF (F)	FD30S	0
Door Numbers DG.029												
1	**21**	YELLOW (21)	0 x 0	0 x 0 x 0 x 0	0	1980	762	0	45	MDF (F)	FD30S	0
Door Numbers DG.030												
1	**22**	GREEN (22)	2100 x 870	2085 x 856 x 120 x 32	0	2040	786	0	45	MDF (F)	None	0
Door Numbers DG.031												
1	**23**	GREEN (23)	2100 x 1005	2085 x 991 x 120 x 32	0	2040	921	0	45	MDF (F)	FD30S	0
Door Numbers DG.035												
1	**24**	YELLOW (24)	0 x 0	0 x 0 x 0 x 0	0	1985	800	0	45	MDF (F)	FD30S	0
Door Numbers DG.039												
1	**25**	PURPLE (25)	2100 x 810	2085 x 796 x 130 x 32	0	2040	726	0	45	MDF (F)	FD30S	0
Door Numbers DG.040												
1	**26**	GREEN (26)	2100 x 900	2085 x 886 x 120 x 32	0	2040	816	0	45	MDF (F)	FD30S	0
Door Numbers DG.041												
1	**27**	PURPLE (27)	2100 x 910	2085 x 896 x 130 x 32	0	2040	826	0	45	MDF (F)	FD30S	0
Door Numbers DG.042												
1	**28**	PURPLE (28)	2100 x 910	2085 x 896 x 110 x 32	0	2040	826	0	45	MDF (F)	FD30S	2
Door Numbers D1.106												
1	**29**	PURPLE (29)	2085 x 1010	2070 x 996 x 140 x 32	0	2025	926	0	45	MDF (F)	None	0
Door Numbers D1.107												
1	**30**	PURPLE (30)	2100 x 710	2085 x 696 x 110 x 32	0	2040	626	0	45	MDF (F)	FD30S	0
Door Numbers D1.108												
1	**31**	GREEN (31)	1935 x 890	1920 x 876 x 140 x 32	0	1875	806	0	45	MDF (F)	FD30S	0
Door Numbers D2.007												
1	**32**	"YELLOW" (32)	0 x 0	0 x 0 x 0 x 0	0	1210	610	0	45	MDF (F)	FD30S	0
Door Numbers D2.008												
1	**33**	PURPLE (33)	2020 x 905	2005 x 891 x 130 x 32	0	1960	821	0	45	MDF (F)	FD30S	0
Door Numbers D2.009												
1	**34**	PURPLE (34)	2000 x 900	1985 x 886 x 130 x 32	0	1940	816	0	45	MDF (F)	FD30S	0
Door Numbers DG.043												
1	**35**	PURPLE (35)	2000 x 875	1985 x 861 x 110 x 32	0	1940	791	0	45	MDF (F)	FD30S	2
Door Numbers D1.014												
1	**36**	GREEN (36)	2150 x 900	2135 x 886 x 145 x 32	0	2090	816	0	45	MDF (F)	FD30S	0
Door Numbers D1.018A												
1	**37**	GREEN (37)	2100 x 1010	2085 x 996 x 110 x 32	0	2040	926	0	45	MDF (F)	FD30S	2
Door Numbers D1.017												

CustomerName	R=Rebated					Ref		Customer O/N		Todays Date
Beard Swindon			Job Number	4159		A-01-YD0572rev00				24/07/2023

Quantity	PgNo.	Door Type/ No.	S/O Size	Frame Size	O/P H	Door/Ht	Left Door	Right Door	T	Facing	Ratings	V/Ps
1	**38**	GREEN (38)	1850 x 890	1835 x 876 x 140 x 32	0	1790	806	0	45	MDF (F)	FD30S	0
Door Numbers D1.016												
1	**39**	GREEN (39)	2040 x 910	2025 x 896 x 110 x 32	0	1980	826	0	45	MDF (F)	FD30S	2
Door Numbers D1.101												
1	**40**	PURPLE (40)	2080 x 810	2065 x 796 x 125 x 32	0	2020	726	0	45	MDF (F)	FD30S	0
Door Numbers D1.102												
1	**41**	PURPLE (41)	2080 x 810	2065 x 796 x 125 x 32	0	2020	726	0	45	MDF (F)	FD30S	0
Door Numbers D1.103												
1	**42**	PURPLE (42)	2080 x 810	2065 x 796 x 125 x 32	0	2020	726	0	45	MDF (F)	FD30S	0
Door Numbers D1.104												
1	**43**	PURPLE (43)	2080 x 810	2065 x 796 x 125 x 32	0	2020	726	0	45	MDF (F)	FD30S	0
Door Numbers D1.105												

Project Extras

Quantity	Description	Job Number	4159	Width	Thick	Type
2.00	Delivery on curtain sided, articulated vehicle(s), for site fork lift off load by others					

Project Summary

Total no. Door Leaves	49
Total no. of VPs	26
Total no. of Frames	39

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (1) Door No's DG.002

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	Black 10OF+10FO
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	ST422FF FaceFix Loose
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Yellow (2) Door No's DG.003

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	Black 10OF+10FO
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Drop Down Seal	ST422FF FaceFix Loose
Special Note	**Still doors Only allowed for. Overall frame size is 1250 x 1985mm. (Assume lining is 32mm thick).**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (3) Door No's DG.004

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (4) Door No's DG.006

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Right Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (5) Door No's DG.007

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 180 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (6) Door No's DG.008

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	10OF + 10FO
Inlay / Groove	0
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	ST422FF FaceFix Loose
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Doors**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (7) Door No's DG.011

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (8) Door No's DG.012a

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Left Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (9) Door No's DG.014

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Concealed PG Maple (F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Left Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**Door schedule Rev D-Changed from a 2 panel door to a door with 2No v/p's**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (10) Door No's DG.015

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Right Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (11) Door No's DG.016

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Left Hung
Frame Material	Beech PG (F) Sq 150 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (12) Door No's DG.019

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (13) Door No's DG.020

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 160 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (14) Door No's DG.021

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	10OF + 10FO
Inlay / Groove	0
Frame Material	Beech PG (F) Sq 160 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	ST422FF FaceFix Loose
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: "Green" (15) Door No's DG.024

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Bead Material	
Handing	Right Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Special Note	**Frame added. Lining width assumed. 10.07.2023 Confirmed as a two panel door.**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (16) Door No's DG.025

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (17) Door No's DG.026

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (18) Door No's DG.027

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	10OF + 10FO
Inlay / Groove	0
Frame Material	Beech PG (F) Sq 180 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	ST422FF FaceFix Loose
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Doors**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (19) Door No's DG.028

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Meeting Stiles	10OF + 10FO
Inlay / Groove	0
Frame Material	Beech PG (F) Sq 180 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	ST422FF FaceFix Loose
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Doors**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: "Yellow" (20) Door No's DG.029

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Frame Material	Beech PG (F) Sq 150 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Special Note	**Two panel door Previously door only. Now door & frame.**



©RapidSpec

Door Type: Yellow (21) Door No's DG.030

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Drop Down Seal	NOR810 Fixed
Special Note	**Door Only.** **Two panel door** **Asume 762x1980 is door size**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (22) Door No's DG.031

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**10/07/2023 Requirement confirmed for a two panel door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (23) Door No's DG.035

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Yellow (24) Door No's DG.039

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Drop Down Seal	NOR810 Fixed
Special Note	**Still door only allowed for. 2 Panel Door Door schedule rev D-changed from green to yellow Assume 800 x 1985 is door size**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (25) Door No's DG.040

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Door Type: Green (26) Door No's DG.041

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 120 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door. "infill" above door not allowed for**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (27) Door No's DG.042

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Door Type: Purple (28) Door No's D1.106

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Right Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (29) Door No's D1.107

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire None
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	None
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 140 x 32
Frame Finish	Primed
Stop Size	32 x 13
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (30) Door No's D1.108

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door** **NB-: Size assumed**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (31) Door No's D2.007

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 140 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Door Type: "Yellow" (32) Door No's D2.008

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Handing	Left Hung
Drop Down Seal	NOR810 Fixed
Special Note	**Door only allowed for. Assumed to be a flush door, with no recessed panels. 610x1210 assumed to be door size.**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (33) Door No's D2.009

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door Was Green. Changed to purple on door schedule rev D**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (34) Door No's DG.043

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 130 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**Details for DG.043 TBC (Assumed as a 2 Panel Door with and FD30S rating)**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (35) Door No's D1.014

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Left Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**Lining width assumed. Handing assumed. Assume vision panels ARE required**



©RapidSpec

Door Type: Green (36) Door No's D1.018A

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 145 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (37) Door No's D1.017

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Left Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (38) Door No's D1.016

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 140 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Green (39) Door No's D1.101

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Timber FBM (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Glass Type	7mm Pyrobelite EW30- 34dB
Bead Material	Bolection Beech (Stmd) (F) GZSTS10
Handing	Right Hung
Frame Material	Beech PG (F) Sq 110 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (40) Door No's D1.102

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (41) Door No's D1.103

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Right Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (42) Door No's D1.104

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec

Youngs Doors Ltd City Road Works Norwich NR1 3AN 01603 629 889 mail@youngs-doors.co.uk

Door Type: Purple (43) Door No's D1.105

All doors are drawn from hinge knuckle side. All doors pull towards. Vision Panels indicate actual cutout size, not visible glass size.

Customer:	Beard Swindon
Project Ref	Melksham House Wiltshire
Job Number	4159
Quantity	**1**
Core Material	Solid Particleb'd SP (F)
Door Thickness	**45**
Ratings	Fire FD30S
Facing	MDF (F)
Lippings	Exposed Beech (Steamed)(F)
Edges Lipped	All Edges
Surface Finish	Primed
Intumescent	Black 15FO+1009
Inlay / Groove	0
Handing	Left Hung
Frame Material	Beech PG (F) Sq 125 x 32
Frame Finish	Primed
Stop Size	32 x 13
Drop Down Seal	NOR810 Fixed
Hinge Type	Cat B (See Project Notes)
Special Note	**2 Panel Door**



©RapidSpec