Item		Quantity	Description	Per Item
1		1 Piece(s)	**THIS WINDOW IS TOO SMALL IN WIDTH FOR EGRESS** **I HAVE THEREFORE CHANGED DESIGN TO A FLOATING MULLION TO ACHIEVE THIS, PLEASE CONFIRM THIS IS OK FOR MANUFACTURE** Viewed : From the Outside Product: 68mm Stormproof Ext Glz O/A Dims: 940mm x 1560mm Frame In: Ovolo Frame Inner Profile Frame Prof: Head 58mm / Cill 80mm (see dwg's) LH Jamb 58mm / RH Jamb 58mm Grooves: Head + Drip Groove Cill - No Grooves Sash Out: Bevelled Sash Outer Profile Beads: Breakjoint+Pinless vent bead Timber: Sapele Finish: Fully Finished (Opaque) Frame Col: White Satin IN / White Satin OUT Sash Col: White Satin IN / White Satin OUT Sash: Direct Glazed Fixed Light MAYFIELD 18mm Sash D/Seal Col: White Gasket Type: 2 * Fixed Light (direct glazed) LH Slave Casement Sash	

Item		Quantity	Description	Per Item
2		1 Piece(s)	Viewed : From the Outside Product: 68mm Stormproof Ext Glz O/A Dims: 615mm x 1118mm Frame In: Ovolo Frame Inner Profile Frame Prof: Head 58mm / Cill 80mm (see dwg's) LH Jamb 58mm / RH Jamb 58mm Grooves: Head + Drip Groove Cill - No Grooves Sash Out: Bevelled Sash Outer Profile Beads: Breakjoint+Pinless vent bead Timber: Sapele Finish: Fully Finished (Opaque) Frame Col: White Satin IN / White Satin OUT Sash Col: White Satin IN / White Satin OUT Sash: MAYFIELD 18mm Sash D/Seal Col: White Gasket Type: LH Casement Sash H/ware: SH F/Stays - Standard Window Handle Colour - Chrome Shootbolt Espag & Friction Stays Espag Handle - Fab&Fix Connoisseur SH Rebate Restrictors - No NO Tricoat Gear Req'd (Not Accoya) Glaz Bars: 19mm May/Break Bonded Bar Glass: 4/16/4 Clear / S1+ Option: Georgian Grid	

3



1 Piece(s)

Viewed :	From the Outside
Product:	68mm Stormproof Ext Glz
O/A Dims:	615mm x 1118mm
Frame In:	Ovolo Frame Inner Profile
Frame Prof:	Head 58mm / Cill 80mm
(see dwg's)	LH Jamb 58mm / RH Jamb 58mm
Grooves:	Head + Drip Groove
	Cill - No Grooves
Sash Out:	Bevelled Sash Outer Profile
Beads:	Breakjoint+Pinless vent bead
Timber:	Sapele
Finish:	Fully Finished (Opaque)
Frame Col:	White Satin IN / White Satin OUT
Sash Col:	White Satin IN / White Satin OUT
Sash:	MAYFIELD 18mm Sash

4



1 Piece(s)

Viewed :	From the Outside
Product:	68mm Stormproof Ext Glz
O/A Dims:	528mm x 1118mm
Frame In:	Ovolo Frame Inner Profile
Frame Prof:	Head 58mm / Cill 80mm
(see dwg's)	LH Jamb 58mm / RH Jamb 58mm
Grooves:	Head + Drip Groove
	Cill - No Grooves
Sash Out:	Bevelled Sash Outer Profile
Beads:	Breakjoint+Pinless vent bead
Timber:	Sapele
Finish:	Fully Finished (Opaque)
Frame Col:	White Satin IN / White Satin OUT
Sash Col:	White Satin IN / White Satin OUT
Sash:	MAYFIELD 18mm Sash
D/Seal Col:	White Gasket
Type:	LH Casement Sash
H/ware:	SH F/Stays - Standard
	Window Handle Colour - Chrome
	Shootbolt Espag & Friction Stays
	Espag Handle - Fab&Fix Connoisseur
	SH Rebate Restrictors - No
	NO Tricoat Gear Req'd (Not Accoya)
Glaz Bars:	19mm May/Break Bonded Bar
Glass:	4/16/4 Clear / S1+
Option:	Georgian Grid
Spacer Bar:	Black - Swiss Spacer

5



1 Piece(s)

Viewed :	From the Outside
Product:	68mm Stormproof Ext Glz
O/A Dims:	520mm x 1118mm
Frame In:	Ovolo Frame Inner Profile
Frame Prof:	Head 58mm / Cill 80mm
(see dwg's)	LH Jamb 58mm / RH Jamb 58mm
Grooves:	Head + Drip Groove
	Cill - No Grooves
Sash Out:	Bevelled Sash Outer Profile
Beads:	Breakjoint+Pinless vent bead
Timber:	Sapele
Finish:	Fully Finished (Opaque)
Frame Col:	White Satin IN / White Satin OUT
Sash Col:	White Satin IN / White Satin OUT
Sash:	MAYFIELD 18mm Sash
D/Seal Col:	White Gasket
Type:	RH Casement Sash
H/ware:	SH F/Stays - Standard
	Window Handle Colour - Chrome
	Shootbolt Espag & Friction Stays
	Espag Handle - Fab&Fix Connoisseur
	SH Rebate Restrictors - No
	NO Tricoat Gear Req'd (Not Accoya)
Glaz Bars:	19mm May/Break Bonded Bar
Glass:	4/16/4 Clear / S1+
Option:	Georgian Grid
Spacer Bar:	Black - Swiss Spacer
G/Tape Col:	Black IN / Black OUT

6



1 Piece(s)

WINDOW CHANGED TO BUTT HINGES AND CASEMENT STAYS ON THIS WINDOW TO ALLOW WARRANTY TO BE PROVIDED
THE BUTT HINGES ON 68MM STORMPROOF ARE AN ANODISED GOLD FINISH ONLY
WINDOW HANDLES ARE CURRENTLY CHROME

Viewed : From the Outside

Product:	68mm Stormproof Ext Glz
O/A Dims:	1270mm x 1532mm
Frame In:	Ovolo Frame Inner Profile
Frame Prof:	Head 58mm / Cill 80mm
(see dwg's)	LH Jamb 58mm / RH Jamb 58mm
Grooves:	Head + Drip Groove
	Cill - No Grooves
Sash Out:	Bevelled Sash Outer Profile
Beads:	Breakjoint+Pinless vent bead
Timber:	Sapele
Finish:	Fully Finished (Opaque)
Frame Col:	White Satin IN / White Satin OUT
Sash Col:	White Satin IN / White Satin OUT
Sash:	MAYFIELD 18mm Sash
D/Seal Col:	White Gasket
Type:	LH Casement Sash
	RH Casement Sash
H/ware:	Butt Hinges, Casement Stays + Espag to S/Hung Only
	Handle - Fab & Fix range
	Window Handle Colour - Chrome
	NO Tricoat Gear Req'd (Not Accoya)
	F&F Tear Drop Stays
Glaz Bars:	19mm May/Break Bonded Bar
Glass:	2 x 4/16/4 Clear Tgh / S1+ Tgh