NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING THRESHOLD

SCALE 1:1

* NB. variable 35.5 -7.5 mm
***NB. variable 94 -122 mm



NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING
JAMB - HANDLE SIDE

SCALE 1:1

* NB. variable 35.5 -7.5 mm
***NB. variable 94 -122 mm



NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING
JAMB - HINGES SIDE

SCALE 1:1

* NB. variable 35.5 -7.5 mm
***NB. variable 94 -122 mm



NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING - HEAD

SCALE 1:1

* NB. variable 35.5 -7.5 mm

***NB. variable 94 -122 mm



NORRSKEN

S307 ALUCLAD FRAMED 2-LEAF DOOR OUTWARD OPENING
MIDDLE JUNCTION

SCALE 1:1



NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING HEAD WITH TRANSOM AND FIXED HEAD LIGHT

SCALE 1:1

* NB. variable 55.5 -27.5 mm
**NB. variable 35.5 -7.5 mm
***NB. variable 92 -120 mm



NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING JAMB WITH MULLION FIXED SIDE LIGHT

SCALE 1:1



* NB. variable 55.5 -27.5 mm
**NB. variable 35.5 -7.5 mm
***NB. variable 92 -120 mm

NORRSKEN

S307 ALUCLAD FRAMED DOOR OUTWARD OPENING
INSULATED FILLER PANEL

SCALE 1:1



** NB. variable 35.5 -7.5 mm
***NB. variable 94 -122 mm