VERTICAL TRANSPORTATION CONSULTANTS

Experts in bespoke inspection design assurance specification management testing

EQUIPMENT SUMMARY

Introduction

Project/Report Number	V62070-01
Requesting Party (Employer)	Esturmy Construction Limited
Date of Report	4th August 2022
Consultant(s)	Chris Holmes
Equipment	Electric Traction Passenger Lift (Family Lift) Electro Hydraulic Goods Only Lift (Kitchen Service Lift)
Site	Tottenham House, SN8 3BE

Asset Summary

Passenger Lift

Equipment Identities	Family Lift
Quantity/Type/Application	1 off Electric Traction Passenger Lift
Rated Load/Persons	500 kg / 0 off
Rated Speed	0.30 m/s
Grouping	Simplex
Car Dimensions	1400 mm Wide x 1200mm Deep x 2200 mm High
Car/Landing Controls	Push Button
Car Indications	TFT
Landing Indications	TFT

Kitchen Service Lift

Equipment Identities	Kitchen Service Lift
Quantity/Type/Application	1 off Electro Hydraulic Accessible Goods Only Lift
Rated Load/Persons	675 kg / 9 off
Rated Speed	1.0 m/s
Grouping	Simplex
Car Dimensions	900 mm Wide x 1000mm Deep x 2000 mm High
Car/Landing Controls	Push Button
Car Indications	Not Applicable
Landing Indications	Not Applicable

VerticA Consulting Limited
2A Maple Court, Ash Lane, Collingtree NN4 0NB.
01604 858850
info@vertica-consulting.co.uk.

Registered in England 5753481 | VAT 892 7472 76

© 2022 VerticA Consulting Limited

Finishes

Family Lift

0001. No finishes have been agreed as yet.

0002. Internal car finishes can be stainless steel (Coloured or standard)

0003. Coloured laminate

0004. Back Painted Glass

0005. Bespoke timber or similar

0006. Restrictions mainly applicable on weight of finishes, these must be calculated prior to the lift being placed in to manufacture.

0007. Flooring can be up to 30mm deep, including any substrate, tend to avoid carpet as this can hold allergens, but generally most floor types can be applied.

0008. Push buttons can be selected from a range of suppliers and can be a variety of colours if required, link below for examples

0009. https://www.dewhurst.co.uk/

Kitchen Lift

0010. Stainless steel (Kitchen Grade) carrier and doors .

Issue Information

Author	Chris Holmes
Date of Report (Issue)	05/08/2022 (01)

This report is based on the observations of the inspecting consultant made on the date of the inspection from a safe working position, and where applicable including any investigations subsequently made. Observations are visual only and enclosed, inaccessible, or built-in equipment has not been inspected unless otherwise stated. This report relates only to the stated item(s) of equipment and does not address other equipment on the same site/in the same location (where applicable). No testing has been undertaken unless otherwise stated. The responsibility of the maintainer and the competent person are not absolved in any way by the contents of this report. Budget prices (where indicated) exclude VAT and professional fees; they are approximate will be affected by unforeseeable factors. References to CIBSE Guide M have been adapted to better suit vertical transportation reporting. This report is confidential to the party to whom it is addressed; no responsibility is accepted to any third party for the contents of this report, in part or in whole. This report shall not be reproduced, distributed, or referred to either in part or in whole without the prior written consent of VerticA Consulting Limited.

© All Rights Reserved. VerticA Consulting Limited. 2A Maple Court, Ash Lane, Collingtree NN4 0NB
Registered in England 5753481 | VAT 892 7472 76