Ref: 2845/ELS-HOPCHAP

EXTERNAL LIGHTING SCHEDULE

BROADTOWN BREWERY, 29 BROAD TOWN ROAD, BROAD TOWN, SWINDON, SN4 7RB.

DISCHARGE OF CONDITION 12 PURSUANT TO CONSENT PL/2023/00830.

(RETROSPECTIVE APPLICATION FOR THE: CHANGE OF USE OF BUILDING FROM SALES AND TASTING AREA (CLASS E(a)) AND MICROBREWERY (CLASS B2) TO SUI GENERIS DRINKING ESTABLISHMENT; ERECTION OF ATTACHED TOILET BLOCK; AND INSERTION OF ROOFLIGHTS).

To be read in conjunction with Hop Chapel Lighting Plan.

LIGHTING TO FRONT ELEVATION OF THE HOP CHAPEL (TYPE A).

LED Flood light 40w.

These lamps have a lux level of 3000 lumens and 1 no. are proposed at top of gable

Flood light has been in situ since before May 2009.







LIGHTING TO THE AREA OF THE TOILETS, AND ADDITIONALLY IN FRONT OF THE CELLAR (TYPE B).

Low Glare Half-Moon Exterior Wall Down Light - Half Moon Wall Light Low Glare Downward Light Two Widths (lightingstyles.co.uk)

4w LED Filament Candle Lamp - 4000K

470 lumens each. 1 no. proposed to the side of each external door.



LIGHTING TO FRONT ELEVATION OF THE HOP CHAPEL (TYPE C).

LED Incandescent Lamps 60w.

These lamps are 2.3m high from ground level to reduce light spill.

These lamps have a lux level of 806 lumens and 3 no. are proposed above entrance door.

Lamps has been in situ since before October 2021.







Ian Sullivan Architecture Ltd, 101 Victoria Road, Swindon, SN1 3BD
T: 01793 612663 | **M: 07778 275959** | **E: ian@iansullivanarchitecture.co.uk** | **W: iansullivanarchitecture.co.uk**

In association with Michael Sullivan (Registered Architect) | Company Number: 6182753 | VAT Registration Number: 108 7887 75