
TUCKER JOINERY

33 St Matins - SS1

Client Mrs Catherine
Job Number lee5982

Description WINDOW TYPE : NO2 SASH.traditional single glazed sash window complete with lead balnced weights , Cords and pulleys . Casements to have double draft seals .Hardware of type has been allowed for and including Locking latch ,Finger pulls and roler ball opening restrictors .
WOOD TYPE: Sapele
GLASS TYPE:Single Glass 4mm
FINISH TYPE: 2 coats of Teknos exterior water borne primer Followed by 1 top coat to a ccolour match of choice .Cost includes protective wrapping to all joinery prior to delivery . Please note this price is for one colour of choice to inside and outside elevations .If more than one coloiur is needed then a price can be supplied .Please note this cost is for 1 colour throughout

Type S1D
Width 1090
Height 1410
Qty. 1
Hours 16 : 28
Georgian style 1



HORIZONTAL SETTING OUT		VERTICAL SETTING OUT	
81		56	
100	Jamb/Pulley stile	75	Head
1040		1340	
1059	Jamb/Pulley stile	1410	Cill
1140			

SLIDING SASH COMPONENT LIST

Componen (Rebates 0 × 0)	Qty.	Rough cut length		Width	Thickness	S/L	T/L
Cill	1	1165	1140	140	70		9 degrees
Jamb/Pulley stile	2	1336	1311	114	19		
Jamb/Pulley stile outer lining	2	1435	1410	90	19		
Jamb/Pulley stile inner lining	2	1435	1410	75	19		
Jamb/Pulley stile case weight separator (wagtail)	2	1290	1265	51	6		
Head	1	1165	1140	114	19		
Head outer lining	1	965	940	90	19		
Head inner lining	1	965	940	75	19		
Head case backing cover	1	1115	1090	122	6		
Timber parting bead	2	1306	1282	25	10		
Timber parting bead	1	985	960	25	10		
Inner staff bead	2	1290	1265	18	15		
Inner staff bead	2	965	940	18	15		


TUCKER JOINERY

33 St Matins - SS1

Client Mrs Catherine
Job Number lee5982

Description WINDOW TYPE : NO2 SASH.traditional single glazed sash window complete with lead balnced weights , Cords and pulleys . Casements to have double draft seals .Hardware of type has been allowed for and including Locking latch ,Finger pulls and roler ball opening restrictors .
WOOD TYPE: Sapele
GLASS TYPE:Single Glass 4mm
FINISH TYPE: 2 coats of Teknos exterior water borne primer Followed by 1 top coat to a ccolour match of choice .Cost includes protective wrapping to all joinery prior to delivery . Please note this price is for one colour of choice to inside and outside elevations .If more than one coloiur is needed then a price can be supplied .Please note this cost is for 1 colour throughout

Type S1D
Width 933
Height 1272
Qty. 1



HORIZONTAL SETTING OUT		VERTICAL SETTING OUT	
44	Bottom sliding sash stile	50	Meeting rail (bottom sash)
311		406.7	
333	Sash vertical glazing bar	428.7	Sash horizontal glazing bar
600		785.3	
622	Sash vertical glazing bar	865.3	Sash bottom rail
889			
933	Bottom sliding sash stile		
44	Top sliding sash stile	50	Sash top rail
311		406.7	
333	Sash vertical glazing bar	456.7	Meeting rail (top sash)
600		526.7	
622	Sash vertical glazing bar		
889			
933	Top sliding sash stile		

1x SLIDING SASH BOTH SLIDING COMPONENT LIST

933W × 1272H (Rebates: o/s 0 × 0 i/s 8 × 19)

	Qty.	Rough cut length		Width	Thickness	S/L	T/L	
Top sliding sash stile	2	551	526.7	44	44	372.7		
Sash top rail	1	958	933	50	44	861	36	36
Meeting rail (top sash)	1	958	933	50	44	861	36	36
Flexi slide 2mm groove FX203	2	527	527					
Sash vertical glazing bar	2	469	444.7	22	44	372.7	36	36
Bottom sliding sash stile	2	890	865.3	44	44	751.3		
Meeting rail (bottom sash)	1	958	933	50	44	861	36	36

Client Mrs Catherine
Job Number lee5982

Description WINDOW TYPE : NO2 SASH.traditional single glazed sash window complete with lead balnced weights , Cords and pulleys . Casements to have double draft seals .Hardware of type has been allowed for and including Locking latch ,Finger pulls and roler ball opening restrictors .
WOOD TYPE: Sapele
GLASS TYPE:Single Glass 4mm
FINISH TYPE: 2 coats of Teknos exterior water borne primer Followed by 1 top coat to a ccolour match of choice .Cost includes protective wrapping to all joinery prior to delivery . Please note this price is for one colour of choice to inside and outside elevations .If more than one coloiur is needed then a price can be supplied .Please note this cost is for 1 colour throughout

.

1X SLIDING SASH BOTH SLIDING COMPONENT LIST (continued)

933W × 1272H (Rebates: o/s 0 × 0 i/s 8 × 19)

	Qty.	Rough cut length		Width	Thickness	S/L	T/L	
Meeting rail plant on stop (bottom sash)	1	958	933	40	20			
Sash bottom rail	1	958	933	80	44	861	36	36
Flexi slide 2mm groove FX203	2	865	865					
Sash vertical glazing bar	2	848	823.3	22	44	751.3	36	36
Sash horizontal glazing bar	3	380	355	22	44	283	36	36

SASH WEIGHTS

Top sash	2 No. 3.322 kg	(2 No. 7 lb 5 oz) including glass
Bottom sash	2 No. 6.097 kg	(2 No. 13 lb 7 oz) including glass

TUCKER JOINERY

33 St Matins - SS1

Client Mrs Catherine
Job Number lee5982

Description WINDOW TYPE : NO2 SASH.traditional single glazed sash window complete with lead balnced weights , Cords and pulleys . Casements to have double draft seals .Hardware of type has been allowed for and including Locking latch ,Finger pulls and roler ball opening restrictors .
WOOD TYPE: Sapele
GLASS TYPE:Single Glass 4mm
FINISH TYPE: 2 coats of Teknos exterior water borne primer Followed by 1 top coat to a ccolour match of choice .Cost includes protective wrapping to all joinery prior to delivery . Please note this price is for one colour of choice to inside and outside elevations .If more than one coloiur is needed then a price can be supplied .Please note this cost is for 1 colour throughout

.

FITTINGS LIST		
Frame	(Size 1090W × 1410H)	
5 X 100 SCREWS	25	
Sliding sash top sliding	(Size 933W × 1272H)	
Roller sash lock with key:SEC010PB	1	
Lead weight @38mm is 14.33kg per 1m	2 232	
Pulleys Brass :puz011	2	
Sash cord 6mm CN703	2 2270	
Sash eye:FS826B	1	
Sliding sash bottom sliding	(Size 933W × 1272H)	
Lead weight @38mm is 14.33kg per 1m	2 425	
Sash cord 6mm CN703	2 2270	
Pulleys Brass :puz011	2	
Sash Lift Brass:FS821B	2	
hook Fasener locking:FS811B	1	

TUCKER JOINERY

33 St Matins - B2

Client Mrs Catherine
Job Number lee5982

Item Name Cost to supply the site fitting of the above joinery .Cost includes the following , Waste removal of existing joinery by means of a skip ,All Access equipment where needed , Internal plasterwork repairs up to 40mm from frame edges using a 6mm cover bead ,External Silicon sealing to all frames.Exclusions include making good of existing decorations ,Making good of external plasterwork or brickwork.Please note prior to Tucker Joinery fitting Joinery al relivent permisions will need to be granted.

Width	0
Height	0
Depth	0
Qty.	1
Hours	0 : 00

Type Extra's

Description Sash Window Fitting



BOM COMPONENT LIST

Component Description	Timber	Qty.	Length	Width	Thickness

TUCKER JOINERY

33 St Matins - B2

Client Mrs Catherine
Job Number lee5982

Item Name Cost to supply the site fitting of the above joinery .Cost includes the following , Waste removal of existing joinery by means of a skip ,All Access equipment where needed , Internal plasterwork repairs up to 40mm from frame edges using a 6mm cover bead ,External Silicon sealing to all frames.Exclusions include making good of existing decorations ,Making good of external plasterwork or brickwork.Please note prior to Tucker Joinery fitting Joinery al relivent permisions will need to be granted.

Item Type Extra's
Description Sash Window Fitting

FITTINGS LIST

Description	Qty.

Client Mrs Catherine
Job Number lee5982

GLASS / SHEET MATERIAL SIZES

Ref.	Type	Quantity	Width	Height
SS1	SS - GLASS TYPE:Single Glass 4mm	9	277	367