

DATE: 21 March 2025
DESIGNER: DFL-UK (SP)
PROJECT No: 3804-DFL-ELG-XX-LD-EO-13002
PROJECT NAME: Alcock Crest, Warminster



Indicative light spill diagram.
> Not for construction.
> Initial light levels shown.
> Light spill diagram does not consider blocking or shading effects of light limiting objects.
> Light spill diagram to be read in conjunction with Lighting Strategy: 3804-DFL-ELG-XX-RP-EO-13001-S3


Outdoor Lighting Report

PREPARED BY: DFL-UK
+44 (0)1962 855080
17/18 City Business Centre,
Winchester Hants,
SO23 7TA.
e-mail: info@df-l-uk.com
website: www.dfl-uk.com

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PSER001



Illuminance (lux)

PSER001

[illegible]


Results

Eav	0.00
Emin	0.00
E _{max}	0.00
Emin/E _{max}	0.00
Emin/Eav	0.00

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PSER001



Illuminance (lux)

PSER001

[illegible]


Results

Eav	0.00
Emin	0.00
Emax	0.00
Emin/Emax	0.00
Emin/Eav	0.00

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PSER002



Illuminance (lux)

PSER002

0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0


Results

Eav	0.00
Emin	0.00
Emax	0.00
Emin/Emax	0.00
Emin/Eav	0.00

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PHAR001



Illuminance (lux)

PHAR001

[illegible]


Results

Eav	0.00
Emin	0.00
Emax	0.00
Emin/Emax	0.00
Emin/Eav	0.00

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PHAR002



Illuminance (lux)

PHAR002


Results

Eav	0.00
Emin	0.00
E _{max}	0.06
Emin/E _{max}	0.00
Emin/Eav	0.00

Vertical Illuminance (lux)

Observer direction = 0 deg. Height = 0.00

PHAR003



8514896102

Illuminance (lux)

PHAR003

[illegible]

Results

Eav	0.00
Emin	0.00
Emax	0.00
Emin/Emax	0.00
Emin/Eav	0.00