

Annex D – Surface Water Drainage Plan

CLIENT

Ampyr Solar Europe

CONSULTANT

AECOM
MARLBOROUGH COURT
10 BRICKET ROAD
ST ALBANS, AL1 3JX, UK
Tel: +44 (0)1727 535 000
www.aecom.com

NOTES

- Do not scale from this drawing
All levels shown are in meters above Ordnance Datum (AOD) unless stated otherwise.
Site level based on LiDAR survey (1m resolution) in absence of topographic survey.
Solar PV Panel Height min 600mm above ground level.
Access Roads to be 5m wide consisting of aggregate surface layer over Class 1A sub-base layer.
Perimeter Roads will be crushed stone and utilised a no-dig method.
Existing watercourse to be retained with 10m buffer to swales.

LEGEND

- Red Line Boundary
- Boundary Swale
- Access Road
- Perimeter Road

SUITABILITY

S3 FOR REVIEW & COMMENT

ISSUE/REVISION

P02	31/03/2025	For Information
P01	28/10/2024	For Information
I/R	DATE	DESCRIPTION

KEY PLAN

PROJECT NUMBER

60727989

SHEET TITLE

SuDS Layout

SHEET NUMBER

60727989-ACM-XX-XX-SK-CE-00-0001

