

KEY:

Existing Adoptable Sewers:

Foul sewer

Proposed Adoptable Sewers:

Foul sewer

Proposed Private Sewers:

Foul sewer

Storm sewer

Highway Gully

Rising Main

Adoptable Lateral

(150mm dia)

Adoptable Access

Chamber

Proposed Private Drainage:

Foul drain

Storm drain

Rodding eye

Yard gully

Linear drain

PCC 900x450mm Gully

Permavoid -

Surface Water Collector &

Distribution Cell

Size and specification, site

specific.

Private inspection chambers shall be non-access

structural wall plastic. Chamber sizes to accord with

manufacturers specifications, Building Regulations Part

H, BS EN 752 and to NHBC Standards.

All pre-formed chambers to be installed in accordance

with NHBC Technical Guidance 5.3/01 and diagrams

below:

Invert levels shown thus: F10.00 S10.00

Tanked permeable block paving:

Root protection zones:

Notes:

1. Do not scale from this drawing.

2. All dimensions in metres.

3. All levels relate to ordnance datum.

4. This drawing shall be read in conjunction with all

other contract documents.

5. Any discrepancies with the drawings shall be

reported to the Engineer.

6. The level & location of all existing services shall

be verified and marked on site by the Contractor

prior to commencing any construction work.

INSET 1  
Scale 1:500

|                                  |                         |                                                   |          |                  |
|----------------------------------|-------------------------|---------------------------------------------------|----------|------------------|
| P3                               | 23.10.25                | Updated following receipt of comments from Client | KTG      | KTG              |
| P2                               | 14.10.25                | Updated following receipt of revised layout       | KTG      | KTG              |
| P1                               | 11.09.25                | First issue.                                      | KTG      | KTG              |
| REV. No.                         | DATE                    | DESCRIPTION                                       | DRAWN    | CHECKED          |
| Client                           |                         |                                                   |          |                  |
| Project Romsey Road, Whiteparish |                         |                                                   |          |                  |
| Title Proposed drainage strategy |                         |                                                   |          |                  |
| Scale:                           | 1:250                   | AO                                                | Status:  | PRELIMINARY      |
| Drawn:                           | AP                      | Project Engineer                                  | MJA      | Project No: 7191 |
| Drawing Number:                  | 7191-MJA-SW-XX-DR-C-012 | Date:                                             | 10.09.25 | Rev: P3          |