

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	HEAD	Head	Clay and Silt	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LGS	Lower Greensand Group	Sandstone	Not Supplied - Aptian
	KC	Kimmeridge Clay Formation	Mudstone	Not Supplied - Kimmeridgian
	HYB	Hazelbury Bryan Formation	Sandstone	Not Supplied - Oxfordian
	KTON	Kingston Formation	Mudstone	Not Supplied - Oxfordian
	STFD	Stanford Formation	Limestone	Not Supplied - Oxfordian
	HWCL	Highworth Clay Member	Mudstone and Limestone, Interbedded	Not Supplied - Oxfordian
	NEC	Newton Clay Member	Mudstone, Sandy	Not Supplied - Oxfordian
	HYB	Hazelbury Bryan Formation	Mudstone, Sandy	Not Supplied - Oxfordian
	OXC	Oxford Clay Formation	Mudstone	Not Supplied - Callovian
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	265
Map Name:	Bath
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice B




Order Details:


Order Number:	376962185_1_1
Customer Reference:	BRD4599
National Grid Reference:	393930, 163810
Slice:	B
Site Area (Ha):	30.8
Search Buffer (m):	1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



393000 394000 395000 396000 397000



© Crown copyright and database rights 2025 OS AC0000813445




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice B



Order Details:

Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 393930, 163810
 Slice: B
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS


Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

v15.0 16-May-2025

Page 3 of 5

393000 394000 395000 396000 397000



© Crown copyright and database rights 2025 OS AC0000813445



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice B



Order Details:

Order Number: 376962185_1_1
Customer Reference: BRD4599
National Grid Reference: 393930, 163810
Slice: B
Site Area (Ha): 30.8
Search Buffer (m): 1000


Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

393000 394000 395000 396000 397000



© Crown copyright and database rights 2025 OS AC0000813445



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice B



Order Details:

Order Number: 376962185_1_1
Customer Reference: BRD4599
National Grid Reference: 393930, 163810
Slice: B
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

v15.0 16-May-2025

Page 5 of 5

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	HEAD	Head	Clay and Silt	Not Supplied - Quaternary
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LGS	Lower Greensand Group	Sandstone	Not Supplied - Aptian
	HYB	Hazelbury Bryan Formation	Sandstone	Not Supplied - Oxfordian
	KTON	Kingston Formation	Mudstone	Not Supplied - Oxfordian
	OXC	Oxford Clay Formation	Mudstone	Not Supplied - Callovian
	KLB	Kellaways Formation	Sandstone, Siltstone and Mudstone	Not Supplied - Callovian
	CB	Combrash Formation	Limestone	Not Supplied - Bathonian
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	265
Map Name:	Bath
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice C




Order Details:

Order Number:	376962185_1_1
Customer Reference:	BRD4599
National Grid Reference:	392680, 165060
Slice:	C
Site Area (Ha):	30.8
Search Buffer (m):	1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



© Crown copyright and database rights 2025 OS AC0000813445



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice C



Order Details:


Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.ernirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice C



Order Details:


Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice C



Order Details:

Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	HEAD	Head	Clay and Silt	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LGS	Lower Greensand Group	Sandstone	Not Supplied - Aptian
	HYB	Hazelbury Bryan Formation	Sandstone	Not Supplied - Oxfordian
	KTON	Kingston Formation	Mudstone	Not Supplied - Oxfordian
	STFD	Stanford Formation	Limestone	Not Supplied - Oxfordian
	HWCL	Highworth Clay Member	Mudstone and Limestone, Interbedded	Not Supplied - Oxfordian
	CR	Corallian Group	Limestone, Argillaceous Rocks and Subordinate Sandstone, Interbedded	Not Supplied - Oxfordian
	OXC	Oxford Clay Formation	Mudstone	Not Supplied - Callovian
		Faults		



Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	265
Map Name:	Bath
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice D




Order Details:

Order Number:	376962185_1_1
Customer Reference:	BRD4599
National Grid Reference:	393740, 164830
Slice:	D
Site Area (Ha):	30.8
Search Buffer (m):	1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



© Crown copyright and database rights 2025 OS AC0000813445



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice D



Order Details:


Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 393740, 164830
 Slice: D
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice D



Order Details:


Order Number: 376962185_1_1
 Customer Reference: BRD4599
 National Grid Reference: 393740, 164830
 Slice: D
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice D



Order Details:


Order Number: 376962185_1_1
Customer Reference: BRD4599
National Grid Reference: 393740, 164830
Slice: D
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.ernirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice D



Order Details:

Order Number: 376962185_1_1
Customer Reference: BRD4599
National Grid Reference: 393740, 164830
Slice: D
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details:

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

APPENDIX 4



Envirocheck[®] Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:

376962185_1_1

Customer Reference:

BRD4599

National Grid Reference:

392690, 163680

Slice:

A

Site Area (Ha):

30.8

Search Buffer (m):

1000

Site Details:

Blackmore Farm, Sandridge Common

MELKSHAM

SN12 7QS

Client Details:

Ms A Stratford

BRD Environmental Ltd

Hawthorne Villa

1 Old Parr Road

Banbury

Oxfordshire

OX16 5HT

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	-
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	1
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	2
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	3
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	4
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	5
Data Suppliers	6
Useful Contacts	7

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Droitwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites					
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)	pg 1	2	4	n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying					
Heap, unknown constituents					
Mineral Railway					
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits					
Former Marshes					
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 2	3	1	4	8
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 3	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 3	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 3	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 3	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 3	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 3	Yes		n/a	n/a
Salt Mining Related Features					



Report Version v53.0

Summary



Historical Land Use Information (1:2,500)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Extractive Industries or Potential Excavations from 1950-1980 Use: Ponds First Map Published 1972 Date: Last Map Published N/A Date:	A11NE (NE)	0	-	392818 163870
2	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1972 Date: Last Map Published N/A Date:	A12NW (E)	0	-	392962 163691
3	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1972 Date: Last Map Published N/A Date:	A12SW (E)	3	-	393047 163616
4	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1972 Date: Last Map Published N/A Date:	A11SE (SE)	6	-	392853 163499
5	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1972 Date: Last Map Published N/A Date:	A11SE (SE)	56	-	392795 163474
6	Extractive Industries or Potential Excavations from 1950-1980 Use: Pond First Map Published 1972 Date: Last Map Published N/A Date:	A15SE (N)	84	-	392751 164094



Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15NE (N)	0	-	392772 164373
8	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A16SW (NE)	0	-	392981 164260
9	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11NE (NE)	0	-	392954 163803
10	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15NW (N)	50	-	392577 164392
11	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11SW (W)	345	-	392346 163608
12	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	402	-	392225 163758
13	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	410	-	392164 164592
14	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	474	-	392089 164513
15	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NW (NW)	681	-	391885 164436
16	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1901	A6NE (SW)	741	-	392216 163111
17	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1901	A6NE (SW)	758	-	392187 163127
18	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	808	-	391735 164442
19	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	857	-	391709 164568
20	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NW (NW)	864	-	391701 164437
21	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	937	-	391645 164688
22	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A13NE (NW)	986	-	391580 164433

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
23	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	248	1	393173 164488
24	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
25	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
26	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	229	1	393216 164391
27	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	247	1	393143 164515
28	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	248	1	393173 164488
29	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
30	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683

The following mapping has been analysed for Historical Land Use Information (1:2,500):

1:2,500	Mapsheet	Published Date
Ordnance Survey Plan	ST9263	1972
Ordnance Survey Plan	ST9263	1972
Ordnance Survey Plan	ST9264	1972
Ordnance Survey Plan	ST9264	1972
Ordnance Survey Plan	ST9264	1972
Ordnance Survey Plan	ST9264	1972
Ordnance Survey Plan	ST9363	1972
Ordnance Survey Plan	ST9364	1972
Ordnance Survey Plan	ST9364	1972

The following mapping has been analysed for Historical Land Use Information (1:10,000):


1:10,560	Mapsheet	Published Date
Wiltshire	033_00	1888
Wiltshire	033_NE	1901
Wiltshire	033_NW	1901
Wiltshire	033_SE	1901
Wiltshire	033_SW	1901
Wiltshire	033_NE	1926
Wiltshire	033_NW	1926
Wiltshire	033_SE	1926
Wiltshire	033_SW	1926
Wiltshire	033_NW	1942
Wiltshire	033_SW	1942
Ordnance Survey Plan	ST96SW	1961
1:10,000	Mapsheet	Published Date
Ordnance Survey Plan	ST96SW	1988

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Man Made Mining Cavities Stantec UK Ltd	December 2023	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2023	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	
Ove Arup	
Stantec UK Ltd	
Wardell Armstrong	
Johnson Poole & Bloomer	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk



Historical Land Use Information (1:10,000)

General

- Specified Site Specified Buffer(s) Bearing Reference Point Map ID
Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining and Quarrying General			
Mining of Coal & Lignite			
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits			


Historical Land Use

	Point	Line	Polygon
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Former Marsh			

Mining Data

- Potential Mining Area
BGS Recorded Mineral Site

Mining and Ground Stability - Slice A



Order Details


Order Number: 376962185_1_1
Customer Ref: BRD4599
National Grid Reference: 392690, 163680
Slice: A
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Potential for Compressible Ground Stability Hazards

- High
- Moderate
- Low
- Very Low

Potential for Collapsible Ground Stability Hazards


- High
- Moderate
- Low
- Very Low

Brine Pumping and Salt Mining

- Brine Pumping Related Feature
- Salt Mining Related Feature

- | Point | Polygon |
|-------|---------|
| ▲ | ▧ |
| ▲ | ▨ |

Mining and Ground Stability - Slice A



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392690, 163680
 Slice: A
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Ground Stability Data (1:50,000)

General

- ◊ Specified Site
- Slice
- Specified Buffer(s)
- 8 Map ID
- X Bearing Reference Point


Potential for Landslide Ground Stability Hazards

- High
- Moderate
- Low
- Very Low

Potential for Ground Dissolution Stability Hazards

- ▨ High
- ▨ Moderate
- ▨ Low
- ▨ Very Low

Mining and Ground Stability - Slice A



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392690, 163680
 Slice: A
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID


Potential for Running Sand Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

- ▨ High
- ▨ Low
- ▨ Moderate
- ▨ Very Low

Mining and Ground Stability - Slice A



Order Details

Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392690, 163680
 Slice: A
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Envirocheck[®] Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:

376962185_1_1

Customer Reference:

BRD4599

National Grid Reference:

393930, 163810

Slice:

B

Site Area (Ha):

30.8

Search Buffer (m):

1000

Site Details:

Blackmore Farm, Sandridge Common

MELKSHAM

SN12 7QS

Client Details:

Ms A Stratford

BRD Environmental Ltd

Hawthorne Villa

1 Old Parr Road

Banbury

Oxfordshire

OX16 5HT

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	-
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	-
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	1
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	2
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	3
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	4
Data Suppliers	5
Useful Contacts	6

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Droitwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites					
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)				n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying					
Heap, unknown constituents					
Mineral Railway					
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits					
Former Marshes					
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 1				2
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 2	Yes		n/a	n/a
Salt Mining Related Features					



Report Version v53.0

Summary



Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	B13SW (N)	619	-	393919 164058
2	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	B13SW (N)	647	-	393924 164114

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
3	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	393874 163940
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13SE (N)	248	1	394009 164346
4	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	393874 163940
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811
5	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811
6	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(NW)	229	1	393453 164376
7	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(NW)	247	1	393146 164514
8	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13NW (N)	248	1	393961 164355
9	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	393874 163940
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811
10	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9NW (SW)	0	1	393928 163811

No Historical Land Use information available.

The following mapping has been analysed for Historical Land Use Information (1:10,000):

1:10,560	Mapsheets	Published Date
Wiltshire	033_00	1888
Wiltshire	033_NE	1901
Wiltshire	033_SE	1901
Wiltshire	033_NE	1926
Wiltshire	033_SE	1926
Ordnance Survey Plan	ST96SE	1961
Ordnance Survey Plan	ST96SW	1961
1:10,000	Mapsheets	Published Date
Ordnance Survey Plan	ST96SE	1975
Ordnance Survey Plan	ST96SW	1988

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Man Made Mining Cavities Stantec UK Ltd	December 2023	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2023	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	
Ove Arup	
Stantec UK Ltd	
Wardell Armstrong	
Johnson Poole & Bloomer	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk



Historical Land Use Information (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining and Quarrying General			
Mining of Coal & Lignite			
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits			


Historical Land Use

	Point	Line	Polygon
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Former Marsh			

Mining Data

- Potential Mining Area
- BGS Recorded Mineral Site

Mining and Ground Stability - Slice B



Order Details


Order Number: 376962185_1_1
Customer Ref: BRD4599
National Grid Reference: 393930, 163810
Slice: B
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Potential for Compressible Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Collapsible Ground Stability Hazards


- High
- Low
- Moderate
- Very Low

Brine Pumping and Salt Mining

- Brine Pumping Related Feature
- Salt Mining Related Feature

- | Point | Polygon |
|-------|---------|
| | |
| | |

Mining and Ground Stability - Slice B



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393930, 163810
 Slice: B
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Landslide Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Ground Dissolution Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice B



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393930, 163810
 Slice: B
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Running Sand Ground Stability Hazards

- High
- Moderate
- Low
- Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

- High
- Moderate
- Low
- Very Low

Mining and Ground Stability - Slice B



Order Details

Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393930, 163810
 Slice: B
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Envirocheck[®] Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:

376962185_1_1

Customer Reference:

BRD4599

National Grid Reference:

392680, 165060

Slice:

C

Site Area (Ha):

30.8

Search Buffer (m):

1000

Site Details:

Blackmore Farm, Sandridge Common

MELKSHAM

SN12 7QS

Client Details:

Ms A Stratford

BRD Environmental Ltd

Hawthorne Villa

1 Old Parr Road

Banbury

Oxfordshire

OX16 5HT

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	-
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	-
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	1
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	2
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	3
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	4
Data Suppliers	5
Useful Contacts	6

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Droitwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites					
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)				n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying					
Heap, unknown constituents					
Mineral Railway					
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits					
Former Marshes					
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 1				1
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 2	Yes		n/a	n/a
Salt Mining Related Features					



Report Version v53.0

Summary



Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	C2SE (W)	625	-	392018 164805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
2	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	392705 163913
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C4SW (E)	248	1	393166 164889
3	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	392705 163913
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000
4	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000
5	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(SE)	229	1	393191 164464
6	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(SE)	247	1	393126 164592
7	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C4SW (E)	248	1	393166 164889
8	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	392705 163913
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000
9	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	C3SE (S)	0	1	392679 165000

No Historical Land Use information available.

The following mapping has been analysed for Historical Land Use Information (1:10,000):


1:10,560	Mapsheet	Published Date
Wiltshire	033_00	1888
Wiltshire	026_00	1889
Wiltshire	026_SE	1901
Wiltshire	026_SW	1901
Wiltshire	033_NE	1901
Wiltshire	033_NW	1901
Wiltshire	026_SE	1925
Wiltshire	026_SW	1925
Wiltshire	033_NE	1926
Wiltshire	033_NW	1926
Wiltshire	033_NW	1942
Ordnance Survey Plan	ST96NW	1961
Ordnance Survey Plan	ST96SW	1961
1:10,000	Mapsheet	Published Date
Ordnance Survey Plan	ST96NW	1980
Ordnance Survey Plan	ST96SW	1988

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Man Made Mining Cavities Stantec UK Ltd	December 2023	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2023	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	
Ove Arup	
Stantec UK Ltd	
Wardell Armstrong	
Johnson Poole & Bloomer	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk



Historical Land Use Information (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining and Quarrying General			
Mining of Coal & Lignite			
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits			


Historical Land Use

	Point	Line	Polygon
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Former Marsh			

Mining Data

- Potential Mining Area
- BGS Recorded Mineral Site

Mining and Ground Stability - Slice C



Order Details


Order Number: 376962185_1_1
Customer Ref: BRD4599
National Grid Reference: 392680, 165060
Slice: C
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- ◇ Specified Site ○ Specified Buffer(s) X Bearing Reference Point
- Slice Map ID

Potential for Compressible Ground Stability Hazards

- High ■ Low
- Moderate ■ Very Low


Potential for Collapsible Ground Stability Hazards

- ▨ High ▨ Low
- ▨ Moderate ▨ Very Low

Brine Pumping and Salt Mining

- | | Point | Polygon |
|-------------------------------|--------------------------------------|--------------------------------------|
| Brine Pumping Related Feature | ▲ | ▨ |
| Salt Mining Related Feature | ▲ | ▨ |

Mining and Ground Stability - Slice C



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID


Potential for Landslide Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Ground Dissolution Stability Hazards

- ▨ High
- ▨ Low
- ▨ Moderate
- ▨ Very Low

Mining and Ground Stability - Slice C



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.ernirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Running Sand Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice C



Order Details

Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392680, 165060
 Slice: C
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Envirocheck[®] Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:

376962185_1_1

Customer Reference:

BRD4599

National Grid Reference:

393740, 164830

Slice:

D

Site Area (Ha):

30.8

Search Buffer (m):

1000

Site Details:

Blackmore Farm, Sandridge Common

MELKSHAM

SN12 7QS

Client Details:

Ms A Stratford

BRD Environmental Ltd

Hawthorne Villa

1 Old Parr Road

Banbury

Oxfordshire

OX16 5HT

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	-
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	-
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	1
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	2
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	3
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	4
Data Suppliers	5
Useful Contacts	6

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Driotwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites					
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)				n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying					
Heap, unknown constituents					
Mineral Railway					
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits	pg 1				1
Former Marshes					
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)					
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 2	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 2	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 2	Yes		n/a	n/a
Salt Mining Related Features					



Report Version v53.0

Summary



Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Quarrying of sand & clay, operation of sand & gravel pits Use: Not Supplied Date of Mapping: 1961	D1SW (SW)	870	-	393740 164834

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
2	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393755 164370
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393939 164011
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(S)	248	1	393740 164578
3	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393939 164011
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D1SW (SW)	0	1	393740 164834
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D1SW (SW)	0	1	393740 164834
4	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393755 164370
5	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(SW)	229	1	393453 164376
6	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(W)	247	1	393126 164592
7	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(S)	248	1	393740 164578
8	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393939 164011
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D1SW (SW)	0	1	393740 164834
9	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	(S)	0	1	393776 164485

No Historical Land Use information available.

The following mapping has been analysed for Historical Land Use Information (1:10,000):


1:10,560	Mapsheet	Published Date
Wiltshire	033_00	1888
Wiltshire	026_00	1889
Wiltshire	026_SE	1901
Wiltshire	033_NE	1901
Wiltshire	026_SE	1925
Wiltshire	033_NE	1926
Ordnance Survey Plan	ST96NE	1961
Ordnance Survey Plan	ST96NW	1961
Ordnance Survey Plan	ST96SE	1961
Ordnance Survey Plan	ST96SW	1961
1:10,000	Mapsheet	Published Date
Ordnance Survey Plan	ST96NE	1975
Ordnance Survey Plan	ST96SE	1975
Ordnance Survey Plan	ST96NW	1980
Ordnance Survey Plan	ST96SW	1988

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Man Made Mining Cavities Stantec UK Ltd	December 2023	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2023	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	Version	Update Cycle
Subterranean Features Landmark Information Group Limited	July 2023	Bi-Annually
Ground Stability Data (1:50,000)	Version	Update Cycle
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
The Coal Authority	
Ove Arup	
Stantec UK Ltd	
Wardell Armstrong	
Johnson Poole & Bloomer	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk



Historical Land Use Information (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts			
Disturbed Ground			
General Quarrying			
Heap, unknown constituents			
Mineral Railway			
Mining and Quarrying General			
Mining of Coal & Lignite			
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits			


Historical Land Use

	Point	Line	Polygon
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Former Marsh			

Mining Data

- Potential Mining Area
- BGS Recorded Mineral Site

Mining and Ground Stability - Slice D



Order Details


Order Number: 376962185_1_1
Customer Ref: BRD4599
National Grid Reference: 393740, 164830
Slice: D
Site Area (Ha): 30.8
Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000619445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Potential for Compressible Ground Stability Hazards

- High
- Low
- Moderate
- Very Low


Potential for Collapsible Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Brine Pumping and Salt Mining

- | | Point | Polygon |
|-------------------------------|-------|---------|
| Brine Pumping Related Feature | | |
| Salt Mining Related Feature | | |

Mining and Ground Stability - Slice D



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393740, 164830
 Slice: D
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.ernirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice
- Map ID


Potential for Landslide Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Ground Dissolution Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice D



Order Details


Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393740, 164830
 Slice: D
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.ernirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



Ground Stability Data (1:50,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Potential for Running Sand Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

- High
- Low
- Moderate
- Very Low

Mining and Ground Stability - Slice D



Order Details

Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 393740, 164830
 Slice: D
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

APPENDIX 5



Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

376962185_1_1

Customer Reference:

BRD4599

National Grid Reference:

392690, 163680

Slice:

A

Site Area (Ha):

30.8

Search Buffer (m):

1000

Site Details:

Blackmore Farm, Sandridge Common

MELKSHAM

SN12 7QS

Client Details:

Ms A Stratford

BRD Environmental Ltd

Hawthorne Villa

1 Old Parr Road

Banbury

Oxfordshire

OX16 5HT

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	17
Hazardous Substances	-
Geological	19
Industrial Land Use	23
Sensitive Land Use	26
Data Currency	27
Data Suppliers	33
Useful Contacts	34

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1		Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		1	2	3
Prosecutions	pg 3		1		
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 3	Yes			
Pollution Incidents to Controlled Waters	pg 3			1	
Historical Prosecutions	pg 3			1	
Registered Radioactive Substances					
Substantiated Pollution Incident Register					
Water Abstractions	pg 4				(*6)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 5	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 6	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 6	7	14	10	54
Water Framework Directive - Catchment	pg 16	Yes			Yes
Water Framework Directive - Groundwater	pg 16			Yes	
Water Framework Directive - Surface Waters					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 17		2		
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 17	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 17			2	
Potentially Infilled Land (Non-Water)					
Potentially Infilled Land (Water)	pg 17	3	1	4	8
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 19	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 19	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites					
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 21	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 21	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 21	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 22	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 22	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 23		1	2	10
Fuel Station Entries					
Points of Interest - Commercial Services	pg 24		1		3
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 24		1		1
Points of Interest - Public Infrastructure	pg 24		2	1	1
Points of Interest - Recreational and Environmental	pg 24				3
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 26				3
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (SW)	51	1	392600 163550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NW (NW)	68	1	392550 163850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (SE)	167	1	392850 163300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (SE)	171	1	393000 163300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (NE)	213	1	393150 164450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (S)	254	1	392686 163300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NW (W)	270	1	392350 163800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NW (NE)	313	1	393200 164550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	347	1	393100 164750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SW (W)	347	1	392350 163600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (NE)	350	1	393400 164350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10NE (W)	373	1	392250 163750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (NE)	389	1	393450 164350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (S)	411	1	392900 163050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16NE (NE)	420	1	393450 164400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	447	1	393150 164850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (S)	454	1	392500 163150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A16SE (NE)	462	1	393550 164350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7NW (S)	464	1	392550 163150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7SE (S)	471	1	392800 163000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10NE (W)	478	1	392150 163700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	486	1	393200 164850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A7NW (SW)	488	1	392400 163300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16NE (NE)	496	1	393550 164400
1	Discharge Consents Operator: Ms Janine Newbound Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Skye View, 416b Devizes Road, Melksham, Wiltshire, Sn12 6re Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 011803 Permit Version: 1 Effective Date: 24th June 1992 Issued Date: Not Supplied Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Soakaway Receiving Water: Soakaway Status: New Consent, by Application (Water Resources Act 1991, Section 113 & Schedule 12) Positional Accuracy: Located by supplier to within 100m	A15SE (N)	30	2	392830 164090
2	Discharge Consents Operator: Mr B J Stainer Property Type: FARMS (NOT HOUSE)/CROP + ANIMAL REARING/PLANT NURSERY Location: Little Snariton Farm(Melksham), Melksham, Wiltshire Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 020848 Permit Version: 1 Effective Date: 31st December 1965 Issued Date: Not Supplied Revocation Date: 12th December 2003 Discharge Type: Trade Discharge - Agricultural And Surface Discharge: Freshwater Stream/River Environment: Trib Of River Bristol Avon Receiving Water: Trib Of River Bristol Avon Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A11NW (W)	324	2	392300 163800
3	Discharge Consents Operator: Wessex Water Services Limited Property Type: Undefined Or Other Location: Sandridge Road, Melksham Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 011487 Permit Version: 1 Effective Date: 31st October 1989 Issued Date: Not Supplied Revocation Date: 9th June 1999 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Ditch Trib Clackers Brook Receiving Water: Ditch Trib Clackers Brook Status: Temporary Consents (Water Act 1989, Section 113) Positional Accuracy: Located by supplier to within 100m	A14SE (NW)	414	2	392200 164300
4	Discharge Consents Operator: P Gregson Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: The Old Chapel, Redstocks, Melksham Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 012995 Permit Version: 1 Effective Date: 10th August 1995 Issued Date: 16th August 1995 Revocation Date: 1st October 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Soakaway And Trib Clackers Bk Receiving Water: Soakaway And Trib Clackers Bk Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A4NW (S)	875	2	393100 162600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: P Gregson Property Type: Not Given Location: The Old Chapel, Redstocks, Melksham Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 012995/2/11 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 16th August 1995 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Land/Soakaway Environment: Receiving Water: Soakaway & Tributary Clackers Brook Status: Not Given Positional Accuracy: Located by supplier to within 100m	A4NW (S)	880	2	393100 162595
4	Discharge Consents Operator: P Gregson Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: The Old Chapel, Redstocks, Melksham Authority: Environment Agency, South West Region Catchment Area: Bristol Avon Upper Reach Reference: 012995 Permit Version: 1 Effective Date: 10th August 1995 Issued Date: 16th August 1995 Revocation Date: 1st October 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Freshwater Stream/River Environment: Receiving Water: Soakaway And Trib Clackers Bk Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 10m	A4NW (S)	885	2	393100 162590
5	Prosecutions Location: Praters Lane, Sandridge Melksham, Wilts Ex104 Prosecution Text: Not Supplied Prosecution Act: ENVIRONMENTAL PROTECTION ACT 1990, SECTION 33 (1) (B) Hearing Date: 5th January 2000 Verdict: Guilty Fine: 5000 Cost: Not Supplied Positional Accuracy: Manually positioned to the road within the address or location	A12NE (E)	22	2	393335 163874
	Nearest Surface Water Feature	A12SW (E)	0	-	393106 163660
6	Pollution Incidents to Controlled Waters Property Type: No Premises Identified Location: Location Description Not Available, MELKSHAM, Wiltshire Authority: Environment Agency, South West Region Pollutant: Organic Chemicals : Diesel Fuels Note: Not Supplied Incident Date: 24th March 1999 Incident Reference: 34705 Catchment Area: Upper Avon Catchment (Above Sowe Confluence) Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A15NW (NW)	282	2	392300 164600
7	Historical Prosecutions Location: Clackers Brook, Snarilton Farm, Melksham, Sn12 7qp Prosecution Text: Causing farm slurry to enter a watercourse Prosecution Act: Wra91 S85(1) Hearing Date: Not Supplied Verdict: Guilty Fine: 1800 Costs: 2736 Positional Accuracy: Manually positioned to the address or location	A11SW (W)	335	-	392346 163625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Cooper Tire & Rubber Company Europe Ltd Licence Number: 17/53/001/S/019 Permit Version: 101 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450
	Water Abstractions Operator: Cooper Tire & Rubber Company Europe Ltd Licence Number: 17/53/001/S/019 Permit Version: 101 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: Process water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450
	Water Abstractions Operator: Cooper Tire & Rubber Company Europe Ltd Licence Number: 17/53/001/S/019 Permit Version: 101 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: General Cooling (Existing Licences Only) (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450
	Water Abstractions Operator: Cooper-Avon Tyres Ltd Licence Number: 17/53/001/S/019 Permit Version: 100 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: General Cooling (Existing Licences Only) (Low Loss) Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 14th March 1997 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Cooper-Avon Tyres Ltd Licence Number: 17/53/001/S/019 Permit Version: 100 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: General Cooling (Existing Licences Only) (High Loss) Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 14th March 1997 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450
	Water Abstractions Operator: Cooper-Avon Tyres Ltd Licence Number: 17/53/001/S/019 Permit Version: 100 Location: River Avon Melksham Authority: Environment Agency, South West Region Abstraction: Rubber: Process water Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Avon Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 14th March 1997 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(W)	1974	2	390590 164450
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A11NE (W)	0	2	392686 163683
	Groundwater Vulnerability Map Combined Classification: Unproductive Aquifer (may have productive aquifer beneath) Combined Vulnerability: Unproductive Combined Aquifer: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A12NW (E)	0	2	393000 163683

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A11NE (N)	0	2	392686 164000
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: 40-70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A12NW (NE)	0	2	393000 164000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A11NE (W)	0	3	392686 163683
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NW (NE)	0	4	392955 163807
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 108.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NE (NE)	0	4	392869 163865

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NE (NE)	0	4	392865 163866
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 207.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NE (N)	0	4	392667 163892
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	0	4	393082 163668
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	0	4	393079 163669
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 182.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NW (NE)	0	4	392958 163804
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 228.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NE (N)	1	4	392655 163889
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NE (N)	2	4	392664 163891
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	7	4	393113 163656
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 247.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	10	4	393117 163655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NE (E)	82	4	393417 163781
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NE (E)	82	4	393399 163752
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 186.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	89	4	393291 163608
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 313.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SW (E)	147	4	393291 163608
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NW (NW)	175	4	392443 163881
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NW (NW)	177	4	392441 163884
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NE (E)	213	4	393559 163830
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 95.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12NE (E)	221	4	393567 163833
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NW (NW)	235	4	392383 163876

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 174.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A11NW (NW)	238	4	392380 163875
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 456.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A7NE (S)	279	4	392765 163170
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SE (E)	333	4	393547 163557
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A12SE (E)	356	4	393583 163559
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	381	4	392244 163771
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 964.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A8NW (SE)	392	4	393096 163100
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 230.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8NW (SE)	392	4	393095 163099
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 717.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A7NW (SW)	406	4	392492 163250
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 307.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7NE (S)	420	4	392704 163105

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 121.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	432	4	392196 163756
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	437	4	392185 163817
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A14SE (NW)	541	4	392062 164296
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	550	4	392083 163712
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	553	4	392080 163711
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	599	4	392037 163691
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	600	4	392861 162867
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A14NE (NW)	601	4	391971 164400
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 170.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A14NE (NW)	603	4	391968 164403

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 42.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	604	4	392865 162862
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 214.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A14NW (NW)	606	4	391917 164550
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	627	4	392898 162836
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 176.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	627	4	392898 162836
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 205.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10NE (W)	629	4	392009 163680
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A14NW (NW)	649	4	391915 164544
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 50.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7NW (S)	659	4	392423 163002
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	677	4	392035 163480
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	692	4	392019 163477

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (S)	703	4	393059 162768
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 90.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (S)	706	4	393063 162766
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (SW)	707	4	392083 163357
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SE (SW)	707	4	392083 163357
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (SW)	710	4	392083 163353
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	714	4	392823 162757
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	714	4	391998 163468
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 177.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A7SE (S)	719	4	392821 162752
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.0 Watercourse Level: Underground Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SE (SW)	719	4	392040 163393

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	722	4	392004 163442
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	728	4	392001 163437
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	730	4	391940 163555
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	733	4	392010 163412
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	735	4	391936 163552
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 128.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SE (W)	737	4	391991 163435
70	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 30.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A6NE (SW)	749	4	392072 163307
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 189.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	756	4	391919 163540
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 353.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (SE)	773	4	393217 162739

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (SE)	780	4	393118 162701
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (SE)	785	4	393120 162697
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (SE)	818	4	393183 162680
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A8SW (SE)	819	4	393182 162677
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A4NW (SE)	835	4	393155 162653
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 25.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A4NW (SE)	835	4	393155 162653
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	841	4	391804 163617
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	841	4	391803 163630
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 70.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	842	4	391804 163617

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 358.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A4NW (SE)	845	4	393179 162648
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	857	4	391783 163645
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A3NE (S)	880	4	392750 162602
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A3NE (S)	884	4	392746 162599
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	896	4	391742 163655
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	900	4	391739 163646
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	902	4	391737 163644
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 183.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Clackers Brook Catchment Name: Avon Bristol Primacy: 1	A10SW (W)	908	4	391733 163635
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A3NE (S)	965	4	392679 162533

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 437.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A3NE (S)	969	4	392677 162530
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Avon Bristol Primacy: 1	A4NE (SE)	995	4	393471 162618
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Clackers Bk - source to conf R Avon (Brist) WaterBody ID: GB109053021920 Operational: Avon Bristol Rural Catchment: Avon Bristol and Somerset Nort Management: Avon Bristol and Somerset Nort Catchment: Bristol Avon	A11NE (W)	0	2	392686 163683
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Forest Brook WaterBody ID: GB109053021940 Operational: Avon Bristol Rural Catchment: Avon Bristol and Somerset Nort Management: Avon Bristol and Somerset Nort Catchment: Bristol Avon	A15SW (NW)	0	2	392360 164190
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Avon (Brist) conf R Marden to conf Semington Bk WaterBody ID: GB109053027440 Operational: Avon Bristol Rural Catchment: Avon Bristol and Somerset Nort Management: Avon Bristol and Somerset Nort Catchment: Bristol Avon	A6NE (SW)	947	2	392030 163020
	Water Framework Directive - Groundwater Waterbody Name: Corallian Limestone (Calne to Swindon) Waterbody ID: GB40902G806100 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40902G806100 Overall Rating: Good Chemical Rating: Good Quantitative Measure: Good Year: 2019	A16NE (NE)	463	2	393528 164376

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
93	Historical Landfill Sites Licence Holder: Not Supplied Location: Lower Forest, Melksham, Wiltshire Name: Tip at Hack Farm Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD09711 First Input Date: Not Supplied Last Input Date: 31st December 1978 Specified Waste: Deposited Waste included Unknown Material Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: W/77/0009/WD	A16NW (NE)	246	2	393176 164487
94	Historical Landfill Sites Licence Holder: Bath Waste Disposal Services Limited Location: Brickyard Plantation, Sandridge Hill, Near Melksham, Wiltshire Name: Brickyard Plantation Operator Location: Beezer House, 2 Midland Bridge Road, Bath, Avon Boundary Accuracy: As Supplied Provider Reference: EAHLD08972 First Input Date: 1st January 1977 Last Input Date: 1st January 1984 Specified Waste: Deposited Waste included Inert, Industrial and Commercial Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 3900/3039 BGS Ref: Not Supplied Other Ref: W/77/0023/WD	A16NW (NE)	248	2	393173 164489
	Local Authority Landfill Coverage Name: Wiltshire County Council - Has supplied landfill data		0	6	392686 163683
	Local Authority Landfill Coverage Name: West Wiltshire District Council - Has no landfill data to supply		0	5	392686 163683
95	Local Authority Recorded Landfill Sites Location: Hack Farm , Lower Forest, Melksham Reference: Not Supplied Authority: Wiltshire County Council (now part of Wiltshire Council) Last Reported Status: Closed Types of Waste: Not Supplied Date of Closure: 1978 Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A16NW (NE)	285	6	393202 164501
96	Local Authority Recorded Landfill Sites Location: Bath Waste Disposal , Brickyard Plantation, Sandridge Hill, Melksham Reference: Not Supplied Authority: Wiltshire County Council (now part of Wiltshire Council) Last Reported Status: Closed Types of Waste: Construction Date of Closure: 1984 Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A16NW (NE)	343	6	393200 164601
97	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15NE (N)	0	-	392772 164373
98	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A16SW (NE)	0	-	392981 164260
99	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11NE (NE)	0	-	392954 163803
100	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A15NW (N)	50	-	392577 164392
101	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11SW (W)	345	-	392346 163608

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
102	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10NE (W)	402	-	392225 163758
103	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	410	-	392164 164592
104	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (NW)	474	-	392089 164513
105	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NW (NW)	681	-	391885 164436
106	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1901	A6NE (SW)	741	-	392216 163111
107	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1901	A6NE (SW)	758	-	392187 163127
108	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	808	-	391735 164442
109	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	857	-	391709 164568
110	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NW (NW)	864	-	391701 164437
111	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A14NW (NW)	937	-	391645 164688
112	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1942	A13NE (NW)	986	-	391580 164433

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Kellaways Formation And Oxford Clay Formation (Undifferentiated)	A11NE (W)	0	1	392686 163683
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11NE (W)	0	1	392686 163683
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A11NW (NW)	0	1	392542 163854
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SE (S)	77	1	392620 163518
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7NW (S)	280	1	392547 163290
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NE (S)	325	1	392792 163156
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A7NE (S)	412	1	392753 163094

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A7NW (S)	437	1	392513 163185
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7NW (SW)	464	1	392471 163206
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A7NW (SW)	538	1	392385 163224
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A7SE (S)	665	1	392885 162796
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A8SW (SE)	683	1	393218 162836
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A6NE (SW)	756	1	392232 163062

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 25 - 35 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A8SE (SE)	802	1	393599 163000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 15 - 30 mg/kg Concentration:	A4NW (SE)	853	1	393133 162630
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic: 15 - 25 mg/kg Concentration: Cadmium: <1.8 mg/kg Concentration: Chromium: 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel: 30 - 45 mg/kg Concentration:	A6NE (SW)	942	1	392000 163084
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	248	1	393173 164488
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	229	1	393216 164391

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	247	1	393143 164515
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A16NW (NE)	248	1	393173 164488
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	392681 163866
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	392686 163683

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
113	Contemporary Trade Directory Entries Name: Roadrunner Vehicle Repairs Ltd Location: Manor Farm, Sandridge Common, Melksham, SN12 7QT Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A15NE (N)	66	-	392795 164631
114	Contemporary Trade Directory Entries Name: Guy Morse-Brown Hatblocks Ltd Location: 2, Snarlton Farm, Snarlton Lane, Melksham, Wiltshire, SN12 7QP Classification: Millinery Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (W)	383	-	392254 163709
115	Contemporary Trade Directory Entries Name: Katy Wilkinson Jewellery Location: 5, Skylark Road, Melksham, SN12 7FP Classification: Jewellery Manufacturers & Repairers Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (NW)	472	-	392152 163971
116	Contemporary Trade Directory Entries Name: Melksham Garden Machinery Location: Tanhouse Farm, Redstocks, Melksham, Wiltshire, SN12 6RF Classification: Lawnmowers & Garden Machinery - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (SE)	641	-	393512 163157
116	Contemporary Trade Directory Entries Name: S A Cottle Location: Tanhouse Farm, Redstocks, Melksham, Wiltshire, SN12 6RF Classification: Agricultural Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	656	-	393511 163130
116	Contemporary Trade Directory Entries Name: Melksham Ground Care Machinery Ltd Location: Tanhouse Farm, Redstocks, Melksham, Wiltshire, SN12 6RF Classification: Lawnmowers & Garden Machinery - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (SE)	656	-	393511 163130
117	Contemporary Trade Directory Entries Name: Mitchells Wiltshire Land Rovers Location: 329, Snarlton Lane, Melksham, SN12 7QP Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (W)	649	-	391969 163871
117	Contemporary Trade Directory Entries Name: R S Pullin Location: 329, Snarlton Lane, Melksham, Wiltshire, SN12 7QP Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NE (W)	649	-	391969 163872
118	Contemporary Trade Directory Entries Name: Automated Doorways Ltd Location: 20, Redwing Road, Melksham, SN12 7GB Classification: Door Manufacturers - Industrial Status: Active Positional Accuracy: Automatically positioned to the address	A14SE (NW)	691	-	391954 164172
119	Contemporary Trade Directory Entries Name: Melksham Plant Services Ltd Location: Lansdown Cl, Melksham, Wiltshire, SN12 7JR Classification: Plant & Machinery Repairs Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A14NW (NW)	916	-	391648 164462
120	Contemporary Trade Directory Entries Name: All Care Cleaning Services Location: 77b, Ingram Road, Melksham, SN12 7JH Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NW (W)	918	-	391705 163994
121	Contemporary Trade Directory Entries Name: Clarks Cleaning Services Location: 63, Ingram Road, Melksham, Wiltshire, SN12 7JH Classification: Carpet, Curtain & Upholstery Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (W)	964	-	391665 164037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
122	Contemporary Trade Directory Entries Name: Meraki Life Ltd Location: 20, Corncockle Close, Melksham, SN12 7GJ Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A10NW (W)	970	-	391656 163745
123	Points of Interest - Commercial Services Name: Roadrunner Vehicle Repairs Ltd Location: Manor Farm, Sandridge Common, SN12 7QT Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A15NE (N)	66	7	392795 164631
124	Points of Interest - Commercial Services Name: Mitchells (Wiltshire) Land Rovers Location: 329 Snarlton Lane, Melksham, SN12 7QP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A10NE (W)	649	7	391969 163872
124	Points of Interest - Commercial Services Name: Mitchells Wiltshire Land Rovers Location: 329 Snarlton Lane, Melksham, SN12 7QP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A10NE (W)	650	7	391968 163871
124	Points of Interest - Commercial Services Name: R S Pullin Location: 329 Snarlton Lane, Melksham, SN12 7QP Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A10NE (W)	650	7	391968 163871
125	Points of Interest - Manufacturing and Production Name: M D Keen Location: Sandridge Common, Melksham, SN12 7QS Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	A15NW (N)	87	7	392518 164406
126	Points of Interest - Manufacturing and Production Name: CRAYSMARSH SOLAR FARM - Solar Photovoltaics (BEIS) Location: N/o Craysmarsh Farm, Bowerhill, Melksham, SN12 6RG Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	A8SE (SE)	949	7	393606 162782
127	Points of Interest - Public Infrastructure Name: Slurry Pit Location: SN12 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A15NE (N)	138	7	392718 164677
127	Points of Interest - Public Infrastructure Name: Slurry Bed Location: SN12 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A15NE (N)	147	7	392700 164679
128	Points of Interest - Public Infrastructure Name: Sludge Tank Location: SN12 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A11SW (SW)	336	7	392416 163549
129	Points of Interest - Public Infrastructure Name: Sluice Location: SN12 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A4NE (SE)	993	7	393462 162614
130	Points of Interest - Recreational and Environmental Name: Play Area Location: SN12 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A10NW (W)	785	7	391834 163842

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
131	Points of Interest - Recreational and Environmental Name: Play Area Location: SN12 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14NW (NW)	825	7	391742 164416
132	Points of Interest - Recreational and Environmental Name: Play Area Location: SN12 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14SW (NW)	858	7	391783 164091

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
133	Ancient Woodland Name: Morass Wood Reference: 1110431 Area(m ²): 25066.98 Type: Plantation on Ancient Woodland	(NE)	692	8	393840 164317
134	Ancient Woodland Name: Morass Wood Reference: 1110431 Area(m ²): 119365.42 Type: Ancient and Semi-Natural Woodland	(NE)	720	8	393841 164374
135	Ancient Woodland Name: Not Supplied Reference: 1410129 Area(m ²): 42078.98 Type: Plantation on Ancient Woodland	(NE)	962	8	393668 165010

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Environment Agency - Head Office Wiltshire Council - Environmental Health Department Kennet District Council (now part of Wiltshire Council) - Environment and Community Safety Services	June 2008 November 2023 October 2017 September 2017	Not Applicable Annually Annually
Discharge Consents Environment Agency - South West Region	April 2025	Quarterly
Enforcement and Prohibition Notices Environment Agency - South West Region	March 2013	
Integrated Pollution Controls Environment Agency - South West Region	January 2009	
Integrated Pollution Prevention And Control Environment Agency - South West Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control Kennet District Council (now part of Wiltshire Council) - Environmental Health Department West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Wiltshire Council - Environmental Health Department	February 2009 July 2008 July 2023	Not Applicable Not Applicable Variable
Local Authority Pollution Prevention and Controls Kennet District Council (now part of Wiltshire Council) - Environmental Health Department West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Wiltshire Council - Environmental Health Department	February 2009 July 2008 July 2023	Not Applicable Not Applicable Annually
Local Authority Pollution Prevention and Control Enforcements Kennet District Council (now part of Wiltshire Council) - Environmental Health Department West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Wiltshire Council - Environmental Health Department	February 2009 July 2008 July 2023	Not Applicable Not Applicable Variable
Nearest Surface Water Feature Ordnance Survey	February 2025	
Pollution Incidents to Controlled Waters Environment Agency - South West Region	September 1999	
Historical Prosecutions Environment Agency, South West Region	March 2013	Not Applicable
Prosecutions Environment Agency - Head Office	February 2024	Annually
Registered Radioactive Substances Environment Agency - Head Office Environment Agency - South West Region	May 2023 May 2023	
Substantiated Pollution Incident Register Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	April 2025 April 2025 April 2025	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - South West Region	April 2025	Quarterly
Water Industry Act Referrals Environment Agency - South West Region	October 2017	
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified

Agency & Hydrological	Version	Update Cycle
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	January 2024	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	January 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2024	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites Environment Agency - Head Office	October 2024	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - South West Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	November 2024 November 2024 November 2024	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	April 2025 April 2025 April 2025	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Kennet District Council (now part of Wiltshire Council) - Environmental Health Department West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Wiltshire County Council (now part of Wiltshire Council)	February 2003 February 2003 February 2003	Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Kennet District Council (now part of Wiltshire Council) - Environmental Health Department West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department Wiltshire County Council (now part of Wiltshire Council)	October 2018 October 2018 October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	March 2006 March 2006 March 2006	Not Applicable Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	April 2018 April 2018 April 2018	
Registered Waste Treatment or Disposal Sites Environment Agency - South West Region - North Wessex Area Environment Agency - South West Region - South Wessex Area Environment Agency - South West Region - Wessex Area	June 2015 June 2015 June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	September 2024	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Wiltshire County Council (now part of Wiltshire Council) Kennet District Council (now part of Wiltshire Council) Wiltshire Council - Planning Department West Wiltshire District Council (now part of Wiltshire Council)	December 2008 June 2008 June 2023 September 2009	Annual Rolling Update Not Applicable Variable Not Applicable
Planning Hazardous Substance Consents Wiltshire County Council (now part of Wiltshire Council) Wiltshire Council - Planning Department Kennet District Council (now part of Wiltshire Council) West Wiltshire District Council (now part of Wiltshire Council)	December 2008 February 2016 June 2008 September 2009	Annual Rolling Update Variable Not Applicable Not Applicable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	March 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	February 2025	Quarterly
Points of Interest - Commercial Services PointX	March 2025	Quarterly
Points of Interest - Education and Health PointX	March 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	March 2025	Quarterly
Points of Interest - Public Infrastructure PointX	March 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	March 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	


Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Kennet District Council (now part of Wiltshire Council) West Wiltshire District Council (now part of Wiltshire Council) Wiltshire Council - Planning Department	July 2024 July 2024 July 2024	Quarterly Quarterly Quarterly
Areas of Unadopted Green Belt Kennet District Council (now part of Wiltshire Council) West Wiltshire District Council (now part of Wiltshire Council) Wiltshire Council - Planning Department	July 2024 July 2024 July 2024	Quarterly Quarterly Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	November 2024	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	West Wiltshire District Council (now part of Wiltshire Council) - Environmental Health Department County Hall, Bythesea Road, Trowbridge, Wiltshire, BA14 8JN	Telephone: 0300 456 0100 Website: www.wiltshire.gov.uk
6	Wiltshire County Council (now part of Wiltshire Council) County Hall, Bythesea Road, Trowbridge, Wiltshire, BA14 8JN	Telephone: 01225 713000 Email: communications@wiltshire.gov.uk Website: www.wiltshire.gov.uk
7	PointX 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



© Crown copyright and database rights 2025 OS AC0000813445



Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- ⋯ Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 376962185_1_1
 Customer Ref: BRD4599
 National Grid Reference: 392690, 163680
 Slice: A
 Site Area (Ha): 30.8
 Search Buffer (m): 1000

Site Details

Blackmore Farm, Sandridge Common, MELKSHAM, SN12 7QS



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk