

Manhole No.	Cover Level (m)	Invert Level (m)	Pipe Size (mm)	Depth to Invert (m)	MH Size (mm)	Manhole Type	Cover Duty	Cover Size	Cover Note
FWIC-01	48.200	47.475	100	0.725	450	Wavin 450	B125	450 x 450	
FWIC-02	48.200	47.450	100	0.750	450	Wavin 450	B125	450 x 450	
FWIC-03	48.200	47.285	100	0.915	450	Wavin 450	B125	450 x 450	
FWIC-04	48.200	47.200	100	1.050	450	Wavin 450	B125	450 x 450	
		47.150	150						
FWIC-05	48.200	46.675	150	1.525	450	Wavin 450	B125	450 x 450	
FWIC-06	48.200	46.400	150	1.800	450	Wavin 450	B125	450 x 450	Discharge to existing manhole ref Ex-FWMH-00
FWIC-07	48.200	47.300	100	0.900	450	Wavin 450	B125	450 x 450	

- Note:
- 1. All manhole covers to be constructed to BS EN124.
 - 2. All 450Ø polypropylene inspection chambers to to have 450 x 450 clear openings and covers.

- Notes:
- 1. This drawing is to be read in conjunction with all of the relevant architects, engineers and specialist sub-contractor drawings and specifications.
 - 2. Any discrepancies between the engineers and the architects drawings to be referred to the architect before proceeding. Drawings must not be scaled.

A

26.11.25

Drawn - First Issue

Rev.

Date

Description



01202 237237
info@calcinotto.co.uk
www.calcinotto.co.uk

Client			
Faircloth Construction Ltd.			
Project Title			
Royal Mail Delivery Office, Salisbury			
Drawing Title			
Proposed Foul Water Manhole Schedule			
Drawing Status			
Detailed Design			
Originator No.	Rev by	Chk by	Scale
115154	SH	MD	n/a
PROJECT ORIGINATOR ZONE LEVEL TYPE ROLE NO.			Revision
115154-CAL-XX-XX-DR-D-0091			A