



0 2 4 6 8m

Scale: 1:200



Proposed Plot 1 Cellular Soakaway
Catchment: 360m²
Base Level: 115.00
Dims: 8.0mL x 1.0mW x 2.0mD
Infiltration via base only. Sides wrapped in impermeable membrane.

Proposed Plot 2 Cellular Soakaway
Catchment: 360m²
Base Level: 115.00
Dims: 8.0mL x 1.0mW x 2.0mD
Infiltration via base only. Sides wrapped in impermeable membrane.

KEY:

- Plot 1 catchment
- Plot 2 catchment
- Proposed Cellular Soakaway
- Proposed Private Surface Water Drain & Inspection Chamber
- Indicative Proposed Channel Drain Position
- Proposed Surface Water Catchpit Chamber
- Indicative Private Foul Water Drain & Inspection Chamber
- Assumed Route Of Existing Foul Water Sewer (To be confirmed)

NOTES

- Drawing produced for planning purposes only. Not for construction.
- ANY drainage works constructed prior to issue of Technical Approval is entirely at the risk of the Contractor/Client.
- Do not scale from this drawing. Work only from stated dimensions or setting out details.
- All levels are in metres above Ordnance Datum.

REV	DESCRIPTION	DRAWN	CHK'BY	DATE
P1	PRELIMINARY ISSUE	AD	MC	03.01.25

CLIENT: Alex Feilden-Cook & Daniel Jones			
PROJECT REF:	FILE:	DRG NO.:	REV:
M2-2801	SK	602	P1
SCALE (A1):	DRAWN:	CHECKED:	DATE:
1:200 @ A1	AD	MC	JAN 2025

PROJECT TITLE:
18 Midford Lane
Limply Stoke

DRAWING TITLE:
Drainage Strategy

CIVIL & STRUCTURAL
CONSULTING ENGINEERS

W: www.m2structural.co.uk
E: info@m2structural.co.uk
T: 01225 285073