





Elevation - moulded stonework
1:10 Scale


Allow for undercutting existing stonework to accommodate tile repair

Gault clay creasing tiles with outer edge nibbled to correspond with profile of stone mouldings vertically bedded in lime-based mortar; allow to provide 2mm dia stainless steel wire armatures drilled and resin-fixed into existing masonry.



Detail Section A
1:10 Scale

Gault clay tiles bedded in lime-based mortar (as agreed pointing mix)





Elevation - quoin
1:5 Scale

Provide 2mm dia stainless steel wire armatures drilled and resin fixed into existing masonry

Detail Section - quoin
1:5 Scale

Nominal line of decayed stone cut horizontal ledge at base of tile repair min. 50mm deep



ANDREW TOWNSEND ARCHITECTS

HISTORIC BUILDINGS CONSULTANTS

MARLBOROUGH HOUSE 2 BROMSGROVE FARINGDON OXON SN7 7JQ
Tel 01367 242639 Email info@andrewtownsend.co.uk
www.andrewtownsend.co.uk

project
Options Appraisal for
The Lansdowne Monument, Cherhill Down, Wilts

for The National Trust
drawing
Tile Repair Detail

as proposed

date	scale	drg. no.	rev.
Sep 2025	1:10 ; 1:5 Drawing original is A3 size	1374:WD07	-