



LEGEND

FLOOD EXCEEDANCE ROUTE

PLEASE NOTE:-

THE PROPOSED SURFACE WATER DRAINAGE SYSTEM WILL BE DESIGNED FOR THE 1 IN 100 YR PLUS 40% CLIMATE CHANGE WITHOUT ANY FLOODING OCCURRING. THE FLOOD ROUTES SHOWN ARE TO PROVE THAT NO PROPERTY WILL BE AFFECTED IN THE UNLIKELY EVENT OF ANY LOCALISED BLOCKAGE OR FAILURE OF THE SYSTEM OCCURRING.

0 10 20 30 40 50
SCALE 1:500 (A1)
METRES

B Engineering Updated to revised layout (Local Centre)

A Engineering Updated to revised layout and Minor Notes Comments

Revisions

Project: Land of Spittle Road

Caine, Wiltshire

Client:

Drawing: Flood Exceedance Routing

Scale: 1:500 Date: November 2025 Drawn by: MJH

Drawing No: 671-P-510 Rev: B

PHOENIX DESIGN
Partnership Ltd.
Unit 5, Windway Garage,
Marbury, Bath, BA2 8PA
Tel: 01225 49999
email: enquiries@phoenixdesign.co.uk www.phoenixdesign.co.uk

Unit 5, Windway Garage,
Marbury, Bath, BA2 8PA
Tel: 01225 49999
email: enquiries@phoenixdesign.co.uk www.phoenixdesign.co.uk

This drawing is the copyright of Phoenix Design Partnership Ltd. No liability will be accepted for amendments by others to either the printed or digital format.

Dwg Status: PLANNING

ABBERD LANE

HURRICANE DRIVE

LOCAL CENTRE
PLANNING REFERENCE PL/2023/10421

FLOOD ROUTE TO EXISTING ATTENUATION POND

EXISTING ATTENUATION POND

EXISTING HYDRO-BRAKE CHAMBER, EXISTING
HYDROBRAKE TO BE REPLACED WITH A NEW
HYDROBRAKE TO RESTRICT FLOWS TO NEW
GREENFIELD RUN-OFF RATE OF 62 L/S. REFER TO
SECTION 6.3.6 OF APPROVED PPA FOR FURTHER
DETAILS. PLANNING REFERENCE PL/2023/0984NODE A01_0033B
(1:1000 72.53)
(1:100+28000 72.01)NODE A01_00217
(1:1000 72.38)
(1:100+28000 72.00)NODE A01_00139
(1:1000 72.14)