

Installation Type	Unit of Measure	Capacity/Flow rate (1)	Use Factor (2)	Fixed use (litres/person/day) (3)	Litres/person/day = [(1)x(2)] + (3) (4)
WC (single flush)	Flush Volume (litres)		4.42	0.00	0
WC (dual flush)	Full flush Volume (litres)		1.46	0.00	0
	Part flush Volume (litres)		2.96	0.00	0
WC (multiple fittings)	Average effective flushing Volume (litres)		4.42	0.00	0
Taps (excluding kitchen/utility room taps)	Flow rate (litres/min)	6.00	1.58	1.58	11.06
Bath (where shower also present)	Capacity to overflow(litres)	185.00	0.11	0.00	20.35
Shower (where bath also present)	Flow Rate(litres / minute)	10.00	4.37	0.00	43.70
Bath Only	Capacity to overflow(litres)		0.50	0.00	0
Shower Only	Flow Rate (litres/minute)		5.60	0.00	0
Kitchen/Utility room sink taps	Flow rate (litres/minute)	8.00	0.44	10.36	13.88
Washing Machine	(Litres/kg dry load)	8.00	2.1	0.00	16.80
Dishwasher	(Litres/place setting)	1.25	3.6	0.00	4.50
Waste disposal unit	(Litres/use)	☐ Present	3.08	0.00	0
Water Softener	(Litres/person/day)		1.00	0.00	0
(5)	Total Calculated use (litres/person/day) =SUM(column 4)				110.29
(6)	Contribution from greywater (litres/person/day)				0
(7)	Contribution from rainwater (litres/person/day)				4.5
(8)	Normalisation factor				0.91
(9)	Total internal water consumption = [(5)-(6)-(7)]x(8) (litres/person/day)				96.27
(10)	External water use				5.0
(11)	Total water consumption (Building Regulation 17.K) =(9)+(10)(litres/person/day)				101.3

Installation Type	Make/Model (mandatory)	Litres/Person/Day
Taps	Burlington	11.06
Baths (shower(s) present)	Bette	20.35
Showers (bath(s) present)	Burlington	43.70
Kitchen Taps	Franke	13.88
Washing Machines	Bosch	16.80
Dishwasher	Bosch	4.50
Contribution from rainwater (litres/person/day)	Unknown	4.5
Property Type	House	
Housing Development	Yes	

