


Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie
Reference	1433406				Delivery	Printed
Job number	242421	Item 1	Glazed	Supply only		
Date in production	30/12/1899	Affordable Window Systems				Glazed
Invoice Number	242421					

Aluplast 70 Flush Casement

Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Mullion	70mm Tran/Mull TM70 (
Add-on (Head	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced
Tran/Mull joi	Mechanical joint
Product	Aluplast 70 Flush Caseme
Size	1520 x 895
Quantity	1
Design	Style 210
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black
Sash colour	Black on White
Cill colour	Black



LOC: KITCHEN

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75 Outerframe (Flush)			2	1520	-	
Ver Frame	OF75 Outerframe (Flush)			2	743	-	
Ver Structural (T/	TM70 70mm T Section (FI			2	743	-	
Hor Sash	SA58 58mm Flush Sash			4	441	\ - / *	
Hor Sash	SA58 58mm Flush Sash			2	442	\ - / *	
Ver Sash	SA58 58mm Flush Sash			6	726	- *	
Hor Cill	HS150 150mm Cill Aluplast I			1	1620	-	
Add-on	3mm Trickle Vent Cover Bl			1	1520	-	
Hor Add-on	15mm Add on Aluplast Bla			1	1520	-	

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie	
Reference	1433406				Delivery		
Job number	242421	Item 1	Glazed	Supply only	Page 2 of 12	Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems				Glazed	
Invoice Number	242421						


Description	Qty	Len	
1814 Centre Seal		5.930	Metres
409050 Brush Pile		6.974	Metres
409051 Flush Gasket		6.974	Metres
421250 Flush Frame Gasket		4.734	Metres
9A09 Dummy Sash Clip	3		Units
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	10		Units
FL 12" L/H Frict Hnge Sash 452mm	2		Units
FL 12" R/H Frict Hnge Sash 452mm	2		Units
FL 20" R/H Frict Hnge Ssh 672-804n	1		Units
Flat Packer	20		Units
FLUSH FIT LH END KEEP	2		Units
FLUSH FIT MUSHROOM KEEP	4		Units
FLUSH FIT RH END KEEP	2		Units
FLUSH FIT S/B ASSY SIZE 2 LH 7M	2		Units
FLUSH FIT S/B ASSY SIZE 2 RH 7M	2		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black L/H	1		Units
MILA Monkeytail Black R/H	1		Units
P4437 Dummy Sash Clip	3		Units
Reinforcing Side of Frame and sash	2		Units
STD 20" L/H Frict Hnge Ssh 672-80	1		Units
Trickle Vent in Head 5000 Black	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	2		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	350	638
D1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	351	638
H1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	350	638

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie
Reference	1433406				Delivery	
Job number	242421	Item 2	Glazed	Supply only	Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Page 3 of 12				
Invoice Number	242421	Affordable Window Systems				Glazed

Aluplast 70 Flush Casement

Product	Aluplast 70 Flush Casement
Size	1190 x 875
Quantity	1
Design	Style 112
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black on White
Sash colour	Black on White
Cill colour	Black on White
Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Mullion	70mm Tran/Mull TM70 (
Add-on (Head	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced
Tran/Mull joi	Mechanical joint



Loc: SNUGG

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75S Outerframe (Flush)			2	1190	-	
Ver Frame	OF75S Outerframe (Flush)			2	723	-	
Ver Structural (T/	TM70S 70mm T Section (F			1	723	-	
Hor Sash	SA58 58mm Flush Sash			2	516	\ - / *	
Hor Sash	SA58 58mm Flush Sash			2	517	\ - / *	
Ver Sash	SA58 58mm Flush Sash			4	706	- *	
Hor Cill	HS150 150mm Cill Aluplast I			1	1290	-	
Add-on	3mm Trickle Vent Cover Bl			1	1190	-	
Hor Add-on	15mm Add on Aluplast Bl			1	1190	-	

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie	
Reference	1433406	Item 2	Glazed	Supply only	Delivery	12/01/2026 4:32 pm	
Job number	242421						
Date in production	30/12/1899	Affordable Window Systems					
Invoice Number	242421				Glazed		


Description	Qty	Len	
1814 Centre Seal		4.174	Metres
409050 Brush Pile		4.870	Metres
409051 Flush Gasket		4.870	Metres
421250 Flush Frame Gasket		4.034	Metres
9A09 Dummy Sash Clip	3		Units
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	6		Units
FL 12" L/H Frict Hnge Sash 452mm	1		Units
FL 12" R/H Frict Hnge Sash 452mm	1		Units
FL 20" R/H Frict Hnge Ssh 672-804n	1		Units
Flat Packer	12		Units
FLUSH FIT LH END KEEP	1		Units
FLUSH FIT MUSHROOM KEEP	2		Units
FLUSH FIT RH END KEEP	1		Units
FLUSH FIT S/B ASSY SIZE 2 LH 7M	1		Units
FLUSH FIT S/B ASSY SIZE 2 RH 7M	1		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black R/H	1		Units
P4437 Dummy Sash Clip	3		Units
Reinforcing Side of Frame and sash	1		Units
STD 20" L/H Frict Hnge Ssh 672-80	1		Units
Trickle Vent in Head 5000 Black/W	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	1		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	425	618
E1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	426	618

Customer Reference	LEEKES LTD 1433406	WORKS ORDER			Input	12/01/2026 mscobie
Job number	242421	Item 3	Glazed	Supply only	Page 5 of 12	Delivery Printed
Date in production	30/12/1899	Affordable Window Systems				12/01/2026 4:32 pm
Invoice Number	242421					Glazed

Aluplast 70 Flush Casement

Product	Aluplast 70 Flush Casement
Size	980 x 820
Quantity	1
Design	Style 201
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black on White
Sash colour	Black on White
Cill colour	Black on White
Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Mullion	70mm Tran/Mull TM70 (
Add-on (Head)	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced
Tran/Mull joi	Mechanical joint



LOC: MAIN BED

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75S Outerframe (Flush)			2	980	-	
Ver Frame	OF75S Outerframe (Flush)			2	668	-	
Ver Structural (T/	TM70S 70mm T Section (F			1	668	-	
Hor Sash	SA58 58mm Flush Sash			4	411	- / *	
Ver Sash	SA58 58mm Flush Sash			4	651	- *	
Hor Cill	HS150 150mm Cill Aluplast I			1	1080	-	
Add-on	3mm Trickle Vent Cover Bl			1	980	-	
Hor Add-on	15mm Add on Aluplast Bl			1	980	-	

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie
Reference	1433406				Delivery	
Job number	242421	Item 3	Glazed	Supply only	Page 6 of 12	Printed 12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems				Glazed
Invoice Number	242421					


Description	Qty	Len	
1814 Centre Seal		3.532	Metres
409050 Brush Pile		4.228	Metres
409051 Flush Gasket		4.228	Metres
421250 Flush Frame Gasket		3.504	Metres
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	8		Units
FL 10" R/H Frict Hnge-Sash 290-47	2		Units
Flat Packer	16		Units
FLUSH FIT LH END KEEP	2		Units
FLUSH FIT MUSHROOM KEEP	4		Units
FLUSH FIT RH END KEEP	2		Units
FLUSH FIT S/B ASSY SIZE 1 LH 7M	2		Units
FLUSH FIT S/B ASSY SIZE 1 RH 7M	2		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black L/H	1		Units
MILA Monkeytail Black R/H	1		Units
Reinforcing Side of Frame and sash	2		Units
Trickle Vent in Head 5000 Black/W	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	2		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	320	563
F1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	320	563

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie	
Reference	1433406				Delivery		
Job number	242421	Item 4	Glazed	Supply only	Page 7 of 12	Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems					Glazed
Invoice Number	242421						

Aluplast 70 Flush Casement

Product	Aluplast 70 Flush Casement
Size	1010 x 820
Quantity	1
Design	Style 112 [Rev]
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black on White
Sash colour	Black on White
Cill colour	Black on White
Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Mullion	70mm Tran/Mull TM70 (
Add-on (Head)	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced
Tran/Mull joi	Mechanical joint



Loc: SECOND BEDROOM

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75S Outerframe (Flush)			2	1010	-	
Ver Frame	OF75S Outerframe (Flush)			2	668	-	
Ver Structural (T/	TM70S 70mm T Section (F			1	668	-	
Hor Sash	SA58 58mm Flush Sash			2	426	\ - / *	
Hor Sash	SA58 58mm Flush Sash			2	427	\ - / *	
Ver Sash	SA58 58mm Flush Sash			4	651	- *	
Hor Cill	HS150 150mm Cill Aluplast I			1	1110	-	
Add-on	3mm Trickle Vent Cover Bl			1	1010	-	
Hor Add-on	15mm Add on Aluplast Bl			1	1010	-	

Customer Reference	LEEKES LTD 1433406	WORKS ORDER			Input	12/01/2026 mscobie
Job number	242421	Item 4	Glazed	Supply only	Page 8 of 12	Delivery Printed
Date in production	30/12/1899	Affordable Window Systems				12/01/2026 4:32 pm
Invoice Number	242421					Glazed


Description	Qty	Len	
1814 Centre Seal		3.594	Metres
409050 Brush Pile		4.290	Metres
409051 Flush Gasket		4.290	Metres
421250 Flush Frame Gasket		3.564	Metres
9A09 Dummy Sash Clip	3		Units
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	6		Units
FL 12" L/H Frict Hnge Sash 452mm	1		Units
FL 12" R/H Frict Hnge Sash 452mm	1		Units
Flat Packer	12		Units
FLUSH FIT LH END KEEP	1		Units
FLUSH FIT MUSHROOM KEEP	2		Units
FLUSH FIT RH END KEEP	1		Units
FLUSH FIT S/B ASSY SIZE 1 LH 7M	1		Units
FLUSH FIT S/B ASSY SIZE 1 RH 7M	1		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black L/H	1		Units
P4437 Dummy Sash Clip	3		Units
Reinforcing Side of Frame and sash	1		Units
STD 16" L/H Frict Hnge Ssh 572-67	1		Units
STD 16" R/H Frict Hnge Ssh 572-67	1		Units
Trickle Vent in Head 5000 Black/W	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	1		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	336	563
G1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	335	563

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie
Reference	1433406				Delivery	
Job number	242421	Item 5	Glazed	Supply only	Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems				Glazed
Invoice Number	242421					

Aluplast 70 Flush Casement

Product	Aluplast 70 Flush Casement
Size	600 x 850
Quantity	1
Design	Style 101
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black on White
Sash colour	Black on White
Cill colour	Black on White
Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Add-on (Head)	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced



Loc: LANDING

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75S Outerframe (Flush)	☐	☐	2	600	-	
Ver Frame	OF75S Outerframe (Flush)	☐	☐	2	698	-	
Hor Sash	SA58 58mm Flush Sash	☐	☐	2	481	\ - / *	
Ver Sash	SA58 58mm Flush Sash	☐	☐	2	681	- *	
Hor Cill	HS150 150mm Cill Aluplast I	☐	☐	1	700	-	
Add-on	3mm Trickle Vent Cover BI	☐	☐	1	600	-	
Hor Add-on	15mm Add on Aluplast BI	☐	☐	1	600	-	

Customer	LEEKES LTD	WORKS ORDER			Input	12/01/2026 mscobie
Reference	1433406				Delivery	
Job number	242421	Item 5	Glazed	Supply only	Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems				Glazed
Invoice Number	242421					


Description	Qty	Len	
1814 Centre Seal		1.966	Metres
409050 Brush Pile		2.314	Metres
409051 Flush Gasket		2.314	Metres
421250 Flush Frame Gasket		2.804	Metres
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	4		Units
FL 12" L/H Frict Hnge Sash 452mm	1		Units
FL 12" R/H Frict Hnge Sash 452mm	1		Units
Flat Packer	8		Units
FLUSH FIT LH END KEEP	1		Units
FLUSH FIT MUSHROOM KEEP	2		Units
FLUSH FIT RH END KEEP	1		Units
FLUSH FIT S/B ASSY SIZE 2 LH 7M	1		Units
FLUSH FIT S/B ASSY SIZE 2 RH 7M	1		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black R/H	1		Units
Reinforcing Side of Frame and sash	1		Units
Trickle Vent in Head 5000 Black/W	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	1		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	390	593

Customer Reference	LEEKES LTD 1433406	WORKS ORDER			Input	12/01/2026 mscobie
Job number	242421	Item 6	Glazed	Supply only	Page 11 of	Delivery Printed
Date in production	30/12/1899	Affordable Window Systems				12/01/2026 4:32 pm
Invoice Number	242421					Glazed

Aluplast 70 Flush Casement

Product	Aluplast 70 Flush Casement
Size	1190 x 1000
Quantity	1
Design	Style 201
Viewed from	Viewed from outside
Frame (Head)	75mm Outerframe OF75
Frame (Cill)	75mm Outerframe OF75
Frame (Left ja)	75mm Outerframe OF75
Frame (Right j)	75mm Outerframe OF75
Colour	Black on White
Sash colour	Black on White
Cill colour	Black on White
Bead type	Aluplast Standard Bead
Casement loc	Flush Fit Shootbolt
Open in/out	Open out
Cill	150mm Cill Aluplast
Drainage	Concealed/Base
Sash (Head)	Flush Sash SA58
Sash (Cill)	Flush Sash SA58
Sash (Left jam)	Flush Sash SA58
Sash (Right ja)	Flush Sash SA58
Mullion	70mm Tran/Mull TM70 (
Add-on (Head)	15mm Add-on Aluplast +
Friction stay	Std stays
Reinforcing ty	Steel Reinforcing
Reinforcing ru	Frames Fully Reinforced
Tran/Mull joi	Mechanical joint



Loc: LOUNGE LEFT

Component	Description	1	2	Qty	Len	End Preps	* Denotes Bar Reverse
Hor Frame	OF75S Outerframe (Flush)			2	1190	-	
Ver Frame	OF75S Outerframe (Flush)			2	848	-	
Ver Structural (T/	TM70S 70mm T Section (F			1	848	-	
Hor Sash	SA58 58mm Flush Sash			4	516	\ - / *	
Ver Sash	SA58 58mm Flush Sash			4	831	- *	
Hor Cill	HS150 150mm Cill Aluplast I			1	1290	-	
Add-on	3mm Trickle Vent Cover Bl			1	1190	-	
Hor Add-on	15mm Add on Aluplast Bl			1	1190	-	

Customer Reference	LEEKES LTD 1433406	WORKS ORDER			Input	12/01/2026 mscobie
Job number	242421	Item 6	Glazed	Supply only	Delivery Printed	12/01/2026 4:32 pm
Date in production	30/12/1899	Affordable Window Systems				Glazed
Invoice Number	242421					

Description	Qty	Len	
1814 Centre Seal		4.672	Metres
409050 Brush Pile		5.368	Metres
409051 Flush Gasket		5.368	Metres
421250 Flush Frame Gasket		4.284	Metres
Black 150mm Cill End Caps	1		Pairs
Bridge Packer	8		Units
FL 12" L/H Frict Hnge Sash 452mm	2		Units
FL 12" R/H Frict Hnge Sash 452mm	2		Units
Flat Packer	16		Units
FLUSH FIT LH END KEEP	2		Units
FLUSH FIT MUSHROOM KEEP	4		Units
FLUSH FIT RH END KEEP	2		Units
FLUSH FIT S/B ASSY SIZE 3 LH 7M	2		Units
FLUSH FIT S/B ASSY SIZE 3 RH 7M	2		Units
Flush Sash Components Box	1		Units
MILA Monkeytail Black L/H	1		Units
MILA Monkeytail Black R/H	1		Units
Reinforcing Side of Frame and sash	2		Units
Trickle Vent in Head 5000 Black/W	1		Units
YALE SHOOTBOLT-EXTENDABLE-7	2		Units

Location	Description	Qty	Width	Height
A1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	425	743
F1	4/16/4 Clear Tough Planitherm Total Plus Argon:Georgian Bar:Black Swiss SB 16MM	1	425	743