

CHANGING PROVISION

BB103 at 8FE: 130

Existing: 85

Male: 42
Female: 42
Accessible: 1

Curved Building: 45

Male: 20
Female: 20
Unisex: 4
Accessible: 1

= 130 spaces



Changing Provision
Male: 20 spaces
Female: 20 spaces

Unisex Changing
- 3no. unisex dry changing
- 1no. unisex shower

GENERAL NOTES

(M) Maglock - Access Control interfaced with fire alarm.

Indoor (dry) Changing Rooms Provision - Sports England (Designing for Sport on School Sites, 2007)

- Provide a proportion of enclosed cubicles as privacy may be required. (4 self-contained unisex changing rooms provided)
- Equal proportions of male and female changing. (20 Male and 20 Female changing spaces provided)

Showers:
- Sports England, Designing for Sport on School Sites (2007) Indoor (dry) Changing: 1 Shower per 6 changing spaces. 45 spaces = 7.5 showers required.

- Proposed:
- 3 Male showers
 - 3 Female showers
 - 1 Unisex shower
 - 1 Accessible shower/changing (also for staff use)

Toilets:
- BS6465-1:2006 (for community use), 1 WC per 250 males, 2 for up to 40 females
- As per BB103, 1 WC per 20 pupils = 3 WC for 60 pupils (recommended)

- Proposed:
- 2 WCs in Male change
 - 2 WCs in Female change
(WC provision provided with changing rooms as requested by the school at RIBA Stage 1)
 - 1 Accessible WC in Accessible changing room
 - 1 Accessible WC

Lockers:
- To be located in communal areas to maximise flexibility, as recommended by Sports England
- Lockers: 48 based on 16 three-tier units