


A ONE X FASCIA WITH INDIVIDUAL LETTERS FINISHED GOLD WITH RED OUTLINE AND SMALL BLACK DROP SHADOW. ILLUMINATED BY TROUGH LIGHT.
SIZE. 7.5m x 600mm. H.A.G. 2.3m.





B TWO X GABLE BOARDS WITH APPLIED INDIVIDUAL LETTERS. ONE TO HAVE SIGNWRITTEN SECONDARY TEXT. ILLUMINATED BY TROUGH LIGHTS.
SIZE. 2.4m x 1300mm. H.A.G. 3.25m.



SIZE. 2.2m x 1000mm. H.A.G. 3.75m.




D TWO X POSTER CASES WITH PRINTED BACK PANELS.
SIZE. 0.66m x 914mm. H.A.G. 1m.




C ONE X SMALL SIGNWRITTEN FASCIA.
SIZE. 4.1m x 300mm. H.A.G. 2m.



E ONE X AMENITY BOARD.
SIZE. 0.5m x 800mm.
H.A.G. 0.85m.



F ONE X NEW DOUBLE SIDED PANEL TO EXISTING POST SIGN. ILLUMINATED BY LINOLITES. (NOT SHOWN)
SIZE. 0.8m x 1000mm. H.A.G. 3.5m.



SIGNAGE
COLOURS




RAL 7026



BLACK



RAL3020




G TWO X LANTERNS FINISHED PEWTER.
SIZE. 0.25m x 630mm. H.A.G. 2.2m.



Fitting Height (mm)	630
Width (mm)	254
Projection (mm)	298
Wattage (Max)	3 x 60w or 3 x 10w LED
Socket	SES – E14
Lumen Output	2100
Compatible With LED Bulbs	Yes
Lamp	Candle Lamp
IP Rating	IP44


H FOUR X WARM LED FLOODLIGHTS.
SIZE. 0.23m x 168mm. H.A.G. 5m.

30 WATT LED FLOODLIGHT



technical specification

- 100 lumens per watt
- Efficiency greater than 90%
- Compact and light weight
- Wide temperature range -20°C to 50°C
- IP65 making the SENA flood light suitable for use in multiple locations
- Available in 3000K warm white and 6000K cool white
- 120° beam angle
- 100-240V AC input, suitable for global use
- Power factor >0.9





1M 2M 3M 4M 5M
1 SQUARE 1M X 1M
SCALED 1:100 @ A3



1M 2M 3M 4M 5M
1 SQUARE 1M X 1M
SCALED 1:100 @ A3



