







LBC FOR NEW WINDOW TO FIRST FLOOR CURRENT ENSUITE AS  
19/07877  
THIS PROPOSAL ALSO FOR REPLACEMENT WINDOW TO FIRST FLOOR  
SOUTH ELEVATION INDICATED ON PLANS  
  
ORIGINAL CONSENT USES HISTOGLASS MONO RT+  
U VALUE 3.6 WmK 2 AS AGREED WITH LBO  
  
PROPOSAL IS TO USE FINEO GLASS 7.7MM GLASS TO GIVE IMPROVED  
U VALUE OF .7 w/M2k  
  
ALL TIMBER SECTIONS OF SIMILAR SIZE TO MATCH EXISTING



|                     |       |                         |          |                                  |  |
|---------------------|-------|-------------------------|----------|----------------------------------|--|
| AMENDMENT:          |       |                         |          | DATE                             |  |
| Status              |       | PLANNING                |          |                                  |  |
| Job no / drawing no |       | Job title               |          |                                  |  |
| 886-P-011           |       | LANGLEY GREEN HOUSE     |          |                                  |  |
| Drawing title       |       | hetreed ross architects |          |                                  |  |
| Revised Sash Detail |       | hra                     |          |                                  |  |
| Date                | Sheet | Scale                   | Drawn by | Checked by                       |  |
| NYI                 | A3    | VAR                     | ST       | ST                               |  |
|                     |       |                         |          | www.hetreedross.com 01225 851860 |  |

