


Site 1 (Light scene 1)

Calculation objects



Site 1 (Light scene 1)


Calculation objects

Calculation surfaces

Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
Horizontal Calculation Surface placed at 2m from the ground above the roadway Vertical illuminance Rotation: 180.0°, Height: 3.703 m	0.051 lx	0.000 lx	0.20 lx	0.00	0.00	CG2
Vertical Calculation Surface placed at 2m from the ground above the roadway Vertical illuminance Rotation: 180.0°, Height: 3.703 m	0.047 lx	0.000 lx	0.26 lx	0.00	0.00	CG1

Site 1 (Light scene 1)


Vertical Calculation Surface placed at 2m from the ground above the roadway



Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
Vertical Calculation Surface placed at 2m from the ground above the roadway Vertical illuminance Rotation: 180.0°, Height: 3.703 m	0.047 lx	0.000 lx	0.26 lx	0.00	0.00	CG1

Site 1 (Light scene 1)

Horizontal Calculation Surface placed at 2m from the ground above the roadway



Properties	$\bar{E}$	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
Horizontal Calculation Surface placed at 2m from the ground above the roadway Vertical illuminance Rotation: 180.0°, Height: 3.703 m	0.051 lx	0.000 lx	0.20 lx	0.00	0.00	CG2

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))