



Model | APEX

~~£4,572.00~~ **£4,207.50** inc. VAT

- ✓ Low rate finance
- ✓ 1 – 2 Weeks lead time
- ✓ Nationwide installation and delivery
- ✓ FREE bespoke service
- ✓ Spec options on all buildings

GB UK Manufacturer

1

Add to cart

Send us your enquiry

Categories: [Garages](#), [Workshops](#)

Description	Specifications	Reviews (0)	Related products
YOUR BUILDING DETAILS  BUILDING EXTERNAL FOOTPRINT - 5000mm (Gable) x 6000mm  ROOF TYPE - Apex  EAVES HEIGHT- 2080mm  RIDGE HEIGHT - 3000mm SPECIFICATIONS FRAME - C16 CLS Pressure treated 76mm x 40mm ROOF - Genuine ONDULINE Duro SX 35 (Sheets, fixings) 10 year sheet guarantee. PURLINS - C16/C24 Pressure treated 40mm X 90mm FIXINGS - FRAME - 100mm Ring shanked framing nails CLADDING - 40mm ring shanked nails PLINTH/RING BEAM - 40mm x 90mm C16 Treated to ensure maximum life span and substantial floor support. EXTERIOR CLADDING - Custom SHEDBOX profile - Scandinavian Redwood Tantalised half-lap - 125mm (width) x 16mm WHY REDWOOD? Abundant, renewable and energy-efficient. Redwood is clearly the			

FAST,
SECURE
ONLINE
PAYMENT



Finance
available

Buy now, pay monthly

Learn more

Provided by iDeal
4 Finance

There are risks involved in taking out a loan and you should ensure you can make all payments on time and in full; failure to do so can lead to financial difficulties and have a negative impact on your credit score.

SEARCH FOR

Search

SHOP BY
CATEGORY

Cladding (3)

environmental choice

BUILDING DETAILS

PLINTH BEARERS - Pressure treated red wood ring-bead tailor machined to fit your specific building size. Fully supported floors can now be added to orders with this option selected

GROUND ANCHOR KIT - (Thunder bolts concrete screws secured into the concrete 175mm mm fixings) - Secures building to the concrete floor & now means the building can be damp sealed - Ask for more information. Ground anchor kits are required on all porch/overhang upright posts to ensure position fixture.

ROOF BOARDING (INCLUDED ON ALL ORDERS) - 12mm 2397 x 1197 Kronospan OSB3

WATERPROOF MEMBRANE - Made of high density polyethylene fibres for long-term protection against the elements. This durable, lightweight breathable membrane is windtight and water resistant and designed for use in external timber garden buildings.

FULLY FRAMED HEAVY DUTY DOUBLE DOORS (1200mm) - Complete with all heavy duty irons inside and out. Galvanised then power-coated in Jet Black

SELF BUILD BASIS - The building would arrive in pre-fabricated panels with all the materials required to complete and would be delivered by one of our qualified joiners who would go through the full erection process with you. All panels & apex's are tradesman built with exceptional quality and workmanship.

INSTALLATION SERVICE - We do offer a full installation across our entire range, for more information please contact us

DELIVERY NOT INCLUDED, PLEASE SEE BELOW:

Garages (40)

Garden Rooms (22)

Garden Storage (63)

Hybrid Buildings (19)

Logstore (1)

Open Shelters (6)

Workshops (61)

RECENTLY VIEWED

Model | APEX



£3,141.49

£2,960.74 inc. VAT

Cart

No products in the cart.