


- NOTES:
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE RELEVANT SPECIFICATION, INC. RISK ASSESSMENTS AND ALL OTHER RELATED DRAWINGS ISSUED BY THE ENGINEER.
 2. DO NOT SCALE FROM THIS DRAWING. WORK FROM FIGURED DIMENSIONS ONLY.
 3. ALL DIMENSIONS SHOWN ON THIS DRAWING ARE IN METRES UNLESS OTHERWISE STATED.
 4. ALL DIMENSIONS, LEVELS AND SURVEY GRID CO-ORDINATES ARE TO BE CHECKED ON SITE AND THE ENGINEER NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF THE WORKS.
 5. NO DEVIATION FROM THE DETAILS SHOWN ON THIS DRAWING IS PERMITTED WITHOUT PRIOR PERMISSION FROM THE ENGINEER.
 6. ANY WORKS OUTSIDE RED SITE BOUNDARY ARE FOR INFORMATION PURPOSES ONLY. UNLESS SPECIFICALLY NOTED, ALL WORKS OUTSIDE THE SITE BOUNDARY WILL BE UNDERTAKEN BY OTHERS UNDER A SEPARATE CONTRACT.
 7. DRAWING REPRESENTS A HIGH-LEVEL OVERVIEW OF THE PROPOSALS FROM A FIRE ACCESSIBILITY PERSPECTIVE AND IS SUBJECT TO DETAILED DESIGN AND DISCUSSIONS WITH WILTSHIRE COUNCIL.
 8. DRAWING SHOULD BE READ IN CONJUNCTION WITH FIRE APPLIANCE STRATEGY PREPARED BY PEGASUS GROUP (DRAWING REF. P22-1991_DE_02_19).

- KEY:
- SITE BOUNDARY
 - FIRE TENDER REVERSE DISTANCE (SEE NOTE 7)

VEHICLES USED:

Fire Appliance	8.640m
Overall Length	2.550m
Overall Width	3.300m
Min Body Ground Clearance	0.347m
Track Width	2.300m
Lock to lock time	6.00s
Kerb to Kerb Turning Radius	8.900m



Rev	Description	Drn	Chk	App	Date
Purpose:	FOR PLANNING	Status:	-		

ARDENT CONSULTING ENGINEERS
AN EMPLOYEE OWNED COMPANY

Third Floor
The Hallmark Building
52-56 Leadenhall Street
London
EC3M 5JE

Tel: 020 7680 4088
Web: www.ardent-ce.co.uk
E-mail: enquiries@ardent-ce.co.uk

Client:

BELLWAY HOMES LIMITED

Project Title:

LAND AT HOME FARM, WARMINSTER

Drawing Title:

FIRE TENDER SWEPT PATH ANALYSIS

Drawn by SL	Checked by SL	Approved by PR	Revision -
Scale 1:500@A1	Date APRIL 2025		
Drawing Number 2204791-ACE-XX-XX-DR-C-0510			