




Terminator Pent Log Cabin



Established 1994



Terminator Pent Log Cabin



Established 1994

Specifications:

- **Please Note:** All sizes quoted are nominal
- **Overall External Dimensions:** 4.528m x 2.869m (14' 10.25" x 9' 5")
- **External Width:** 4.490m (14' 8.75")
- **External Depth:** 2.490m (8' 2")
- **Internal Width:** 4.272m (14' 0.25")
- **Internal Depth:** 2.272m (7' 5.5")
- **Internal Area (m²):** 9.706m²
- **Ridge Height:** 2.469m (8' 1.25")
- **Internal Eaves Height Front (to under the roof boards):** 2.319m (7' 7.25")
- **Internal Eaves Height Front (to under the roof purlins):** 2.179m (7' 1.75")
- **Internal Eaves Height Back (to under the roof boards):** 2.080m (6' 10")
- **Internal Eaves Height Back (to under the roof purlins):** 1.940m (6' 4.5")
- **Roof Overhang:** 0.387m (1' 3.25")
- **Roof Thickness:** 19mm Tongue & Groove
- **Roof Covering Options:** None or Felt
- **Wall Thickness:** 45mm
- **Floor Thickness:** 19mm Tongue & Groove
- **Wall U-Value (W/m²k):** 1.93 W/m²K
- **Walls:** 100% Slow-Grown Spruce
- **Door Style:** Narrow Double Door
- **Building Style:** Strong Interlocking Tongue & Groove Logs
- **Door Locking System:** Multi-Point Lock
- **Door Walkthrough Height:** 1.821m (5' 11.75")
- **Door Walkthrough Width:** 1.096m (3' 7.25")
- **Windows:** x2 Narrow Windows
- **Window Opening Size:** H1.371m x W0.436m (4' 6" x 1' 5.25")
- **Glazing Material:** 4mm Toughened Glass
- **Glazing Options:** 24mm Double Glazing Included As Standard
- **Floor Bearers:** Pressure Treated for Longevity

Terminator Pent Log Cabin



Established 1994

- **Main Roof Frame Component** 140mm x 45mm
- **Included as Standard:** Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
- **Approx. DIY Assembly Time:** 2 Day. This time is an approximation, based on two people building the basic product with no added extras. Assembly time may vary with additional items such as roof shingles, or external circumstances like the weather