

Fox Talbot Museum Chimney
(East Elevation) Proposed

Render to chimney stack to be replaced with a three coat lime render . Render mix to be an NHL2 lime, with an appropriate well graded sand, colour matched to mortar joints in the gable elevation, in a ratio of 1 part lime to 3 parts sand.

Flaunching to be removed and replaced, to match detailing. Chimney pots to be reinstated

Dressed limestone crown to be retained

In situ repairs to brickwork including replacement of individual damaged or missing bricks using lime mortar

Seven courses of brick to have mortar joint chased out and receive single Helibar 60 stainless steel bar inserted into mortar joint. Top two Helibar bands to be returned completely around the chimney stack to provide a continuous ring beam.

Lower five bands to be drilled back into gable wall on south side of chimney and returned around the chimney on the north side.

All Helibar installations to be competed in accordance with structural engineers' recommendations and manufacturer's method statment (CS-05), enclosed.

DO NOT SCALE

This drawing must not be scaled.

The Principal Contractor is to verify all dimensions, levels and datums prior to commencement of work.

Any discrepancies are to be reported immediately to the Supervising Officer.

Variations and modifications to the work shown on these drawings are not to be carried out without the written permission of the Project Officer.

This drawing is the property of The National Trust. The information shown is to be treated as confidential and must not be copied, reproduced or disclosed to any third person without the The National Trust's written permission.

Maps are reproduced by permission of Ordnance Survey.
© Crown copyright and database right 2011.
All rights reserved.
Ordnance Survey licence number AL 100023974

Revision	By	Date	Details

Notes

SOUTH WEST REGION
SW Regional Office
Killerton House
Broadclyst, Exeter
Devon
EX5 3LE
Telephone (01392) 881691 Fax (01392) 881954

Estate / Property

Fox Talbot Museum, Laock

Drawing Title

Fox Talbot Museum
Chimney Proposed

Drawn By JP	Date 27 May 2026
Scale @ A3 1:50	Property Reference SW-GM22
Drawing No SW-GM22 - 02	Revision 0

