Quote Ref: 2836/2 V2

Date: Friday 8 May 2026

Quotation Prepared for:

Mr/Mrs Walker
23 Vicarage Street
Warminster
Wiltshire
BA12 8JG

Scope of Project:

Replacement - Carefully remove existing items, prepare openings and supply and fit replacements. To include all making good of aperture ready for final decoration by others. All installed in full compliance with Building Regulations Document L (2021 edition incorporating 2023 amendments) by our trained and experienced installers.

Site Address: As quotation

Technical Specification:

All products in multi-layer Engineered European Redwood sections for added stability. Factory glazed with krypton gas filled double glazed units featuring soft-coat energy saving glass. Fully factory finished with high performance, micro-porous paint treatments.Where CoC is shown against an item joinery will be supplied as Chain of Custody certified product.

Item	Qty	Item Reference	Product	Style	Remarks
1	1	Top Floor	Slim Sash Window	34/34	Astragal Squares. Off White Finished. CoC
2	1	1st Floor Bedroom	Slim Sash Window	34/34	Astragal Squares. Off White Finished. CoC
3	1	1st Floor Lounge	Slim Sash Window	34/34	Astragal Squares. Off White Finished. CoC
4	1	Back Bedroom	Slim Sash Window	34/34	Astragal Squares. Off White Finished. CoC
5	1	Dining Room	Slim Sash Window	34/34	Astragal Squares. Off White Finished. CoC
FA	3		Trim	Liner - 17x50	Off White Finished. CoC
FA	3		Trim	Ogee Architrave - 20x56	Off White Finished. CoC
FA	3		Trim	Liner - 17x50	Off White Finished. CoC
FA	3		Trim	Ogee Architrave - 20x56	Off White Finished. CoC
FA	3		Trim	Liner - 17x50	Off White Finished. CoC
FA	3		Trim	Ogee Architrave - 20x56	Off White Finished. CoC
FA	3		Trim	Liner - 17x50	Off White Finished. CoC
FA	3		Trim	Ogee Architrave - 20x56	Off White Finished. CoC

continued...

Quote Ref: 2836/2 V2

Date: Friday 8 May 2026

Scaffold for front windows included in quote. 2nd floor window to be fitted from inside.

Prepared By:

Jake Chandler

Sales Consultant

Your Project is covered by:

Valid upon registration. Ask for full details

QUOTATION VALID FOR: 30 DAYS

Lead Time:

* Approximately 14-16 weeks from Sign Off of Final Detail.

Your Guarantees:

Terms:

Deposit with Order: 50%

Stage payment approximately two weeks prior to installation: 40%

On day of completion to installers: 10%

Terms & conditions apply. Full details available upon request.


Item: 1	SLIM SASH WINDOW IN EUROPEAN REDWOOD	Quantity: 1
Style: 34/34	Item Reference: Top Floor	Quote Ref: 2836/2 V2

Key Features:









Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1000	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1150			Sash Horn Style	Standard
		Cill	Standard		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Glass Pattern	Clear
Sash Style	Single	Cill Horns	No		
Box Depth	Slim - 149mm			Glass Type	4mm Anl/6mm Krypton/4mm Anl LowE (Putty Glazed)
Hanging Method	Hidden Spring	Trickle Vents Required	No		
Slider Style	Both			Glazing Features	Astragal Squares
Frame Width (mm)	65	Swept Heads to Top Sash	No	Size of Bar	24mm (True Bar)
Frame Head Size (mm)	65	Swept Heads to Bottom Sash	No		
Equal Glass Heights	Yes			D Handles	None
Egress Compliance	Not Fire Escape Compliant	Window Board Required	No	Hardware Colour	Aged Bronze fitch fastener
				Limit Stop	Yes
Colour	Off White (RAL 9010)	Finishing Assembly	None	Factory Fit Limit Stop	Yes
				Maximum Opening (mm)	100
		CoC Certified	Yes		


Item: 2	SLIM SASH WINDOW IN EUROPEAN REDWOOD	Quantity: 1
Style: 34/34	Item Reference: 1st Floor Bedroom	Quote Ref: 2836/2 V2

Key Features:









Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1300	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1550			Sash Horn Style	Standard
		Cill	Standard		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Glass Pattern	Clear
Sash Style	Single	Cill Horns	No		
Box Depth	Slim - 149mm			Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Hanging Method	Hidden Spring	Trickle Vents Required	No		
Slider Style	Both			Glazing Features	Astragal Squares
Frame Width (mm)	65	Swept Heads to Top Sash	No	Size of Bar	24mm (True Bar)
Frame Head Size (mm)	65	Swept Heads to Bottom Sash	No		
Equal Glass Heights	Yes			D Handles	None
Egress Compliance	Fire Escape Compliant	Window Board Required	No	Hardware Colour	Aged Bronze fitch fastener
				Limit Stop	Yes
Colour	Off White (RAL 9010)	Finishing Assembly	Standard	Factory Fit Limit Stop	Yes
		Finishing Assembly Colour	Off White (RAL 9010)	Maximum Opening (mm)	100
		Depth of Liner (mm)	50		
		CoC Certified	Yes		


Item: 3	SLIM SASH WINDOW IN EUROPEAN REDWOOD	Quantity: 1
Style: 34/34	Item Reference: 1st Floor Lounge	Quote Ref: 2836/2 V2

Key Features:









Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1300	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1550			Sash Horn Style	Standard
		Cill	Standard		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Glass Pattern	Clear
Sash Style	Single	Cill Horns	No		
Box Depth	Slim - 149mm			Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Hanging Method	Hidden Spring	Trickle Vents Required	No		
Slider Style	Both			Glazing Features	Astragal Squares
Frame Width (mm)	65	Swept Heads to Top Sash	No	Size of Bar	24mm (True Bar)
Frame Head Size (mm)	65	Swept Heads to Bottom Sash	No		
Equal Glass Heights	Yes			D Handles	None
Egress Compliance	Fire Escape Compliant	Window Board Required	No	Hardware Colour	Aged Bronze fitch fastener
				Limit Stop	Yes
Colour	Off White (RAL 9010)	Finishing Assembly	Standard	Factory Fit Limit Stop	Yes
		Finishing Assembly Colour	Off White (RAL 9010)	Maximum Opening (mm)	100
		Depth of Liner (mm)	50		
		CoC Certified	Yes		


Item: 4	SLIM SASH WINDOW IN EUROPEAN REDWOOD	Quantity: 1
Style: 34/34	Item Reference: Back Bedroom	Quote Ref: 2836/2 V2

Key Features:









Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1300	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1700			Sash Horn Style	Standard
		Cill	Standard		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Glass Pattern	Clear
Sash Style	Single	Cill Horns	No		
Box Depth	Slim - 149mm			Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Hanging Method	Hidden Spring	Trickle Vents Required	No		
Slider Style	Both			Glazing Features	Astragal Squares
Frame Width (mm)	65	Swept Heads to Top Sash	No	Size of Bar	24mm (True Bar)
Frame Head Size (mm)	65	Swept Heads to Bottom Sash	No		
Equal Glass Heights	Yes			D Handles	None
Egress Compliance	Fire Escape Compliant	Window Board Required	No	Hardware Colour	Aged Bronze fitch fastener
				Limit Stop	Yes
Colour	Off White (RAL 9010)	Finishing Assembly	Standard	Factory Fit Limit Stop	Yes
		Finishing Assembly Colour	Off White (RAL 9010)	Maximum Opening (mm)	100
		Depth of Liner (mm)	50		
		CoC Certified	Yes		


Item: 5	SLIM SASH WINDOW IN EUROPEAN REDWOOD	Quantity: 1
Style: 34/34	Item Reference: Dining Room	Quote Ref: 2836/2 V2

Key Features:









Detailed Specification:

VIEWED FROM OUTSIDE.

Width (mm)	1300	Add Ons Required	No	Sash Horns	Top Sash
Height (mm)	1550			Sash Horn Style	Standard
		Cill	Standard		
Feature Mould	Ovolo	Cill Species	Engineered European Redwood	Glass Pattern	Clear
Sash Style	Single	Cill Horns	No		
Box Depth	Slim - 149mm			Glass Type	4mm Tgh/6mm Krypton/4mm Tgh LowE (Putty Glazed)
Hanging Method	Hidden Spring	Trickle Vents Required	No		
Slider Style	Both			Glazing Features	Astragal Squares
Frame Width (mm)	65	Swept Heads to Top Sash	No	Size of Bar	24mm (True Bar)
Frame Head Size (mm)	65	Swept Heads to Bottom Sash	No		
Equal Glass Heights	Yes			D Handles	None
Egress Compliance	Fire Escape Compliant	Window Board Required	No	Hardware Colour	Aged Bronze fitch fastener
				Limit Stop	Yes
Colour	Off White (RAL 9010)	Finishing Assembly	Standard	Factory Fit Limit Stop	Yes
		Finishing Assembly Colour	Off White (RAL 9010)	Maximum Opening (mm)	100
		Depth of Liner (mm)	50		
		CoC Certified	Yes		

Quote Ref: 2836/2 V2	Trims

item	qty	style	species	colour	
FA	12	Liner - 17x50	European Redwood CoC	Off White (RAL 9010)	
FA	12	Ogee Architrave - 20x56	European Redwood CoC	Off White (RAL 9010)	