EXTERNAL LIGHTING LEGEND

A	Surface IP65 1500mm 22W LED luminaire 3010Lm 4000K output as: **Dextra Lighting - Typhon** **ref: TYP L35 PC SS** **Suffix 'BE' denotes integral self test emergency luminaire**

EXISTING STREET LIGHTING COLUMNS TO REMAIN & KEPT LIVE DURING THE WORKS

ELECTRICAL CONTRACTOR TO 3No IP65 LED BATTENS TO THE COVERED LANDING AREA & HIGH LEVEL COVERED TAKE OFF AREA. FINAL POSITIONING OF LIGHTS TO BE AGREED ON SITE ONCE STRUCTURE HAS BEEN CONSTRUCTED. CONTRACTOR TO ALLOW FOR A TWO WAY SWITCH, 1NO AT THE BOTTOM OF THE STRUCTURE & 1NO AT THE TOP OF THE STRUCTURE.

EXISTING STREET LIGHTING

Notes

Revisions

Rev.	Date	Init.	Description
P01	30.04.26	JH	First Issue

EP consulting

Electrical, Mechanical, Heating Consulting Engineers
Alpine House, Alpine Street, Old Basford, Nottingham NG6 0HS
Tel. 0115 924 4433
E-mail : enquiries@epconsulting.co.uk

Client

Center Parcs

Job Title

Longleat Forest
Tree Top Glider

Drawing Title

Proposed External Services Layout

Stage

Stage 3

Status

S3 - Suitable for Review & Comment

Drawn by	Checked	Rev.
JH		P01
Date	Scale	
April 26	1 : 200	A1

Project No. - Originator - Zone - Level - Type - Role - Drawing No.:

26053-EPC-XX-EX-DR-E-2801

© Copyright EP Building Services Ltd 2026