

Redrow Homes  
6<sup>th</sup> November 2024

## **Addendum to Arboricultural Report Elm Grove, Trowbridge**

Silverback Arboricultural Consultancy have been instructed to compile an addendum to the existing arboricultural report dated August 2024 to address comments made by Wiltshire Council Tree Officer .

It is intended for this addendum to be read in conjunction with the approved arboricultural report, dated August 2024, which contains methodology for the approved development works. This addendum contains the revised arboricultural survey sheets to include details of H01 and confirmation of tree removal to facilitate the development.

The attached arboricultural survey sheets have been amended to contain details of H01.

Tree Identified for Retention and Removal has been updated to include sections of H01, H02 and H03

### **Trees Identified for Retention and Removal.**

It is proposed to remove trees listed below to facilitate the proposed development. Category U trees will be removed in accordance with good arboricultural practice. The remaining trees will be retained and protected throughout the proposed development.

| Cat B           | Cat C                                                                                                     | Cat U                                          |
|-----------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Section of G376 | T351, section of G361, T362, G363, T365, G368, T370, T371, T373, sections of H01, H02, H03, H04, H05, H06 | T350, T357, T356, G364, T366, T367, G372, T374 |

**Chris Wright. *MARborA*,**

Principal Consultant

Silverback Arboricultural Consultancy

6<sup>th</sup> November 2024

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name     | Botanical name            | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |     |     |     | Crown Clearance (m) | Life Stage | Structural Condition | Physiological Condition | Observations                                                                                                                                                                     | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|-----------------|---------------------------|------------|-----------------|-------------------------------|------------------|-----|-----|-----|---------------------|------------|----------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                 |                           |            |                 |                               | N                | E   | S   | W   |                     |            |                      |                         |                                                                                                                                                                                  |                                               |                              |             |                                            |
| H01         | Mixed species   | Mixed species             | 4          | 1               | 150                           | 2                | 2   | 2   | 2   | 0                   | Mature     | Fair                 | Good                    | Mixed species boundary hedge line predominantly Blackthorn, Hawthorn and English Elm, Field maple<br>Power line running through ctr of hedge<br>Indications of Dutch Elm Disease | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| H02         | Mixed species   | Mixed species             | 5          | 1               | 150                           | 2                | 2   | 2   | 2   | 0                   | Mature     | Poor                 | Fair                    | Hedgeline consisting of Bramble, Elder and dead Elms                                                                                                                             | No action required at the time of inspection. | 10+ Years                    | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| H03         | Mixed species   | Mixed species             | 1          | 1               | 150                           | 0.5              | 0.5 | 0.5 | 0.5 | 0                   | Mature     | Fair                 | Good                    | Boundary Hedge line consisting of Blackthorn and Elder<br>Recently topped at 1m                                                                                                  | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| H04         | Common Hawthorn | <i>Crataegus monogyna</i> | 1          | 1               | 100                           | 0.5              | 0.5 | 0.5 | 0.5 | 0                   | Mature     | Fair                 | Good                    | Field boundary hedgeline predominantly Hawthorn with Bramble<br>Recently topped at 1m                                                                                            | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.2m.<br>Area: 5 sq m.             |
| H05         | Common Hawthorn | <i>Crataegus monogyna</i> | 1          | 1               | 100                           | 0.5              | 0.5 | 0.5 | 0.5 | 0                   | Mature     | Fair                 | Good                    | Boundary hedge predominantly Hawthorn with English Elm<br>Recently topped                                                                                                        | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.2m.<br>Area: 5 sq m.             |
| H06         | Blackthorn      | <i>Prunus spinosa</i>     | 6          | 1               | 150                           | 2                | 2   | 2   | 2   | 0                   | Mature     | Fair                 | Fair                    | Mix species boundary hedge predominantly Blackthorn with Field maple<br>Previously flailed                                                                                       | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| H07         | Mixed species   | Mixed species             | 4          | 1               | 150                           | 2                | 2   | 2   | 2   | 0                   | Mature     | Fair                 | Fair                    | Mixed species hostel be predominantly Hawthorn, Field maple, Blackthorn. Goat Willow<br>Numerous gaps in hedgeline                                                               | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name   | Botanical name        | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage  | Structural Condition | Physiological Condition | Observations                                                                                                                                                | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|---------------|-----------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|-------------|----------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |               |                       |            |                 |                               | N                | E | S | W |                     |             |                      |                         |                                                                                                                                                             |                                               |                              |             |                                            |
| H08         | English Elm   | <i>Ulmus procera</i>  | 6          | 1               | 100                           | 2                | 2 | 2 | 2 | 0                   | Semi Mature | Poor                 | Poor                    | Indications of Dutch Elm Disease<br>Numerous dead and dying trees in hedge                                                                                  | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |
| H09         | Blackthorn    | <i>Prunus spinosa</i> | 4          | 1               | 100                           | 3                | 3 | 3 | 3 | 0                   | Mature      | Fair                 | Fair                    | Overgrown boundary hedge extending into fields                                                                                                              | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.2m.<br>Area: 5 sq m.             |
| H10         | Mixed species | Mixed species         | 4          | 1               | 150                           | 1                | 1 | 1 | 1 | 0                   | Mature      | Fair                 | Good                    | Mixed species boundary hedge including Sycamore, Hawthorn, Ash, Blackthorn, Willow Field mapleb                                                             | No action required at the time of inspection. | 20-40 Years                  | B2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| T350        | Crack Willow  | <i>Salix fragilis</i> | 11         | 1               | 1300                          | 4                | 5 | 4 | 4 | 0                   | Over Mature | Poor                 | Fair                    | Previously pollarded at 2m<br>Stem hollow, decayed, cracked<br>Fractured limbs - storm damage<br>Major deadwood in canopy<br>Prolific ivy throughout canopy | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |
| T352        | Field Maple   | <i>Acer campestre</i> | 7          | 2               | 420                           | 4                | 4 | 4 | 3 | 1                   | Mature      | Fair                 | Fair                    | Growing in hedgeline<br>Twin stemmed from base<br>Included bark at stem union<br>Ivy growing up main stem                                                   | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 5.0m.<br>Area: 79 sq m.            |
| T353        | Field Maple   | <i>Acer campestre</i> | 6          | 1               | 390                           | 3                | 4 | 3 | 4 | 1                   | Mature      | Fair                 | Fair                    | Growing in hedge line<br>Suppressed by neighbouring trees<br>Prolific ivy throughout canopy<br>Power line through ctr of tree                               | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 4.7m.<br>Area: 69 sq m.            |
| T354        | Field Maple   | <i>Acer campestre</i> | 6          | 1               | 390                           | 2                | 4 | 3 | 4 | 0                   | Mature      | Fair                 | Good                    | Growing in hedge line<br>Multi- stemmed from base<br>Prolific ivy throughout canopy                                                                         | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 4.7m.<br>Area: 69 sq m.            |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name     | Botanical name            | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage | Structural Condition | Physiological Condition | Observations                                                                                                                                                                                                                                                                         | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|-----------------|---------------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|------------|----------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                 |                           |            |                 |                               | N                | E | S | W |                     |            |                      |                         |                                                                                                                                                                                                                                                                                      |                                               |                              |             |                                            |
| T355        | Common Hawthorn | <i>Crataegus monogyna</i> | 6          | 1               | 320                           | 2                | 2 | 3 | 2 | 0                   | Mature     | Fair                 | Good                    | Growing in hedgeline<br>Prolific ivy throughout canopy<br>Twin stemmed from base                                                                                                                                                                                                     | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 3.8m.<br>Area: 45 sq m.            |
| T356        | English Elm     | <i>Ulmus procera</i>      | 5          | 1               |                               |                  |   |   |   |                     |            | Dead                 | Dead                    | Standing dead tree                                                                                                                                                                                                                                                                   | No action required at the time of inspection. | Dead                         | U           | None - due to Retention Category of U.     |
| T357        | English Elm     | <i>Ulmus procera</i>      | 5          | 1               |                               |                  |   |   |   |                     |            | Dead                 | Dead                    | Standing dead tree                                                                                                                                                                                                                                                                   | No action required at the time of inspection. | Dead                         | U           | None - due to Retention Category of U.     |
| T358        | Common Ash      | <i>Fraxinus excelsior</i> | 15         | 1               | 950                           | 7                | 9 | 7 | 7 | 2                   | Mature     | Poor                 | Poor                    | Growing in hedgeline<br>Inonotus brackets south side on main stem at 4m over road<br>Major deadwood in canopy<br>Power cable through canopy<br>Dieback in the canopy chlorotic, sparse foliage<br>Evidence of Ash dieback disease in canopy<br>Major limb previously shed south side | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |
| T359        | Common Ash      | <i>Fraxinus excelsior</i> | 12         | 1               | 600                           | 4                | 3 | 3 | 3 | 3                   | Mature     | Fair                 | Diseased                | Previously crown reduced<br>Evidence of Ash dieback disease in canopy<br>Dieback in the canopy chlorotic, sparse foliage<br>Ivy growing up main stem                                                                                                                                 | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name     | Botanical name            | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage | Structural Condition | Physiological Condition | Observations                                                                                                                                                                                                                                                                                   | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|-----------------|---------------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|------------|----------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                 |                           |            |                 |                               | N                | E | S | W |                     |            |                      |                         |                                                                                                                                                                                                                                                                                                |                                               |                              |             |                                            |
| G360        | Crack Willow    | <i>Salix fragilis</i>     | 12         | 1               | -500#                         | 4                | 4 | 4 | 4 | 0                   | Mature     | Poor                 | Fair                    | Group of mixed species trees predominantly Crack Willow with Poplar Field Maple.<br>Unable to access group to accurately survey trees<br>Suppressed by neighbouring trees<br>Asymmetric crown<br>Major deadwood in canopy<br>Some stems previously collapsed<br>Fractured limbs - storm damage | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 6.0m.<br>Area: 113 sq m.           |
| G361        | Mixed species   | Mixed species             | 8          | 1               | -200#                         | 3                | 3 | 3 | 3 | 0                   | Mature     | Fair                 | Fair                    | Linear group of mixed species trees predominantly Blackthorn, Hawthorn, Crack willow                                                                                                                                                                                                           | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 2.4m.<br>Area: 18 sq m.            |
| T362        | Field Maple     | <i>Acer campestre</i>     | 9          | 1               | 380                           | 0                | 3 | 3 | 3 | 1                   | Mature     | Fair                 | Good                    | Growing on end of group<br>Suppressed by neighbouring trees<br>Asymmetric crown                                                                                                                                                                                                                | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 4.6m.<br>Area: 66 sq m.            |
| T363        | Common Hawthorn | <i>Crataegus monogyna</i> | 7          | 1               | 150                           | 1                | 1 | 1 | 1 | 0                   | Mature     | Fair                 | Fair                    | Linear group of 10 stem form hedge line<br>Suppressed by neighbouring trees<br>Asymmetric crown                                                                                                                                                                                                | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| G364        | Crack Willow    | <i>Salix fragilis</i>     | 14         | 1               | -400#                         | 0                | 3 | 6 | 5 | 0                   | Mature     | Collapsed            | Poor                    | Partially collapsed                                                                                                                                                                                                                                                                            | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |
| T365        | Plum            | <i>Prunus domestica</i>   | 6          | 1               | 260                           | 3                | 3 | 3 | 3 | 0                   | Mature     | Fair                 | Fair                    | Growing at end of mixed sp group                                                                                                                                                                                                                                                               | No action required at the time of inspection. | 20+ Years                    | C2          | Radius: 3.1m.<br>Area: 30 sq m.            |
| T366        | English Elm     | <i>Ulmus procera</i>      | 8          | 1               |                               |                  |   |   |   |                     |            | Dead                 | Dead                    | Two standing dead trees                                                                                                                                                                                                                                                                        | No action required at the time of inspection. | Dead                         | U           | None - due to Retention Category of U.     |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name     | Botanical name                     | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage  | Structural Condition | Physiological Condition | Observations                                                                                                                                     | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|-----------------|------------------------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|-------------|----------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                 |                                    |            |                 |                               | N                | E | S | W |                     |             |                      |                         |                                                                                                                                                  |                                               |                              |             |                                            |
| T367        | English Elm     | <i>Ulmus procera</i>               | 6          | 1               |                               |                  |   |   |   |                     |             | Dead                 | Dead                    | Standing dead tree                                                                                                                               | No action required at the time of inspection. | Dead                         | U           | None - due to Retention Category of U.     |
| T368        | Laurel Cherry   | <i>Prunus laurocerasus</i>         | 6          | 1               | 80                            | 1                | 1 | 1 | 1 | 0                   | Mature      | Fair                 | Fair                    | Laurel hedge overgrown with Bramble                                                                                                              | No action required at the time of inspection. | 20+ Years                    | C2          | Radius: 1.0m.<br>Area: 3 sq m.             |
| T369        | Goat Willow     | <i>Salix caprea</i>                | 8          | 1               | 120                           | 3                | 3 | 3 | 3 | 0                   | Mature      | Fair                 | Fair                    | Multi- stemmed from base probably self set                                                                                                       | No action required at the time of inspection. | 20+ Years                    | C2          | Radius: 1.4m.<br>Area: 6 sq m.             |
| T370        | Norway Spruce   | <i>Picea abies</i>                 | 8          | 1               | 160                           | 1                | 1 | 1 | 1 | 1                   | Semi Mature | Fair                 | Fair                    | No significant defects visible at time of inspection<br>Overgrown by bramble and ivy                                                             | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 1.9m.<br>Area: 11 sq m.            |
| T371        | Cherry Plum     | <i>Prunus cerasifera</i>           | 7          | 1               | 300                           | 2                | 4 | 2 | 0 | 1                   | Semi Mature | Poor                 | Fair                    | Heavy lean to east<br>Suppressed by neighbouring trees<br>Asymmetric crown                                                                       | No action required at the time of inspection. | 20+ Years                    | C2          | Radius: 3.6m.<br>Area: 41 sq m.            |
| G372        | English Elm     | <i>Ulmus procera</i>               | 9          | 1               |                               | 2                | 1 | 2 | 1 | 1                   | Semi Mature | Dead                 | Dead                    | Indications of Dutch Elm Disease in remaining trees<br>4 standing dead trees                                                                     | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |
| T373        | Leyland Cypress | <i>Cupressocyparis leylandii X</i> | 12         | 1               | -500#                         | 4                | 4 | 4 | 4 | 0                   | Mature      | Fair                 | Good                    | Unable to access base of tree<br>Fractured limbs - storm damage                                                                                  | No action required at the time of inspection. | 20+ Years                    | C2          | Radius: 6.0m.<br>Area: 113 sq m.           |
| T374        | Crack Willow    | <i>Salix fragilis</i>              | 8          | 1               |                               | 4                | 5 | 4 | 3 | 0                   | Over Mature | Poor                 | Poor                    | Unable to access tree<br>Multi- stemmed from 1m previously pollarded<br>Tree appears to be in terminal decline<br>Prolific ivy throughout canopy | No action required at the time of inspection. | <10 years                    | U           | None - due to Retention Category of U.     |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name     | Botanical name            | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage  | Structural Condition | Physiological Condition | Observations                                                                                                                                                                                                                                                   | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|-----------------|---------------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|-------------|----------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                 |                           |            |                 |                               | N                | E | S | W |                     |             |                      |                         |                                                                                                                                                                                                                                                                |                                               |                              |             |                                            |
| G375        | Common Ash      | <i>Fraxinus excelsior</i> | 12         | 1               | 220                           | 3                | 3 | 3 | 3 | 2                   | Mature      | Fair                 | Diseased                | Linear group of multi stems growing in hedgeline<br>Suppressed by neighbouring trees<br>Asymmetric crown<br>Evidence of Ash dieback disease in canopy<br>Dieback in the canopy chlorotic, sparse foliage                                                       | No action required at the time of inspection. | 10+ Years                    | C2          | Radius: 2.6m.<br>Area: 21 sq m.            |
| G376        | Mixed species   | Mixed species             | 12         | 1               | -250#                         | 4                | 4 | 4 | 4 | 0                   | Mature      | Fair                 | Good                    | Linear group of mixed species group containing Aspen, Field maple, Ash, Oak and Blackthorn understorey                                                                                                                                                         | No action required at the time of inspection. | 20-40 Years                  | B2          | Radius: 3.0m.<br>Area: 28 sq m.            |
| G377        | Crack Willow    | <i>Salix fragilis</i>     | 8          | 1               | 200                           |                  |   |   |   | 0                   | Over Mature | Fair                 | Fair                    | Multiple stem growing in hedge line potentially originating from single collapsed tree. unable to access base due to hedge and ditch                                                                                                                           | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 2.4m.<br>Area: 18 sq m.            |
| T378        | Pedunculate Oak | <i>Quercus robur</i>      | 12         | 1               | 670                           | 5                | 5 | 5 | 5 | 2                   | Mature      | Good                 | Good                    | No significant defects visible at time of inspection<br>Twin stemmed from base<br>Prolific ivy throughout canopy                                                                                                                                               | No action required at the time of inspection. | 40+ Years                    | A1,2        | Radius: 8.0m.<br>Area: 201 sq m.           |
| T379        | Common Ash      | <i>Fraxinus excelsior</i> | 12         | 4               | 380                           | 5                | 4 | 5 | 5 | 3                   | Mature      | Poor                 | Fair                    | Growing in hedgeline<br>Multi- stemmed from base<br>Included bark at stem union<br>some stems hollow, decayed at base<br>Suppressed by neighbouring trees<br>Major deadwood in canopy<br>Ivy growing up main stem<br>Evidence of Ash dieback disease in canopy | No action required at the time of inspection. | 10+ Years                    | C2          | Radius: 4.5m.<br>Area: 64 sq m.            |

## Arboricultural Survey Elm Grove, Trowbridge

| Tree Number | Common name         | Botanical name            | Height (m) | Number of stems | Calculated stem diameter (mm) | Crown Spread (m) |   |   |   | Crown Clearance (m) | Life Stage   | Structural Condition | Physiological Condition | Observations                                                                                                                                                                                                                                                   | Preliminary Recommendations                   | Remaining contribution (yrs) | BS Category | Root Protection Area Radius (m)<br>Area m2 |
|-------------|---------------------|---------------------------|------------|-----------------|-------------------------------|------------------|---|---|---|---------------------|--------------|----------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------|-------------|--------------------------------------------|
|             |                     |                           |            |                 |                               | N                | E | S | W |                     |              |                      |                         |                                                                                                                                                                                                                                                                |                                               |                              |             |                                            |
| T380        | Common Ash          | <i>Fraxinus excelsior</i> | 12         | 4               | 370                           | 5                | 5 | 5 | 3 | 3                   | Mature       | Poor                 | Fair                    | Growing in hedgeline<br>Multi- stemmed from base<br>Included bark at stem union<br>some stems hollow, decayed at base<br>Suppressed by neighbouring trees<br>Major deadwood in canopy<br>Ivy growing up main stem<br>Evidence of Ash dieback disease in canopy | No action required at the time of inspection. | 10+ Years                    | C2          | Radius: 4.4m.<br>Area: 61 sq m.            |
| G381        | Mixed species       | Mixed species             | 12         | 1               | 200                           | 3                | 3 | 3 | 3 | 0                   | Mature       | Fair                 | Good                    | Linear group of mixed species tree predominantly Ash with Sycamore and English Oak forming single unified canopy<br>Suppressed by neighbouring trees<br>Evidence of Ash dieback disease in canopy                                                              | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 2.4m.<br>Area: 18 sq m.            |
| G382        | Field Maple         | <i>Acer campestre</i>     | 6          | 1               | 150                           | 3                | 3 | 3 | 3 | 0                   | Mature       | Fair                 | Good                    | Two multi stemmed trees growing in linear group forming single canopy                                                                                                                                                                                          | No action required at the time of inspection. | 20-40 Years                  | B2          | Radius: 1.8m.<br>Area: 10 sq m.            |
| G383        | Mixed Species Group | Mixed species             | 5          | 1               | 180                           | 2                | 2 | 2 | 2 | 0                   | Early Mature | Fair                 | Fair                    | Mixed species hedgerow growing along boundary fence, including Oak, Field Maple and Hawthorn forming single canopy<br>No significant defects visible at time of inspection<br>Hedgerow previously topped at 1m                                                 | No action required at the time of inspection. | 20-40 Years                  | C2          | Radius: 2.2m.<br>Area: 15 sq m.            |