



Job no: 9297
Date: 13/07/2026
Assessor name: Huw Vaughan-Jackson
Registration no:
Development name: Bugley Farm, Warminster (r1)

BRE Global 2025. BRE Certification is a registered trademark owned by BRE Global and may not be used without BRE Global's written permission.

Whilst every care is taken in preparing this tool, BREG cannot accept responsibility for any inaccuracies or for consequential loss incurred as a result of such inaccuracies arising through the use of the tool.

PRINTING: before printing please make sure that in "Page Setup" you have selected the page to be as "Landscape" and that the Scale has been set up to 70% (maximum)

WATER EFFICIENCY CALCULATOR FOR NEW DWELLINGS - (BASIC CALCULATOR)

House Type:		Type 1		Type 2		Type 3		Type 4		Type 5		Type 6		Type 7		Type 8		Type 9		Type 10	
Description:		HTs w/o Ensuite - Shower over Bath		HTs w/Ensuite - No Shower over Bath																	
Installation Type	Unit of measure	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day	Capacity/flow rate	Litres/person/day
Is a dual or single flush WC specified?		Dual		Dual		Select option:		Select option:		Select option:		Select option:		Select option:		Click to Select		Click to Select		Click to Select	
WC	Full flush volume	4	5.84	4	5.84		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
	Part flush volume	2.6	7.70	2.6	7.70		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Taps (excluding kitchen and external taps)	Flow rate (litres / minute)	3.8	7.58	3.8	7.58		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Are both a Bath & Shower Present?		Bath & Shower		Bath & Shower		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:	
Bath	Capacity to overflow	150	16.50	150	16.50		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Shower	Flow rate (litres / minute)	3.8	16.61	3.8	16.61		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Kitchen sink taps	Flow rate (litres / minute)	3.8	12.03	3.8	12.03		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Has a washing machine been specified?		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:	
Washing Machine	Litres / kg		17.16		17.16		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Has a dishwasher been specified?		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:	
Dishwasher	Litres / place setting		4.50		4.50		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Has a waste disposal unit been specified?		No		No		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:		Select option:	
Water Softener	Litres / person / day		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00
Calculated Use		87.9		87.9		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
Normalisation factor		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91		0.91	
Code for Sustainable Homes	Total Consumption	80.0		80.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
	Mandatory level	Level 3/4		Level 3/4		-		-		-		-		-		-		-		-	
Building Regulations 17.K	External use	5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0		5.0	
	Total Consumption	85.0		85.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0		0.0	
	17.K Compliance?	Yes		Yes		-		-		-		-		-		-		-		-	