

RESIN SPECIFICATION - INSTALLATION IN MASONRY
USE MILT HVT 270 AND PROVIDE MIN 250mm
EMBEDMENT UNLESS NOTED OTHERWISE INTO SOUND
MASSIVE UNITS (NOT JOINTS). INSTALL AS PER
SUPPLIER'S INSTRUCTIONS.

SITE MEASUREMENTS AND TEMPLATING
MAIN CONTRACTOR OR THEIR APPOINTED SITE
FABRICATOR TO ALLOW FOR OBTAINING PRECISE SITE
MEASUREMENTS AND TEMPLATES. COMMENCE
COMMENCING ALLOW FOR CREATING PLT TEMPLATES
650 WIDE.

TEMPORARY WORKS
MAIN CONTRACTOR OR THEIR APPOINTED TEMPORARY
WORKS DESIGNER TO PROVIDE TEMPORARY WORKS
DESIGN SPECIFICATION.

CONSENTS AND APPROVALS
ALL RELEVANT CONSENTS AND APPROVALS TO BE
OBTAINED THROUGH THE LOCAL PLANNING AUTHORITY
AND CONSERVATION OFFICER BEFORE ANY INTRUSIVE
WORK OR OPENING UP SURFACES BEGINS.

STEEL MEMBER PROTECTION
ALLOW FOR ALL STEEL TO BE PRIMED WITH 2 COATS
OF ZINC RICH PRIMER. ALL STEEL JOINTS AND ENDS
IN MASONRY TO BE COATED WITH 2 COATS OF LAC 20
TO EXHAUST APPROX 100gms per sqm.
COORDINATING WITH ARCHITECTURAL
WATERPROOFING DETAILS.

RESIN SPECIFICATION - INSTALLATION IN MASONRY
USE MILT HVT 270 AND PROVIDE MIN 250mm
EMBEDMENT UNLESS NOTED OTHERWISE INTO SOUND
MASSIVE UNITS (NOT JOINTS). INSTALL AS PER
SUPPLIER'S INSTRUCTIONS.

SITE MEASUREMENTS AND TEMPLATING
MAIN CONTRACTOR OR THEIR APPOINTED SITE
FABRICATOR TO ALLOW FOR OBTAINING PRECISE SITE
MEASUREMENTS AND TEMPLATES. COMMENCE
COMMENCING ALLOW FOR CREATING PLT TEMPLATES
650 WIDE.

TEMPORARY WORKS
MAIN CONTRACTOR OR THEIR APPOINTED TEMPORARY
WORKS DESIGNER TO PROVIDE TEMPORARY WORKS
DESIGN SPECIFICATION.

CONSENTS AND APPROVALS
ALL RELEVANT CONSENTS AND APPROVALS TO BE
OBTAINED THROUGH THE LOCAL PLANNING AUTHORITY
AND CONSERVATION OFFICER BEFORE ANY INTRUSIVE
WORK OR OPENING UP SURFACES BEGINS.

STEEL MEMBER PROTECTION
ALLOW FOR ALL STEEL TO BE PRIMED WITH 2 COATS
OF ZINC RICH PRIMER. ALL STEEL JOINTS AND ENDS
IN MASONRY TO BE COATED WITH 2 COATS OF LAC 20
TO EXHAUST APPROX 100gms per sqm.
COORDINATING WITH ARCHITECTURAL
WATERPROOFING DETAILS.

RESIN SPECIFICATION - INSTALLATION IN MASONRY
USE MILT HVT 270 AND PROVIDE MIN 250mm
EMBEDMENT UNLESS NOTED OTHERWISE INTO SOUND
MASSIVE UNITS (NOT JOINTS). INSTALL AS PER
SUPPLIER'S INSTRUCTIONS.

SITE MEASUREMENTS AND TEMPLATING
MAIN CONTRACTOR OR THEIR APPOINTED SITE
FABRICATOR TO ALLOW FOR OBTAINING PRECISE SITE
MEASUREMENTS AND TEMPLATES. COMMENCE
COMMENCING ALLOW FOR CREATING PLT TEMPLATES
650 WIDE.

TEMPORARY WORKS
MAIN CONTRACTOR OR THEIR APPOINTED TEMPORARY
WORKS DESIGNER TO PROVIDE TEMPORARY WORKS
DESIGN SPECIFICATION.

CONSENTS AND APPROVALS
ALL RELEVANT CONSENTS AND APPROVALS TO BE
OBTAINED THROUGH THE LOCAL PLANNING AUTHORITY
AND CONSERVATION OFFICER BEFORE ANY INTRUSIVE
WORK OR OPENING UP SURFACES BEGINS.

STEEL MEMBER PROTECTION
ALLOW FOR ALL STEEL TO BE PRIMED WITH 2 COATS
OF ZINC RICH PRIMER. ALL STEEL JOINTS AND ENDS
IN MASONRY TO BE COATED WITH 2 COATS OF LAC 20
TO EXHAUST APPROX 100gms per sqm.
COORDINATING WITH ARCHITECTURAL
WATERPROOFING DETAILS.

RESIN SPECIFICATION - INSTALLATION IN MASONRY
USE MILT HVT 270 AND PROVIDE MIN 250mm
EMBEDMENT UNLESS NOTED OTHERWISE INTO SOUND
MASSIVE UNITS (NOT JOINTS). INSTALL AS PER
SUPPLIER'S INSTRUCTIONS.

SITE MEASUREMENTS AND TEMPLATING
MAIN CONTRACTOR OR THEIR APPOINTED SITE
FABRICATOR TO ALLOW FOR OBTAINING PRECISE SITE
MEASUREMENTS AND TEMPLATES. COMMENCE
COMMENCING ALLOW FOR CREATING PLT TEMPLATES
650 WIDE.

TEMPORARY WORKS
MAIN CONTRACTOR OR THEIR APPOINTED TEMPORARY
WORKS DESIGNER TO PROVIDE TEMPORARY WORKS
DESIGN SPECIFICATION.

CONSENTS AND APPROVALS
ALL RELEVANT CONSENTS AND APPROVALS TO BE
OBTAINED THROUGH THE LOCAL PLANNING AUTHORITY
AND CONSERVATION OFFICER BEFORE ANY INTRUSIVE
WORK OR OPENING UP SURFACES BEGINS.

STEEL MEMBER PROTECTION
ALLOW FOR ALL STEEL TO BE PRIMED WITH 2 COATS
OF ZINC RICH PRIMER. ALL STEEL JOINTS AND ENDS
IN MASONRY TO BE COATED WITH 2 COATS OF LAC 20
TO EXHAUST APPROX 100gms per sqm.
COORDINATING WITH ARCHITECTURAL
WATERPROOFING DETAILS.

RESIN SPECIFICATION - INSTALLATION IN MASONRY
USE MILT HVT 270 AND PROVIDE MIN 250mm
EMBEDMENT UNLESS NOTED OTHERWISE INTO SOUND
MASSIVE UNITS (NOT JOINTS). INSTALL AS PER
SUPPLIER'S INSTRUCTIONS.

SITE MEASUREMENTS AND TEMPLATING
MAIN CONTRACTOR OR THEIR APPOINTED SITE
FABRICATOR TO ALLOW FOR OBTAINING PRECISE SITE
MEASUREMENTS AND TEMPLATES. COMMENCE
COMMENCING ALLOW FOR CREATING PLT TEMPLATES
650 WIDE.

TEMPORARY WORKS
MAIN CONTRACTOR OR THEIR APPOINTED TEMPORARY
WORKS DESIGNER TO PROVIDE TEMPORARY WORKS
DESIGN SPECIFICATION.

CONSENTS AND APPROVALS
ALL RELEVANT CONSENTS AND APPROVALS TO BE
OBTAINED THROUGH THE LOCAL PLANNING AUTHORITY
AND CONSERVATION OFFICER BEFORE ANY INTRUSIVE
WORK OR OPENING UP SURFACES BEGINS.

STEEL MEMBER PROTECTION
ALLOW FOR ALL STEEL TO BE PRIMED WITH 2 COATS
OF ZINC RICH PRIMER. ALL STEEL JOINTS AND ENDS
IN MASONRY TO BE COATED WITH 2 COATS OF LAC 20
TO EXHAUST APPROX 100gms per sqm.
COORDINATING WITH ARCHITECTURAL
WATERPROOFING DETAILS.

INTERNAL CRACK REMEDIATION
ALLOW FOR REMOVING PLASTER
INTERNALLY IN THE VICINITY OF
PRESENT CRACKS. ALLOW FOR
CHASING AND INSERTING
HELIBARS AS PER SUPPLIERS
RECOMMENDATIONS AND
PROVIDED DETAILS.

TIMBER BEAM BEARING END INVESTIGATION
ALLOW FOR OPENING UP TIMBER BEAM
BEARING END FOR S.E. TO INVESTIGATE.

TIMBER LINTEL INVESTIGATION
ALLOW FOR OPENING UP TIMBER
LINTEL INTERNALLY FOR S.E. TO
INVESTIGATE.

ROOF CONDITION AND REPAIRS
ROOF STRUCTURE NOT INSPECTED
AND BEYOND SCOPE OF REPAIRS.

WORK IN PROGRESS

STATUS CODES FOR DRAWINGS ACCORDANCE WITH BS EN ISO 19560-2:2018	
CODE	DESCRIPTION
SHARED (NON-CONTRACTUAL - NOT FOR CONSTRUCTION)	
S1	SUITABLE FOR COORDINATION
S2	SUITABLE FOR INFORMATION
S3	SUITABLE FOR REVIEW AND COMMENT
S4	SUITABLE FOR STAGE REVIEW AND AUTHORIZATION
S5	SUITABLE FOR STAGE REVIEW AND ACCEPTANCE
PUBLISHED (CONTRACTUAL)	
A1	STAGE 1 AUTHORIZED (NOT FOR CONSTRUCTION)
A2	STAGE 2 AUTHORIZED (NOT FOR CONSTRUCTION)
A3	STAGE 3 AUTHORIZED (NOT FOR CONSTRUCTION)
A4	STAGE 4 AUTHORIZED (FOR CONSTRUCTION)
A5	STAGE 5 AUTHORIZED (FINAL DESIGN RECORD)

NOTES

1. THIS DRAWING IS COPYRIGHT AND MAY NOT BE REPRODUCED WITHOUT THE PERMISSION OF MANN WILLIAMS.
2. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE PROJECT SPECIFICATION WITH ALL WORKS CARRIED OUT IN ACCORDANCE WITH THE LATEST BRITISH STANDARDS AND CODES OF PRACTICE.
3. ANY AMBIGUITIES OR DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER INFORMATION GIVEN ELSEWHERE MUST BE REPORTED TO MANN WILLIAMS FOR CLARIFICATION BEFORE WORK PROCEEDS.
4. ALL DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO THE ENGINEER BEFORE ANY WORK COMMENCES.
5. ONLY FIGURED OR CALCULATED DIMENSIONS SHOULD BE USED AND NO DRAWINGS, IN ANY FORMAT SHOULD BE SCALED.

DRAWING TO BE READ IN COLOUR			
REV	DESCRIPTION	BY	DATE
P1	PRELIMINARY ISSUE	IB	03.07.2026

PROJECT

HIGHHOUSE FARM HOUSE

TITLE

STRUCTURAL REPAIRS
FIRST AND SECOND
FLOOR PLAN

		MANN WILLIAMS CONSULTING CIVIL AND STRUCTURAL ENGINEERS			
		7 OLD KING STREET QUEEN SQUARE BATH BA1 2JW			
		T 01225 464419 E bath@mannwilliams.co.uk			
		W www.mannwilliams.co.uk			
Drawn /	Checked /	Size /	Scale /	Date /	Rev. /
IB		A1	NTS		12/87
S2 INFORMATION (NOT FOR CONSTRUCTION)					
CONC/SYSTEM	LEVEL	TYPE	ROLE	ORIGINATOR	
X	X	D	S	MWB	
PROJECT CODE		NUMBER		REVISED	
12879		9003		P1	