

Read in conjunction with drawing SD-201 rev C

Example of product type to be installed on building

(NHBS.com)

## Improved Crevice Bat Box

Suitable for crevice dwelling species  
Available as either a double or treble crevice  
FSC certified



Select product

Average customer review



Double Crevice  
**In stock**  
**£31.50**   
#187782



Treble Crevice  
Not in stock: **Usually dispatched within 1-2 months**  
**£37.50**   
#187784

**Selected** **£31.50** **ADD TO BASKET**

product:

[About this product](#) | [Specification](#) | [Customer reviews](#) | [Recommended products](#)

### Additional images



## About this product

This Improved Crevice Bat Box is available with either a double or treble crevice. This box is designed to be suitable for the small British crevice-dwelling bats - the Pipistrelles, Soprano Pipistrelles and Barbastelle's - these species make up over three quarters of UK bats.

The external panels are made from 12mm Exterior Grade FSC plywood and are stained with black water based wood stain, both improve the boxes heat insulation. The multiple crevices allow for different temperature characteristics, and the internal ceramic heat sink improves temperature stability. The overhanging apex roof also provides protection from the UK weather.

There is a 'Bat Ladder' at the base of the box which facilitates bats landing and climbing into the box. This continues inside of the box making it easy for the bats to move around and grip the surface. The ladder acts as a 'convector heater' for the box - when the sun shines on the ladder, warm air rises into the box and does not come out when the outside cools.

The box is relatively lightweight and can easily and safely be mounted to walls or trees. The roof of the box can be removed for ease of cleaning, and a rectangular back plate facilitates fitting several boxes side to side to increase colony size.

## Specification

### Double Crevice Bat Box

- **External dimensions:** 16 x 10 x 33 cm (L x W x H)
- **Weight:** 1.4 kg

### Treble Crevice Bat Box

- **External dimensions:** 16 x 13 x 33 cm (L x W x H)
- **Weight:** 2.0 kg

Material for both boxes: Exterior quality resin bonded ply, manufactured with surface sunk coated staples to resist rusting, external surfaces treated with water based woodstain, internal ceramic heat sinks

## Customer Reviews (1)

## Appendix 6: Schwegler 2F Bat Box

### Schwegler 2F General Bat Box



Read in conjunction with drawing SD-201 rev C

Example of product type to be installed on tree

(available from [NHBS.com](https://www.nhbs.com))

The Schwegler 2F General Bat Box is the standard and most popular bat box. Ideal for summer roosts and is constructed of woodcrete, providing a breathable, stable temperature within and is suitable for long-term mitigation projects.

**Position:** Ideal for trees, should be mounted on tree trunks at a height of 3m – 6m. Can be positioned in clusters of three, with each box facing west through a south-eastern aspect to provide a variety of micro habitats.

**Height:** 33cm.

**Diameter:** 16cm.

**Weight:** 4kg.

#### *Selection of Trees*

Selected trees should ideally be a minimum of 500mm diameter at the height of fixing. Trees should not be obviously unstable or badly rotted. The timber and bark at the point of fixing should be sound.

#### *Position of Boxes on Trees*

Boxes should be mounted on tree trunks, rather than on boughs or branches. The mounting location should not be heavily shaded. Boxes should be mounted vertically on the tree.

Bat boxes should be mounted a minimum of 3m from the ground, and ideally placed in clusters of three.

The entrance to the box should be clear of obstructions and obstacles in the flight-path towards it. An 'open airspace' of about 3m square should be preserved in front of and below the entrance, and elsewhere any overhanging branches should be at least 1m away.

The mounting location should be readily and safely accessible by ladder, but not accessible by someone climbing up the trunk or onto an adjacent tree or wall etc.

Some lower branches may need to be trimmed below the box to remove ready handholds or footholds for would-be tree-climbers (as well as any small branches crowding the entrance).

As far as possible, boxes should be placed in locations which are not conspicuous from the ground, so as not to attract unwanted attention from passers-by. This objective is assisted by selecting locations which are not visible/accessible from public footpaths, byways etc.

#### *Double Roost Panel*

Practical Conservation Equipment > Bird Boxes Bird Boxes for Walls & Fences

## Eco Small Bird Box

Provides a robust, long lasting home for most common garden birds  
Made from eco-friendly recycled plastic and FSC Certified OSB  
Available with three different hole sizes



Select product

☒



25mm Entrance Hole  
**In stock**  
**£25.99** ⓘ  
#241636

☐



28mm Entrance Hole  
**In stock**  
**£25.80** ⓘ  
#241637

☐



32mm Entrance Hole  
**In stock**  
**£25.80** ⓘ  
#241638

Selected product: £25.99 [ADD TO BASKET](#)

[About this product](#) | [Specification](#) | [Customer reviews](#) | [Recommended products](#)

## About this product

This nest box consists of a weatherproof outer shell made from UV stabilised 100% recycled plastic. Inside the outer shell is a wooden nest box to provide the ideal environment for birds to nest in. The wooden box has drainage holes in the base and can be removed from the plastic case. The outer shell has been precision cut and uses an ingenious system of tabs to hold it together. This further extends the lifespan by ensuring that there are no metal fixings that could rust or degrade over time.

The internal compartment is constructed from FSC-Certified Oriented Strand Board, which is made from flakes of wood waste or from saplings thinned from forests to make space for larger trees. If you need to check or clean the box, simply twist the fastening at the bottom and the wooden nesting chamber will slide out. The outer shell is made from recycled board which is itself made from discarded bale wrap, fertiliser bags and other plastic waste, gathered mostly from farms across the UK.

These nest boxes are available with a choice of three hole sizes: 25mm, 28mm and 32mm. The 25mm hole is primarily suitable for the smallest tit species such as blue tits, coal tits and marsh tits. The 28mm hole will attract all of these species as well as great tits, crested tits and tree sparrows. The larger 32mm hole will attract a large range of species including blue tits, coal tits, marsh tits, house sparrows, great tits, nuthatches and pied flycatchers.

Fixing to the wall or tree is easy using the three concealed mounting holes in the back of the box (located opposite the entrance hole for easy access). Often this is the only fixing needed, but a further hole is provided at the base if required for stability. The easiest way to mount the box is to remove the inner compartment, fix the outer shell onto the tree or wall then slide the inner roost chamber back into the box and secure it in place.

The Eco Small Bird Box is designed and manufactured in the UK.


## Specification

- **Materials:** Recycled LDPE plastic and FSC Certified OSB
- **Finish:** Non-toxic water-based stain and preservative
- **Dimensions:** 26cm x 17cm x 17xcm (H x W x D)
- **Weight:** 1.1kg
- **Fixing:** Three concealed keyholes and further fixing hole at base

## Customer Reviews


[Review this product](#)

### Alternatives




1B  
Schwegl  
Nest

**1B Schwegler Nest Box**  
[Schwegler bird boxes built for a range of sizes](#)  
**£43.99**



Small  
Bird  
Nest

**Small Bird Nest Box**  
[Wooden bird box suitable for a range of garden birds](#)  
**£21.50**



NHBS  
Wooden  
Bird  
Nest

**NHBS Wooden Bird Nest Box**  
[In our modern environments many bird species are struggling to find enough...](#)  
**£18.95**

Read in conjunction with drawing SD-201 rev C

Example of product type to be installed on building

(NHBS.com)

Practical Conservation Equipment > Bird Boxes Open-Fronted Bird Boxes

Eco Robin (Open-Fronted) Nest Box

- ✓ Long-lasting eco-friendly design
- ✓ Made from recycled plastic and FSC Certified OSB
- ✓ Suitable for robins, wrens and pied wagtails





In stock

£25.80

#241640

Price:

£25.80

ADD TO BASKET

[About this product](#) | [Specification](#) | [Customer reviews](#) | [Recommended products](#)

About this product

This eco-friendly nest box consists of a weatherproof outer shell made from UV stabilised 100% recycled plastic. Inside the outer shell is a wooden nesting chamber which provides the ideal environment for birds to nest in. The outer shell has been precision cut and uses an ingenious system of tabs to hold it together. This further extends the lifespan ensuring that there are no metal fixings that could rust or degrade over time. The removable wooden nesting chamber has drainage holes and is constructed from FSC Certified Oriented Strand Board, which is made from flakes obtained from wood waste or from saplings thinned from forests to make space for larger trees. If you need to check or clean the box it's simply a case of twisting the fastening at the bottom and the wooden nesting chamber slides out.

The robin box is an open-fronted nest box. As well as providing a suitable nest box for robins, it's also ideal for other birds that use open-fronted boxes such as wrens, pied wagtails and spotted flycatchers.

Fixing to the wall or tree is easy with three concealed mounting holes in the back of the box (located opposite the entrance hole for easy access). Often this is the only fixing needed, but a further hole is provided at the base for additional stability. The easiest way to mount the box is to remove the inner, fix the outer shell onto the tree or wall, then slide the inner roost chamber back into the box and secure it in place.

Specification

- **Materials:** Recycled LDPE plastic & FSC Certified OSB
- **Finish:** Non-toxic water-based stain and preservative
- **Dimensions:** 26cm x 17cm x 17xm (H x W x D)
- **Weight:** 0.8kg
- **Fixing:** Three concealed keyholes and further fixing hole at base
- 

Customer Reviews

Review this product

Alternatives



**Blackbird FSC Nest Box**

Environmental changes such as urbanisation and deforestation have...

£23.99

Current promotions



nhbs Moth Trap

SAVE up to £35


ORDER [HERE](#)



SUBSCRIPTIONS FROM £33 PER YEAR


BRITISH WILDLIFE

SUBSCRIBE [HERE](#)



NEW & FORTHCOMING Books

BROWSE [HERE](#)



nhbs BUYER'S GUIDES

Bat Detectors Thermal Imaging | Bat Boxes | Moth Traps Spotting Scopes Trail Cameras & more

EXPLORE [HERE](#)

[Go to Product Page](#)

CLICK & COLLECT in as little as 1 minute

NEXT DAY DELIVERY 7 days per week

910 STORES NATIONWIDE find your local store

DELIVERY IN AS LITTLE AS 20 MINUTES with Sprint

[Home](#) < [Electrical & Lighting](#) < [Lighting](#) < [Outdoor Lighting](#) < [Outdoor Wall Lights](#)



LAP OUTDOOR WALL LIGHT DOWN  
PROJECTION CHARCOAL GREY 4.3 380 LM (849PP)

★★★★★ (17) [Write a review](#) [Ask a Question](#)

Stainless steel and plastic. Can be installed on wall, in patio or porch.  
Contemporary design.

- IP44: For Outdoor Use
- Warm White
- Contemporary Design
- 380lm
- Stainless Steel Body
- Plastic Lens
- Up to 30,000 Hours Life

[More Info](#)

View all: [LAP Outdoor Wall Lights](#)

Read in conjunction with drawing SD-201 rev C

Example of product type to be installed on building

(Screwfix.com)

SP CIFICATION

|                                |                                              |
|--------------------------------|----------------------------------------------|
| Body Material                  | Stainless Steel Body                         |
| Brand                          | LAP                                          |
| CALC - Light Bulb Technology   | LED                                          |
| Colour                         | Charcoal Grey                                |
| Colour Rendering Index         | 80                                           |
| Colour Temperature Description | Warm White                                   |
| Colour Temperature Value       | 3000 K                                       |
| Dimmable                       | Non-Dimmable                                 |
| Domestic/Commercial Use        | Suitable for Commercial Use                  |
| Energy Rating                  | None                                         |
| Fitting Installation           | Wall-Mounted                                 |
| Fixings Supplied               | Fixings & Fittings Supplied                  |
| IP Rating                      | IP44                                         |
| Indoor/Outdoor Usage           | Outdoor                                      |
| Lens/Diffuser Material         | Plastic Lens                                 |
| Life Length                    | 30,000 hours                                 |
| Light Bulb Technology          | LED                                          |
| Light Bulb(s) Supplied         | Integrated LED                               |
| Lm                             | 380 lm                                       |
| Lm Band                        | 201-400                                      |
| Manufacturer Guarantee         | 3 Year Manufacturer's Guarantee (T&Cs Apply) |
| Pack Size                      | 1                                            |
| Parent Colour                  | Grey                                         |
| Pieces in Pack/Case            | 1                                            |
| Power Consumption              | 4.3 W                                        |
| Power Consumption (Band)       | 4 - 6W                                       |

PECIFICATION

|                                             |                                                              |
|---------------------------------------------|--------------------------------------------------------------|
| Power Type                                  | Mains-Powered                                                |
| Power Voltage Supply                        | 220-240 V                                                    |
| Product Depth                               | 88 mm                                                        |
| Product Height                              | 115 mm                                                       |
| Product Typ                                 | Wall Light Down Projection                                   |
| Product Width                               | 74 mm                                                        |
| Sensor Type                                 | Without Sensor                                               |
| Smart Compatibility                         | Not Smart                                                    |
| Transformer                                 | Integrated LED Driver                                        |
| kWh Per 1000hr Life                         | 5 kWh/1000h                                                  |
| z1 - UK Manufacturer Name                   | Kingfisher International Products Limited                    |
| z2 - UK Manufacturer   osta   Address       | 1 Paddington Square, London, W2 1GG                          |
| z3 - UK Manufacturer El   ctronic Addr   ss | www.kingfisher.com/products                                  |
| z4 - EU Manufacturer Name                   | Kingfisher International Products B.V.                       |
| z5 - EU Manufacturer   osta   Address       | Rapenburgerstraat 175E, 1011 VM Amsterdam, 1011, Netherlands |
| z6 - EU Manufacturer Electronic Address     | www.kingfisher.com/products                                  |