

Internal Door Schedule


Job Name: TH Old Stables
Job No: 3123
Schedule: SCH04
Revision: K

Date: 10/08/2026
Status: PLANNING

NOTES
REFER TO 720 SERIES DRAWINGS FOR ARCHIVED HISTORIC DOOR NUMBERS & SIZES,
REFER TO SCHEDULE SCH02 FOR PHOTOS OF HISTORIC ARCHIVED DOORS
REFER TO EXISTING STRUCTURAL OPENING (in yellow), AS PER SITE DIMENSTIONS
REFER TO GA PLANS DRG 200 & 201 FOR LOCATION OF DOORS
(1) REFER TO FIRE TEST REPORT ON HISTORIC DOORS
Existing Historic doors to be refurbished & reused as non fire rated doors

DOOR FINISH
P - paint finish, SO - stained oak (Refer to ID)
Bronze - Patinated bronze

ARCH - Architrave



BLDA ARCHITECTS

DOOR NUMBER	LOCATION	DOOR REFERENCE	ARCHIVED DOOR NUMBER TO MATCH	REFER TO DWG NUMBER	FIRE DOOR	ACOUSTIC Rw dB rating	EXISTING STRUCTURAL OPENING			DOOR FRAME & PACKER		DOOR LEAF						NOTES
							Width 1	Width 2	Height	Width	Height	Width	Height	Architrave or Quirk	Door Finish	Thickness		
Basement																		
DB.01	B01 LOBBY	New	N/A	225	FD30S	35	N/A	N/A	N/A	775	2220	687	2178	N/A	N/A	Bronze / P	60MM	FIRE RATED DOOR
DB.02	B02 Guest WC	New	N/A	225.1	NO	35	N/A	N/A	N/A	730	2220	642	2178	N/A	N/A	Bronze	60MM	
DB.03	B03 Tunnel Lobby	New	N/A	225.3	FD30	35	N/A	N/A	N/A	2005	1890	4No. 455	1775	N/A	N/A	Panelled	60MM	(1) FIRE RATED DOOR - JIB DOOR
ED24	B01 LOBBY	New	N/A	225.2	NO	35	N/A	N/A	N/A	1210	2220	1094 (547 x 2)	2178	N/A	N/A	Bronze	60MM	
Ground Floor																		
DG.01	G08a LOBBY	Existing	DG01	221.1	NO	NO	1509	N/A	3003	1445	2670	1225	2560	Quirk	Both sides	SO/SO	35MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.02	G08a LOBBY	Existing	DG41	221.1	NO	NO	1328	1462	3016	1360	2698	1140	2588	Quirk	Both sides	SO/SO	55MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.03	G09 HAMMAN	New bespoke	N/A	223.11	NO	TBA	1517	1367	3043	TBA	TBA	800	2570	None	Both sides	P	To suit	NEW DOOR TO FULLFIL A FUNCTIONAL OPERATION
DG.04	G09 HAMMAM	New bespoke	N/A	223.11	NO	TBA	1235	N/A	3042	TBA	TBA	800	2100	None	Both sides	P	To suit	NEW DOOR TO FULLFIL A FUNCTIONAL OPERATION
DG.05																		DOOR REMOVED FROM THIS LAYOUT
DG.06																		DOOR REMOVED FROM THIS LAYOUT
DG.07	G10 SPA SHOWER	New bespoke	N/A	223.11	NO	TBA	1196	N/A	3055	TBA	TBA	800	2570	None	Both sides	P	To suit	NEW DOOR TO FULLFIL A FUNCTIONAL OPERATION
DG.08	G12 FOH KITCHEN	New	N/A	222.2	FD30S	30	1470	1433	2974	1340	2680	1120	2570	Quirk	Both sides	P	54MM	(1) FIRE RATED DOOR
DG.09	G13 CATERING KITCHEN	New bespoke	N/A	223.10	NO	NO	N/A	N/A	N/A	TBA	TBA	970	2440	None	Both sides	P	To suit	NEW DOOR TO FULLFIL A FUNCTIONAL OPERATION
DG.10	G13 CATERING KITCHEN	New bespoke	N/A	223.10	NO	NO	N/A	N/A	N/A	TBA	TBA	970	2440	None	Both sides	P	To suit	NEW DOOR TO FULLFIL A FUNCTIONAL OPERATION
DG.11																		DOOR REMOVED FROM CONSENTED LAYOUT
DG.12																		DOOR REMOVED FROM CONSENTED LAYOUT
DG.13																		DOOR REMOVED FROM CONSENTED LAYOUT
DG.14																		DOOR REMOVED FROM CONSENTED LAYOUT
DG15	G15 LOBBY	New	N/A	222.6	FD30S	35	N/A	N/A	N/A	1790	2680	1500 (750 x 2)	2570	Jib	N/A	NOTE	54MM	(1) FIRE RATED DOOR - JIB DOOR
DG16	G14A LOBBY	New	N/A	222.2	FD30S	NO	1496	1412	2931	1410	2680	1190	2570	Quirk	Both sides	SO/SO	54MM	(1) FIRE RATED DOOR

DOOR NUMBER	LOCATION	DOOR REFERENCE	ARCHIVED DOOR NUMBER TO MATCH	REFER TO DWG NUMBER	FIRE DOOR	ACOUSTIC Rw dB rating	EXISTING STRUCTURAL OPENING			DOOR FRAME & PACKER		DOOR LEAF						NOTES
							Width 1	Width 2	Height	Width	Height	Width	Height	Architrave or Quirk		Door Finish	Thickness	
DG17	G16 WC	New	N/A	222.4	NO	30	1235	N/A	2925	1194	2680	974	2570	Quirk	Both sides	SO/SO	54MM	EXISTING ARCHED OPENING, NO ARCHED DOOR IN ARCHIVE
DG.18	G15 LOBBY	New	N/A	222.4	NO	NO	1235	N/A	2925	1194	2680	974	2570	Quirk	Both sides	SO/SO	54MM	EXISTING ARCHED OPENING, NO ARCHED DOOR IN ARCHIVE
DG.19	G20 HALL	Existing	ED03	221.1	NO	NO	1513	N/A	2925	1403	2680	1183	2570	Quirk	Both sides	SO/SO	54MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.20	G20 HALL	New	N/A	222.2	FD30S	NO	N/A	N/A	N/A	1400	2680	1180	2570	Quirk	Both sides	SO/SO	54MM	(1) FIRE RATED DOOR
DG.21	G22 GUEST BAR	New	N/A	223.9	FD30S	35	1509	1312	2772	1340	2680	1120	2570	Quirk	Both sides	SO/P	54MM	(1) FIRE RATED DOOR
DG.21A	G24 SITTING ROOM	New	N/A	222.7	FD30S	35	N/A	N/A	N/A	N/A	N/A	1000	2570	N/A	N/A	P	N/A	(1) FIRE RATED DOOR - JIB DOOR
DG.22	G23 GUEST HALL 1	New	N/A	222.2	FD30S	NO	1540	1370	2884	1360	2680	1140	2570	Quirk	Both sides	SO/SO	54mm	(1) FIRE RATED DOOR
DG.23	G24 SITTING ROOM	New	N/A	222.2	FD30S	NO	1503	1381	2772	1370	2680	1150	2570	Quirk	Both sides	SO/SO	54MM	(1) FIRE RATED DOOR
DG.24	G26 KITCHEN BOH / DINING ROOM	New	N/A	222.2	FD30S	NO	1533	1371	2770	1370	2680	1150	2570	Quirk	Both sides	SO/P	54MM	(1) FIRE RATED DOOR
DG.25	G26 KITCHEN BOH / DINING ROOM	New	N/A	222.2	FD30S	NO	1545	1352	2778	1445	2680	1225	2570	Quirk	Both sides	SO/P	54MM	(1) FIRE RATED DOOR
DG.26	G03 LOBBY	New	N/A	222.2	FD30S	NO	1492	1380	2882	1470	2680	1250	2570	Quirk	Both sides	SO/SO	54MM	(1) FIRE RATED DOOR
DG.27	G27 STAIR LOBBY																	BLOCKED OPENING
DG.28	G01 HOUSEKEEPING	New	N/A	222.2	FD30S	NO	1075	2905	2905	1095	2680	875	2570	Quirk	Both sides	SO/P	54MM	(1) FIRE RATED DOOR
DG.29	G04/05 GAMES ROOM	Existing	DG19	221	NO	NO	1492	1380	2882	1470	2682	1250	2572	Quirk	Both sides	SO/SO	54MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.30	G02 GUEST WC	Existing	ED05	221.1	NO	NO	1360	N/A	2920	1346	2680	1126	2570	Quirk	Both sides	SO/SO	53MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.31	G01 HOUSEKEEPING	Existing	DG.14	223.6	NO	NO	1075	N/A	2370	*	2286	895	2176	Quirk	One side	P	34MM	The historic door has been dimensionally coordinated to fit within the existing structural opening. Note door frame reduced to fit existing opening, refer to Dwg
DG.32	G08b LOBBY	New	N/A	222.2	FD30S	NO	2005	N/A	3290	1470	2680	1250	2570	Quirk	Both sides	P	54MM	(1) FIRE RATED DOOR
DG.33	G14B_ STAFF AREA	New	N/A	222.2	FD30S	NO	N/A	N/A	N/A	1160	2680	940	2570	Quirk	Both sides	SO/SO	54MM	(1) FIRE RATED DOOR
DG.33A	G14B CUPBOARD	Existing	DF41	223.5	NO	NO	N/A	N/A	N/A	1255	2254	1035	2144	Quirk	One side	P	33MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.34	G13 CATERING KITCHEN	Existing	DG37	221.1	NO	NO	N/A	N/A	N/A	1160	2675	940	2565	Quirk	Both sides	P	55MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.35	G07 GUEST WC	Existing	SB DR15	221.1	NO	NO	N/A	N/A	N/A	1346	2470	1126	2360	Quirk	Both sides	P	53MM	The historic door has been dimensionally coordinated to fit within the existing structural opening, with the detailing to match the historic door jamb.
DG.35A																		DOOR REMOVED FROM CONSENTED LAYOUT
DG.35B	G07 M&E CUPBOARD	New	N/A	223.7	FD30S	35	N/A	N/A	N/A	1290	2250	1190 (2 leaves)	2200	N/A	N/A	SO/SO	54MM	(1) FIRE RATED DOOR - JIB DOOR
DG36	G23A STORE	New	N/A	223.8	FD30S	35	N/A	N/A	N/A	N/A	N/A	830	2230	N/A	N/A	SO/SO	N/A	(1) FIRE RATED DOOR - JIB DOOR

DOOR NUMBER	LOCATION	DOOR REFERENCE	ARCHIVED DOOR NUMBER TO MATCH	REFER TO DWG NUMBER	FIRE DOOR	ACOUSTIC Rw dB rating	EXISTING STRUCTURAL OPENING			DOOR FRAME & PACKER		DOOR LEAF						NOTES
							Width 1	Width 2	Height	Width	Height	Width	Height	Architrave or Quirk		Door Finish	Thickness	
First Floor																		
DF.01	F16 HALL	New	N/A	223	NO	NO	1070	N/A	2238	933	2244	845	2200	ARCH	150/150	SO/SO	54MM	
DF.02	F19 BEDROOM	New	N/A	223	NO	35	1048	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.03	F15 ENSUITE	New	N/A	223.2	NO	30	1020	N/A	2247	1018	2244	930	2200	ARCH	150/150	SO/SO	54MM	
DF.04	F16 HALL	New	N/A	223.1	FD30S	NO	1070	N/A	2238	933	2244	845	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.05	F18 BEDROOM	New	N/A	223.1	FD30S	38	1050	N/A	2245	933	2244	845	2200	ARCH	120/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.06	F21 ENSUITE	New	N/A	223.2	NO	30	N/A	N/A	N/A	988	2244	900	2200	ARCH	120/150	SO/SO	54MM	
DF.07	F20 HALL	New	N/A	223.1	FD30S	NO	1220	N/A	2240	1208	2209	1120	2165	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.08	F24 LOBBY	New	N/A	223.1	FD30S	NO	1220	N/A	2200	1208	2179	1120	2135	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.09	F25 & F26 BEDROOM	New	N/A	223	NO	38	1050	N/A	2255	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.10	F.27 HALL	New	N/A	223	NO	38	1050	N/A	2255	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.11	F28 ENSUITE	New	N/A	223.2	NO	30	1050	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.12	F29 BEDROOM	New	N/A	223	NO	38	1040	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.13	F30 ENSUITE	New	N/A	223.2	NO	30	1045	N/A	2255	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.14	F.27 HALL	New	N/A	223.1	FD30S	NO		N/A	2287	918	2244	830	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.15																		DOOR REMOVED FROM CONSENTED LAYOUT
DF.16																		DOOR REMOVED FROM CONSENTED LAYOUT
DF.17	F31 & F32 LOBBY	New	N/A	223.1	FD30S	NO	1200	N/A	2200	1048	2144	960	2100	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.18	F38 - F41 HALL	New	N/A	223.1	FD30S	NO	1060	N/A	2240	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.19	F38A ENSUITE	New	N/A	223.2	NO	30	1050	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.20	F38 BEDROOM	New	N/A	223	NO	38	1055	N/A	2245	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.21	F39 LINEN STORE	New	N/A	223.1	FD30S	NO	1030	N/A	2240	1048	2144	960	2100	ARCH	150/150	SO/P	54MM	(1) FIRE RATED DOOR
DF.21A	F57 PLANT ROOM	New	N/A	223.2	FD30S	NO	1030	N/A	2240	1048	2144	960	2100	ARCH	150/150	P	54MM	(1) FIRE RATED DOOR

DOOR NUMBER	LOCATION	DOOR REFERENCE	ARCHIVED DOOR NUMBER TO MATCH	REFER TO DWG NUMBER	FIRE DOOR	ACOUSTIC Rw dB rating	EXISTING STRUCTURAL OPENING			DOOR FRAME & PACKER		DOOR LEAF						NOTES
							Width 1	Width 2	Height	Width	Height	Width	Height	Architrave or Quirk		Door Finish	Thickness	
DF.22	F41 BEDROOM	New	N/A	223	NO	38	1030	N/A	2230	1048	2144	960	2100	ARCH	150/150	SO/SO	54MM	
DF.23	F43 ENSUITE	New	N/A	223.2	NO	30	1030	N/A	2230	1048	2144	960	2100	ARCH	150/150	SO/SO	54MM	
DF.24	F38 - F41 HALL	New	N/A	223.1	FD30S	NO	1050	N/A	2320	1048	2144	960	2100	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.25	F47 LOBBY	New	N/A	223.1	FD30S	NO	1310	N/A	2270	1093	2144	1005	2100	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.26	F45 & F46 STUDY	Existing	DF42	224.1	NO	NO	1235	N/A	2290	Refer 224.1	Refer 224.1	970	2142	ARCH	150/150	SO/SO	48MM	Reuse existing historic arched door for arched opening.
DF.27																		DOOR REMOVED FROM THIS LAYOUT
DF.28	F48 BEDROOM	New	N/A	223	NO	38	1070	N/A	2240	1048	2144	960	2100	ARCH	150/150	SO/SO	54MM	
DF.29	F51 & F53 HALL	New	N/A	223	NO	NO	1070	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.30	F49 BATHROOM	New	N/A	223.2	NO	35	1065	N/A	2225	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.31	F49 BATHROOM	New	N/A	223.2	NO	35	1055	N/A	2250	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.32	F50 BEDROOM	New	N/A	223	NO	38	1065	N/A	2245	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.33	F52 ENSUITE	New	N/A	223.2	NO	30	1050	N/A	2248	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.34	F56 BEDROOM	New	N/A	223.1	FD30S	38	1040	N/A	2255	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.35	F51 & F53 HALL	New	N/A	223.1	FD30S	0	1035	N/A	2255	1035	2244	947	2200	ARCH	120/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.36	F02 LOBBY	New	N/A	223.1	FD30S	NO	1210	N/A	2260	1028	2244	940	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.37	F01 ENSUITE	New	N/A	223.2	NO	30	1080	N/A	2240	988	2244	900	2200	ARCH	120/150	SO/SO	54MM	
DF.38	F03 & F04 BEDOOM	New	N/A	223.1	FD30S	38	1007	N/A	2240	1008	2244	920	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF 39																		DOOR REMOVED FROM CONSENTED LAYOUT
DF.40	F05 LIVING ROOM	New	N/A	223.1	FD30S	38	900	N/A	2250	878	2244	790	2200	ARCH	150/150	SO/SO	54MM	(1) FIRE RATED DOOR
DF.41	F06 HALL																	OPENING (NO DOOR)
DF.42	F07 ENSUITE	New	N/A	223.2	NO	30	1055	N/A	2260	1048	2244	960	2200	ARCH	150/150	SO/SO	54MM	
DF.43	F08 BEDROOM	New	N/A	223	NO	38	937	N/A	2280	888	2244	800	2200	ARCH	150/150	SO/SO	54MM	
DF.44	F08 BEDROOM	New	N/A	223.1	FD30S	NO	785	N/A	1390	785	2210	697	2200	ARCH	150/150	P/P	54MM	(1) FIRE RATED DOOR
DF.45	F12 LIVING ROOM	New	N/A	222.8	FD30S	NO	780	N/A	1390	780	2210	690	2200	N/A	N/A	P/P	54MM	(1) FIRE RATED DOOR - JIB DOOR
DF.46	F08 BEDROOM	New	N/A	223.1	FD30S	NO	937	N/A	2280	820	2210	800	2200	ARCH	150/150	P/P	54MM	(1) FIRE RATED DOOR

DOOR NUMBER	LOCATION	DOOR REFERENCE	ARCHIVED DOOR NUMBER TO MATCH	REFER TO DWG NUMBER	FIRE DOOR	ACOUSTIC Rw dB rating	EXISTING STRUCTURAL OPENING			DOOR FRAME & PACKER		DOOR LEAF						NOTES
							Width 1	Width 2	Height	Width	Height	Width	Height	Architrave or Quirk		Door Finish	Thickness	
DF.47	F12 LIVING ROOM	New	N/A	222.8	FD30S	NO	970	N/A	2280	820	2210	800	2200	N/A	N/A	P/P	54MM	(1) FIRE RATED DOOR - JIB DOOR
DF.48	F11 CLOCK TOWER	New	N/A	223.4	FD30S	38	1850	N/A	2040 (top)	1850	2040	1760 (880x2)	1996	Ouirk	N/A	SO/P	54MM	(1) FIRE RATED DOOR