

Savernake Hospital
Maurice Way
Marlborough
SN8 3HL



AJ Arborists Limited

Garners Field
London Road
Fairford
Gloucestershire
GL7 4DS

Phone: 01285750874

alasdair@ajarborists.co.uk

General Tree Assessment (Summary)

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
G1	A Group	0	0		Fair				20-Feb-25
Comment: Group of Beech running on north side of fence. Likely planted as a hedge but has grown up and out to the south away from adjacent trees. Consider topping line at 2.5m and annually trim to create hedge as no long term viability in current state.									
201	Common Ash	17	6	M	Fair	Fell :: Fell to safe height	6 Months	No	20-Feb-25
Comment: Stem splits off to north at 0.5m and is overlong with broken hanger mid way along stem. Remaining tree splits into two stems at 2.0m. Tree has ADB. Monolith at 3.0m.									
202	Common Ash	12	1	Dead	Poor	Fell :: Fell to ground level	6 Months	No	20-Feb-25
Comment: Dead stem within multi-stem Ash.									
203	Common Ash	10	3	SM	Fair	Fell :: Fell to safe height	1 year	No	20-Feb-25
Comment: Crown bias to the north. Monolith at 3.0m.									
204	Common Ash	12	10	M	Poor	Pollard :: Pollard to 5 m	6 Months	No	20-Feb-25
Comment: Stem leaning severely towards the highway and is overlong. Ivy on main stem into the crown. Pollard to reduce end weight and minimise risk of failure.									
205	Common Ash	16	3	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB. Leaning towards highway.									
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
206	Common Ash	17	5	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB. Leaning over highway.									
207	Common Ash	9	3	SM	Poor	Fell :: Fell to ground level	6 Months	No	20-Feb-25
Comment: Ash with ADB.									
208	Common Ash	19	7	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with advanced ADB. Leaning towards highway. Check ownership as potentially just off site.									
301	Common Ash	19	6	M	Poor	Fell :: Fell to safe height	6 Months	No	20-Feb-25
Comment: Ash with ADB. Monolith at 3.0m.									
302	Common Ash	16	3	Dead	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Dead tree.									
303	Common Ash	16	1	SM	Poor	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB.									
304	Common Ash	20	3	M	Fair	Pollard :: Pollard to 5 m	1 year	No	20-Feb-25
Comment: No signs of ADB but crown is top heavy and likelihood of failure. Pollard and monitor regrowth in next survey.									
305	Common Ash	15	1	SM	Poor	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB.									
306	Common Ash	15	1	SM	Poor	Fell :: Fell to ground level	6 Months	No	20-Feb-25
Comment: Ash with ADB.									
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
307	Common Ash	20	3	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB. Leaning over the highway.									
308	Common Ash	16	3	SM	Poor	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB. Leaning over the highway.									
309	Common Ash	13	2	Dead	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Dead tree adjacent to highway.									
310	Common Ash	18	4	M	Fair	Fell :: Fell to safe height	6 Months	No	20-Feb-25
Comment: Ash with ADB. Leaning out over the highway. Monolith at 3.0m.									
311	Common Ash	17	2	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
Comment: Ash with ADB.									
312	Common Ash	18	3	M	Fair	Fell :: Fell to safe height	6 Months	No	20-Feb-25
Comment: Monolith at 3.0m									
313	Common Ash	21	7	M	Poor	Pollard :: Pollard to 5 m	6 Months	No	20-Feb-25
Comment: Ash with ADB.									
314	Common Ash	11	4	SM	Poor	Fell :: Fell to ground level	1 year	No	20-Feb-25
Comment: Four stems with ADB.									
315	Common Ash	21	4	M	Fair	Pollard :: Pollard to 5 m	1 year	No	20-Feb-25
Comment: Ash with ADB.									
316	Common Ash	21	6	M	Fair	Pollard :: Pollard to 10 m	1 year	No	20-Feb-25
Comment: Ash with ADB.									
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
317	Common Ash Comment: Ash with ADB. Monolith at 3.0m.	18	7	M	Fair	Fell :: Fell to safe height	6 Months	No	20-Feb-25
318	Common Ash Comment: Ash with ADB.	18	3	M	Fair	Pollard :: Pollard to 5 m	1 year	No	20-Feb-25
319	Common Ash Comment: Ash with ADB.	18	2	M	Dangerous	Fell :: Fell to ground level	3 Months	No	20-Feb-25
320	Common Ash Comment: Crown bias to the south over car park area and bike shelter. Reduce crown height by approx. 3.0m and reduce south lateral spread by up to 4.0m leaving shaped crown.	19	10	M	Fair	Reduce crown(s) :: By 30%	2 Years	No	20-Feb-25
321	Common Ash Comment: Ash with ADB.	14	2	SM	Fair	Fell :: Fell to ground level	6 Months	No	20-Feb-25
322	Common Ash Comment: Ash with ADB. Two stems from south have failed and are hung up on tree - fell and make safe too.	12	2	SM	Poor	Fell :: Fell to ground level	3 Months	No	20-Feb-25
323	Common Beech Comment: Crown bias to the north over the highway. Reduce crown height by approx. 3.0m and lateral spread reduction up to 4.5m leaving shaped crown.	20	11	M	Fair	Reduce crown(s) :: By 30% Remove :: Major dead wood	2 Years 2 Years	No No	20-Feb-25
324	Common Ash Comment: Ash with ADB.	17	2	M	Poor	Fell :: Fell to ground level	6 Months	No	20-Feb-25
325	Common Ash Comment: Ash with ADB.	18	3	M	Poor	Fell :: Fell to ground level	6 Months	No	20-Feb-25
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
326	Common Ash	16	9	M	Fair	Fell :: Fell to safe height	1 year	No	20-Feb-25
Comment: Root heave on south side. Stem lean to north and into adjacent Beech tree. Monolith at 3.0m									
327	Common Ash	18	2	M	Poor	Fell :: Fell to safe height	6 Months	No	20-Feb-25
Comment: Ash with ADB. Monolith at 3.0m. Small ash 1.0m to the north - fell also.									
328	Common Ash	16	1	SM	Poor	Fell :: Fell to safe height	3 Months	No	20-Feb-25
Comment: Ash with ADB. Monolith at 3.0m.									
329	Common Ash	18	3	M	Poor	Pollard :: Pollard to 5 m	1 year	No	20-Feb-25
Comment: Ash with ADB.									
330	Common Ash	18	10	M	Fair	Pollard :: Pollard to 10 m	1 year	No	20-Feb-25
Comment: Crown bias to the south west over adjacent gardens and limbs are overlong.									
331	Common Beech	19	10	M	Fair	Reduce lateral limbs :: By 50% to shape	6 Months	No	20-Feb-25
Comment: Stem lean and crown bias to the north east over the highway. Squirrel damage evident on top of limb over road and dead hanger caught up in limb too - tip prune limb back by approx. 6.0m and remove hanger.									
332	Common Ash	22	8	M	Good	Further inspection :: Climb and inspect Remove :: Major dead wood	1 year 1 year	No No	20-Feb-25
Comment: Large ash growing on steep bank. Historic failed limb at 9.0m on north side. Inspect unions and tree while undertaking dead wood removal.									
333	Common Ash	8	5	M	Poor	Fell :: Fell to safe height	1 year	No	20-Feb-25
Comment: Ash with ADB. Monolith at 3.0m.									
334	Common Oak	18	9	M	Good	Remove :: Major dead wood	2 Years	No	20-Feb-25
Comment:									
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Tree Ref	Species	H (m)	Spr (m)	Maturity	Condition	Action Recommendations	Priority	Done	Inspected
335	Common Oak	20	11	M	Fair	End weight reduction :: 30%	2 Years	No	20-Feb-25
Comment: Crown bias to south east with a number of overlong limbs - tip prune side back by 4.0m.									
Age Classification: NP Newly planted EM Early Mature Y Young M Mature SM Semi-mature OM Over Mature Condition: Overall unless specified as - C Crown S Stem B Basal area									

Report selection criteria.

Projects.

Savernake Hospital

Date Range.

Any Date

--->
---> 1 year
---> 2 Years
---> 3 Months
---> 6 Months

Work types.

----> End weight reduction :: 30%
----> Fell :: Fell to ground level
----> Fell :: Fell to safe height
----> Further inspection :: Climb and inspect
----> -No Selection Made-
----> Pollard :: Pollard to 10 m
----> Pollard :: Pollard to 5 m
----> Reduce crown(s) :: By 30%
----> Reduce lateral limbs :: By 50% to shape
----> Remove :: Major dead wood

Latest Survey.

All surveys for the selected trees.
---> Last survey for each selected tree.

Work Completed.

---> Work Completed
---> Work Not Completed

Number of trees in selected Project(s) 44
Number of trees in Report selection 44

ADB = Ash Dieback (*Hymenoscyphus fraxineus*)

All trees on site have been surveyed. Only trees requiring works have been documented in this report.

Unless stated all trees to be re-surveyed in August 2028.

Key for Dead wood sizes - Minor is 0mm - 25mm diameter / Moderate is 25mm - 75mm diameter / Major is 75mm diameter and above.