

The use of drawings by the Customer are as in agreement to the following statements. The Customer must not use the drawings if it does not agree with any of the following statements:
All drawings are based upon site information supplied by third parties and as such their accuracy cannot be guaranteed. All features are approximate and subject to clarification by a detailed topographical survey, statutory service enquiries and confirmation of the high boundaries. Do not scale the drawings. Figure dimensions must be used in all cases. All dimensions must be checked on site. Any discrepancies must be reported in writing to Colour-UDL before proceeding. All drawings are copyright protected. Refer to full Terms & Conditions at www.colour-udl.com

Scale 1:250

SECC-COL-XX-XX-D-L-2001 - Hardworks & Levels Plan (STAGE 3)

KEY

Existing Features

- Existing Service cover
To be adjusted to proposed levels

Proposed Features

- Vehicular Paving**
Non-porous macadam
- Pedestrian Paving**
Porous macadam
- Paving to Patient & Visitor Garden**
Porous resin-bound aggregate
- Car Park Paving**
BotPav60 filled with 10-16mm limestone chippings
- Arrivals Forecourt**
Tobemore Hydrospave in slate and cedar, or equivalent approved stagger bond coursing, fre draining bedding & jointing
- Play Surface**
EPDM rubber crumbler play surface
Consistency and depth of impact absorbing rubber layers to comply with RSGPA safety standards for specific fall heights
- Road Kerb**
British standard PCC road kerb
125 x 225 x 915mm
- Pedestrian Kerb**
50mm wide PCC concrete pin kerb
- Retaining Wall**
To Engineer's details
- Plant Compound Enclosure**
2.4m high fence to Architect's details
Sliding gates with posts to Engineer's details
- Balustrade to Protect Falls**
1.1m high vertical bar railing
Rimmi by Lang+Fulton or equivalent approved
- Pedestrian Barrier to Service Vehicle / Ambulance Parking**
0.9m high metal barrier
- Plant Compound Enclosure**
2.4m high timber ho-and-miss fence
- Plant Compound Structures**
3.5m high acoustic brick wall
- VEI (Plant Compound) Fences**
2.1m high palisade steel fence
- Benches**
Sorelife Rough & Ready Benches
with back and arm rests, or equivalent approved
- Cycle Stands**
Sheffield cycle stands, Galvanized finish
by Broxap or equivalent approved
- Cycle Shelter**
Bespoke cycle store by BSFG or equivalent approved
- Ballard**
BX47 semi-domed by Broxap or equivalent approved
Hot dip galvanised mild steel with yellow reflective band
- External Lighting**
To Engineer's details

Levels

Existing Levels

Proposed Levels

Proposed Gradients

P06	Plant Compound updated	01.10.26	CG	CG
P05	Door positions updated	30.07.26	FT	CG
P04	Levels updated to accord with LGA	15.07.26	FT	CG
P03	Plant compound levels adjusted	07.07.26	FT	CG
P02	Minor updates	24.06.26	FT	CG
P01	First issue	16.06.26	FT	CG
Rev	Amendments	Date	Drawn	Checked

Project
Salisbury DASH
Drawing Title
Hardwork & Levels Plan

Project No.

2628

Drawing No.

STECC-COL-XX-XX-D-L-2000

Scale @ A0

1:200

Project Status

PLANNING

Revision

P06

London

Newcastle

York

0203 924 9888

0191 24 24 224

01904 925 888

colour

colour-udl.com