



	Arborhelp 020 8540 9966 / 07950 481175 markclews@arborhelp.co.uk
Site:	Savernake Hospital
Site Ref:	QTRA2026-GFM-SH
Client:	Savernake Hospital
Scope:	To undertake tree inspection & provide management options
Trees Tagged:	Yes
Survey Date:	Jul-26
Viewing conditions:	Good
Surveyor:	M Clews
Job Ref:	QTRA2026-GFM-SH
VOSL Value:	£2,200,000
Hour Value	£215

Target Range	Property (repair or replacement cost)	Human (not in vehicles)	Vehicle Traffic (number per day)	Ranges of Value (probability of occupation or fraction of £2 000 000)
1	£2 000 000 ->£200 000	Occupation: Constant - 2.5 hours/day Pedestrians & cyclists: 720hour - 72hour	26 000 - 2 700 @ 60mph 32 000 - 3 300 @ 50mph 47 000 - 4 800 @ 32mph	1/1 - >1/10
2	£200 000 ->£20 000	Occupation: 2.4 hours/day - 15 min/day Pedestrians & cyclists: 72hour - 8hour	2 600 - 270 @ 60mph 3 200 - 330 @ 50mph 4 700 - 480 @ 32mph	1/10 - >1/100
3	£20 000 ->£2 000	Occupation: 14 min/day - 2 min/day Pedestrians & cyclists: 7hour - 2hour	260 - 27 @ 60mph 320 - 33 @ 50mph 470 - 48 @ 32mph	1/100 - >1/1 000
4	£2 000 ->£200	Occupation: 1 min/day - 2 min/week Pedestrians & cyclists: 1hour - 3day	26 - 4 @ 60mph 32 - 4 @ 50mph 47 - 6 @ 32mph	1/1 000 - >1/10 000
5	£200 ->£20	Occupation: 1 min/week - 1 min/month Pedestrians & cyclists: 2day - 2week	3 - 1 @ 60mph 3 - 1 @ 50mph 5 - 1 @ 32mph	1/10 000 - >1/100 000
6	£20 ->£2	Occupation: <1 min/month - 0.5 min/year Pedestrians & cyclists: 1/week - 6/year	None	1/100 000 - 1/1 000 000

Vehicle, pedestrian and property Targets are categorised by their frequency of use or their monetary value. The probability of a vehicle or pedestrian occupying a Target area in Target Range 4 is between the upper and lower limits of 1/1 000 and >1/10 000 (column 5). Using the VOSL £2 000 000, the property repair or replacement value for Target Range 4 is £2 000 ->£200.



Site	Grid No	Tree Ref	Species	Common Name	Age range	Height (m)	Stem dia Class	Crown spread (m)	Vigour	No Significant Defects Observed	Structural condition	Trip Haz	Obs Street light	Obs Street Sign	Obs Bldg	Low Canopy	Deadwood	Ivy Obstructed View	Primary Target	target range	Size range	PoF	RoH	Controls	Priority	Review period	Additional comments
Savernake Hospital	N/A	nbr2	Quercus robur	English Oak	3 - Early Mature	14	1 - 450+mm	9	3 - Moderate	NO		--	--	--	--		to 50mm dia		car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2651	Fraxinus excelsior	Ash	2 - Young	2	1 - 450+mm	2	9 - Dead	NO		--	--	--	--				car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Fell to ground level	2a - Priority Works - Within 1-3 months	9 - N/A	
Savernake Hospital	N/A	nbr4	Quercus robur	English Oak	4 - Mature	13	1 - 450+mm	10	3 - Moderate	YES		--	--	--	--		to 50mm dia		car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2653	Quercus robur	English Oak	4 - Mature	16	2 - 250-450mm	10	3 - Moderate	NO		--	--	--	--		to 50mm dia		car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2655	Quercus robur	English Oak	4 - Mature	15	2 - 250-450mm	10	3 - Moderate	YES	East lowest primary branch slightly endweighted.	--	--	--	--		to 50mm dia		car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2656	Quercus robur	English Oak	4 - Mature	16	1 - 450+mm	10	3 - Moderate	NO		--	--	--	--		to 50mm dia		car park	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2687	Tilia x euchlora	Caucasian Lime	3 - Early Mature	9	3 - 100-250mm	7	2 - Good	NO	South-west lower lateral excessively end-weighted - subsiding out of canopy.	--	--	--	YES	Everywhere			building	4-PROP - £2k-£200	n/a	2 - 1/10-1/100	1/30K	Raise lower canopy to 3m. Cut back off building to provide 2m clearance. 1m reduction of south-west lateral	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2674	Quercus robur	English Oak	4 - Mature	17	3 - 100-250mm	9	3 - Moderate	NO	West lower primary lateral developing dog leg fracture. Longitudinal cracking visible in dead section at 3-4m from proximal union.	--	--	--	--				woodland area	4-OCC - 1min/day-2min/week	3 - 100-250mm	1 - 1/1-1/10	1/50K	Remove defective branch. Deadwood	2a - Priority Works - Within 1-3 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2659	Pinus sylvestris	Scots Pine	4 - Mature	16	2 - 250-450mm	7	3 - Moderate	NO	Moderate adaptive growth now developed on main stem at union.	--	--	--	--		to 50mm dia		building	2-PROP - £200k-£20k	n/a	5 - 1/10k-1/100k	1/300K	Undertake aerial inspection on cable brace & report on condition - manufacturers time	3a - Routine Works - Within 6 months	1 - More detailed investigation required	
Savernake Hospital	N/A	2660	Quercus robur	English Oak	4 - Mature	14	1 - 450+mm	8	2 - Good	NO	Adaptive growth is same - not massively developed further	--	--	--	--				multiple	2-PROP - £200k-£20k	n/a	5 - 1/10k-1/100k	1/300K	Undertake aerial inspection on cable brace & report on condition - manufacturers time	3a - Routine Works - Within 6 months	1 - More detailed investigation required	
Savernake Hospital	N/A	2642	Robinia pseudoacacia	Robinia	3 - Early Mature	11	6 - 1000+mm	9	2 - Good	NO		--	--	--	--	Everywhere			neighbouring property entrance	3-PROP - £20k-£2k	n/a	4 - 1/1k-1/10k	1/300K	Raise lower canopy to 3m	5a - General Estate Management - Within 6 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2661	Quercus robur	English Oak	4 - Mature	16	1 - 450+mm	12	2 - Good	NO	Good adaptive growth around wounds. Wounds are coalescing. Cavity probed to 200mm of 450mm.	--	--	--	--				building	3-PROP - £20k-£2k	n/a	4 - 1/1k-1/10k	1/300K		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2685	Quercus robur	English Oak	4 - Mature	17	2 - 250-450mm	18	3 - Moderate	NO	Has been reduced. Multiple historic old pruning wounds on lower stem -count 8. Assumed starting to coalesce lower down.	--	--	--	--				garden, building	2-PROP - £200k-£20k	n/a	5 - 1/10k-1/100k	1/300K		N/A	3 - Reinspect within 1 year	
Savernake Hospital	N/A	2677	Quercus robur	English Oak	4 - Mature	17	3 - 100-250mm	8	3 - Moderate	NO	Wound at base to south-west. Shallow with good adaptive growth	--	--	--	--		to 25mm dia		Woodland area	3-OCC - 14min-2min/day	4 - 25-100mm	2 - 1/10-1/100	1/500K		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2666	Quercus robur	English Oak	4 - Mature	16	2 - 250-450mm	9	3 - Moderate	NO	Small bark wounds to base to south and east.	--	--	--	--				woodland area	3-OCC - 14min-2min/day	1 - 450+mm	6 - 1/100k-1/1m	<1/1m (1/40m)		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2672	Quercus robur	English Oak	4 - Mature	14	3 - 100-250mm	9	3 - Moderate	NO	Exposed wood on lower section of west primary branch. Exposed wood appears largely sound - is now significantly worse	--	--	--	--				Neighbouring land	4-PED - 1/hr-3/day	3 - 100-250mm	4 - 1/1k-1/10k	<1/1m (1/50m)	4m reduction of altered branch	6 - not required to reduce risk	4 - Reinspect within 2 years	



Arborhelp



020 8540 9966 / 07950 481175

markclews@arborhelp.co.uk

Site:	Savernake Hospital
Site Ref:	QTRA2026-GFM-SH
Client:	Savernake Hospital
Scope:	To undertake tree inspection & provide management options
Trees Tagged:	Yes
Survey Date:	Jul-26
Viewing conditions:	Good
Surveyor:	M Clews
Job Ref:	QTRA2026-GFM-SH
VOSL Value:	£2,200,000
Hour Value	£215

Target Range	Property (repair or replacement cost)	Human (not in vehicles)	Vehicle Traffic (number per day)	Ranges of Value (probability of occupation or fraction of £2 000 000)
1	£2 000 000 – >£200 000	Occupation: Constant – 2.5 hours/day Pedestrians & cyclists: 720hour – 72hour	26 000 – 2 700 @ 68mph 32 000 – 3 300 @ 50mph 47 000 – 4 800 @ 32mph	1/1 – >1/10
2	£200 000 – >£20 000	Occupation: 2.4 hours/day – 15 min/day Pedestrians & cyclists: 72hour – 8hour	2 600 – 270 @ 68mph 3 200 – 330 @ 50mph 4 700 – 480 @ 32mph	1/10 – >1/100
3	£20 000 – >£2 000	Occupation: 14 min/day – 2 min/day Pedestrians & cyclists: 7hour – 2hour	260 – 27 @ 68mph 320 – 33 @ 50mph 470 – 48 @ 32mph	1/100 – >1/1 000
4	£2 000 – >£200	Occupation: 1 min/day – 2 min/week Pedestrians & cyclists: 1hour – 3day	26 – 4 @ 68mph 32 – 4 @ 50mph 47 – 6 @ 32mph	1/1 000 – >1/10 000
5	£200 – >£20	Occupation: 1 min/week – 1 min/month Pedestrians & cyclists: 2day – 2week	3 – 1 @ 68mph 3 – 1 @ 50mph 5 – 1 @ 32mph	1/10 000 – >1/100 000
6	£20 – £2	Occupation: <1 min/month – 0.5 min/year Pedestrians & cyclists: 1week – 6year	None	1/100 000 – 1/1 000 000

Vehicle, pedestrian and property Targets are categorised by their frequency of use or their monetary value. The probability of a vehicle or pedestrian occupying a Target area in Target Range 4 is between the upper and lower limits of 1/1 000 and >1/10 000 (column 5). Using the VOSL £2 000 000, the property repair or replacement value for Target Range 4 is £2 000 – >£200.




Site	Grid No	Tree Ref	Species	Common Name	Age range	Height (m)	Stem dia Class	Crown spread (m)	Vigour	No Significant Defects Observed	Structural condition	Trip Haz	Obs Street light	Obs Street Sign	Obs Bldg	Low Canopy	Deadwood	Ivy Obstructed View	Primary Target	target range	Size range	PoF	RoH	Controls	Priority	Review period	Additional comments
Savernake Hospital	N/A	2657	Quercus robur	English Oak	4 - Mature	11	1 - 450+mm	8	3 - Moderate	NO		--	--	--	--		to 50mm dia		woodland area	4-OCC - 1min/day-2min/week	4 - 25-100mm	2 - 1/10-1/100	<1/1m (1/5m)		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2670	Quercus robur	English Oak	4 - Mature	15	1 - 450+mm	7	14 - Scattered areas of dysfunction	NO		--	--	--	--		to 50mm dia		Woodland area	4-OCC - 1min/day-2min/week	4 - 25-100mm	2 - 1/10-1/100	<1/1m (1/5m)		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2682	Quercus robur	English Oak	4 - Mature	15	1 - 450+mm	10	3 - Moderate	NO	Some minor adaptive growth now developing outside wounds. Exposed wood appears sound. Previous currently managed	--	--	--	--		to 25mm dia		Woodland area	4-OCC - 1min/day-2min/week	4 - 25-100mm	2 - 1/10-1/100	<1/1m (1/5m)		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2681	Quercus robur	English Oak	4 - Mature	18	2 - 250-450mm	13	11 - Minor dysfunction on extremities	NO		--	--	--	--		to 50mm dia		Woodland area	4-OCC - 1min/day-2min/week	4 - 25-100mm	2 - 1/10-1/100	<1/1m (1/5m)		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2641	Quercus petraea	Sessile Oak	3 - Early Mature	13	1 - 450+mm	14	3 - Moderate	NO	Historically pollarded at 4m. Has lost apical dominance and now decurrent. All primary branches slightly end-weighted consistent with pollard form.	--	--	--	--	Footpath				0 - N/A	0 - N/A	0 - N/A	N/A	Raise lower canopy to 3m	5a - General Estate Management - Within 6 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2649	Pyrus salicifolia	Weeping Pear	4 - Mature	7	1 - 450+mm	6	2 - Good	YES		--	--	--	YES	Car park				0 - N/A	0 - N/A	0 - N/A	N/A	Raise lower canopy to 3m. Cut back off building to provide 1-2m clearance.	5a - General Estate Management - Within 6 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2650	Pyrus salicifolia	Weeping Pear	4 - Mature	6	2 - 250-450mm	6	2 - Good	YES		--	--	--	YES					0 - N/A	0 - N/A	0 - N/A	N/A	Cut back off building to provide 1-2m clearance.	5a - General Estate Management - Within 6 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2686	Betula pendula	Silver Birch	4 - Mature	14	2 - 250-450mm	8	2 - Good	YES		--	--	--	YES					0 - N/A	0 - N/A	0 - N/A	N/A	Cut back off building to provide 1-2m clearance.	5a - General Estate Management - Within 6 months	4 - Reinspect within 2 years	
Savernake Hospital	N/A	n1	Taxus baccata	Yew	4 - Mature	10	1 - 450+mm	12	11 - Minor dysfunction on extremities	YES	Adjacent building demolished. North-east lower canopy dieback visible.	--	--	--	--		to 25mm dia			0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2643	Taxus baccata	Yew	4 - Mature	10	1 - 450+mm	7	3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2644	Prunus laurocerasus	Laurel	4 - Mature	5	1 - 450+mm	6	3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2645	Prunus laurocerasus	Laurel	4 - Mature	5	1 - 450+mm	5	3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2646	Taxus baccata	Yew	4 - Mature	11	1 - 450+mm	10	3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	bnd1	Mixed group	Mixed group			1 - 450+mm		3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	

	Arborhelp 020 8540 9966 / 07950 481175 markclews@arborhelp.co.uk
Site:	Savernake Hospital
Site Ref:	QTRA2026-GFM-SH
Client:	Savernake Hospital
Scope:	To undertake tree inspection & provide management options
Trees Tagged:	Yes
Survey Date:	Jul-26
Viewing conditions:	Good
Surveyor:	M Clews
Job Ref:	QTRA2026-GFM-SH
VOSL Value:	£2,200,000
Hour Value	£215

Target Range	Property (repair or replacement cost)	Human (not in vehicles)	Vehicle Traffic (number per day)	Ranges of Value (probability of occupation or fraction of £2 000 000)
1	£2 000 000 ->£200 000	Occupation: Constant - 2.5 hours/day Pedestrians & cyclists: 720hour - 72hour	26 000 - 2 700 @ 60mph 32 000 - 3 300 @ 50mph 47 000 - 4 800 @ 32mph	1/1 - >1/10
2	£200 000 ->£20 000	Occupation: 2.4 hours/day - 15 min/day Pedestrians & cyclists: 72hour - 8hour	2 600 - 270 @ 60mph 3 200 - 330 @ 50mph 4 700 - 480 @ 32mph	1/10 ->1/100
3	£20 000 ->£2 000	Occupation: 14 min/day - 2 min/day Pedestrians & cyclists: 7hour - 2hour	260 - 27 @ 60mph 320 - 33 @ 50mph 470 - 48 @ 32mph	1/100 ->1/1 000
4	£2 000 ->£200	Occupation: 1 min/day - 2 min/week Pedestrians & cyclists: 1hour - 3day	26 - 4 @ 60mph 32 - 4 @ 50mph 47 - 6 @ 32mph	1/1 000 ->1/10 000
5	£200 ->£20	Occupation: 1 min/week - 1 min/month Pedestrians & cyclists: 2day - 2week	3 - 1 @ 60mph 3 - 1 @ 50mph 5 - 1 @ 32mph	1/10 000 ->1/100 000
6	£20 ->£2	Occupation: <1 min/month - 0.5 min/year Pedestrians & cyclists: 1/week - 6/year	None	1/100 000 - 1/1 000 000

Vehicle, pedestrian and property Targets are categorised by their frequency of use or their monetary value. The probability of a vehicle or pedestrian occupying a Target area in Target Range 4 is between the upper and lower limits of 1/1 000 and >1/10 000 (column 5). Using the VOSL £2 000 000, the property repair or replacement value for Target Range 4 is £2 000 ->£200.



	Grid No	Tree Ref	Species	Common Name	Age range	Height (m)	Stem dia Class	Crown spread (m)	Vigour	No Significant Defects Observed	Structural condition	Trip Haz	Obs Street light	Obs Street Sign	Obs Bldg	Low Canopy	Deadwood	Ivy Obstructed View	Primary Target	target range	Size range	PoF	RoH	Controls	Priority	Review period	Additional comments	
Savernake Hospital	N/A	nbr3	Quercus robur	English Oak	3 - Early Mature	12	1 - 450+mm	7	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2652	Quercus robur	English Oak	3 - Early Mature	7	3 - 100-250mm	5	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2654	Quercus robur	English Oak	4 - Mature	15	1 - 450+mm	9	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2658	Quercus robur	English Oak	4 - Mature	15	2 - 250-450mm	9	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2662	Quercus robur	English Oak	4 - Mature	15	1 - 450+mm	8	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2663	Quercus robur	English Oak	3 - Early Mature	14	2 - 250-450mm	5	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2664	Quercus robur	English Oak	4 - Mature	14	1 - 450+mm	6	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2665	Quercus robur	English Oak	4 - Mature	16	1 - 450+mm	8	3 - Moderate	NO	Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2667	Quercus robur	English Oak	4 - Mature	14	2 - 250-450mm	7	3 - Moderate	NO	Lower stem buckling visible around old wound. Historic	--	--	--	--		to 25mm dia				0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2668	Quercus robur	English Oak	4 - Mature	16	2 - 250-450mm	10	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2669	Quercus robur	English Oak	4 - Mature	12	2 - 250-450mm	8	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	1906	Quercus robur	English Oak	4 - Mature	17	3 - 100-250mm	10	3 - Moderate	NO	Old pruning wound low on stem starting to develop very shallow cavity. Good adaptive growth. Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2688	Quercus robur	English Oak	4 - Mature	18	(0 - N/A)	14	3 - Moderate	NO	Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2671	Quercus robur	English Oak	4 - Mature	15	3 - 100-250mm	6	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2673	Quercus robur	English Oak	4 - Mature	14	3 - 100-250mm	7	3 - Moderate	NO	Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2676	Quercus robur	English Oak	4 - Mature	16	1 - 450+mm	11	2 - Good	NO	Advanced decay on west buttress. Some adaptive growth in root collar. Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2678	Quercus robur	English Oak	4 - Mature	16	2 - 250-450mm	7	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2679	Quercus robur	English Oak	4 - Mature	15	2 - 250-450mm	9	3 - Moderate	YES		--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	
Savernake Hospital	N/A	2680	Quercus robur	English Oak	4 - Mature	18	1 - 450+mm	18	3 - Moderate	NO	Risk currently managed	--	--	--	--						0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	



Arborhelp


020 8540 9966 / 07950 481175

markclews@arborhelp.co.uk

Site:	Savernake Hospital
Site Ref:	QTRA2026-GFM-SH
Client:	Savernake Hospital
Scope:	To undertake tree inspection & provide management options
Trees Tagged:	Yes
Survey Date:	Jul-26
Viewing conditions:	Good
Surveyor:	M Clews
Job Ref:	QTRA2026-GFM-SH
VOSL Value:	£2,200,000
Hour Value	£215

Target Range	Property (repair or replacement cost)	Human (not in vehicles)	Vehicle Traffic (number per day)	Ranges of Value (probability of occupation or fraction of £2 000 000)
1	£2 000 000 – >£200 000	Occupation: Constant – 2.5 hours/day Pedestrians & cyclists: 720hour – 72hour	26 000 – 2 700 @ 60mph 32 000 – 3 300 @ 50mph 47 000 – 4 800 @ 32mph	1/1 – >1/10
2	£200 000 – >£20 000	Occupation: 2.4 hours/day – 15 min/day Pedestrians & cyclists: 72hour – 8hour	2 600 – 270 @ 60mph 3 200 – 330 @ 50mph 4 700 – 480 @ 32mph	1/10 – >1/100
3	£20 000 – >£2 000	Occupation: 14 min/day – 2 min/day Pedestrians & cyclists: 7hour – 2hour	260 – 27 @ 60mph 320 – 33 @ 50mph 470 – 48 @ 32mph	1/100 – >1/1 000
4	£2 000 – >£200	Occupation: 1 min/day – 2 min/week Pedestrians & cyclists: 1hour – 3day	26 – 4 @ 60mph 32 – 4 @ 50mph 47 – 6 @ 32mph	1/1 000 – >1/10 000
5	£200 – >£20	Occupation: 1 min/week – 1 min/month Pedestrians & cyclists: 2day – 2week	3 – 1 @ 60mph 3 – 1 @ 50mph 5 – 1 @ 32mph	1/10 000 – >1/100 000
6	£20 – £2	Occupation: <1 min/month – 0.5 min/year Pedestrians & cyclists: 1week – 6year	None	1/100 000 – 1/1 000 000

Vehicle, pedestrian and property Targets are categorised by their frequency of use or their monetary value. The probability of a vehicle or pedestrian occupying a Target area in Target Range 4 is between the upper and lower limits of 1/1 000 and >1/10 000 (column 5). Using the VOSL £2 000 000, the property repair or replacement value for Target Range 4 is £2 000 – >£200.



									No Significant Defects Observed																		
Site	Grid No	Tree Ref	Species	Common Name	Age range	Height (m)	Stem dia Class	Crown spread (m)	Vigour		Structural condition	Trip Haz	Obs Street light	Obs Street Sign	Obs Bldg	Low Canopy	Deadwood	Ivy Obstructed View	Primary Target	target range	Size range	PoF	RoH	Controls	Priority	Review period	Additional comments
Savernake Hospital	N/A	2683	Quercus robur	Mixed group	3 - Early Mature	7	1 - 450+mm	7	3 - Moderate	YES		--	--	--	--					0 - N/A	0 - N/A	0 - N/A	N/A		N/A	4 - Reinspect within 2 years	



Arborhelp
020 8540 9966 / 07950 481175
markclews@arborhelp.co.uk

Site:	Savernake Hospital
Client:	GFM
Scope:	To undertake QTRA based inspection & provide management options
Tree groups Tagged:	NO
Survey Date:	Jul-26
Viewing conditions:	Good
Surveyor:	M Clews
Job Ref:	QTRA2026-GFM_SH-GRPS-RA
VOSL Value:	£2,200,000

NOTE:

The schedule provided is not a risk assessment as any trees within these groups that had defects threatening an identified target & requiring risk assessing, have been removed from the group & assessed as individuals.

Site	Grid	Group ID	Group composition	Total No	Gen height from	Gen height to	Additional Tag Numbers	Gen Age	Approx area - ha	Conditon	Action	Reinspectio n
Savernake Hospital	N/a	g2684	Fraxinus excelsior 8	8	3	8	N/A	3 - Early Mature	0.01	Varied	None	2 years
Savernake Hospital	N/a	g2	Taxus baccata 2, Sambucus nigra 2, Ilex aquifolium 1	5	6	8	N/A	4 - Mature	0.03	Good	None	2 years